



Author Index for Volumes 89–93

- Aber, J.: *See* Xiao, X.
Ackerman, S.A.: *See* Liu, Y.
Agüera, J.: *See* Zarco-Tejada, P.J.
Ahl, D.E., Gower, S.T., Mackay, D.S., Burrows, S.N., Norman, J.M. and Diak, G.R.: Heterogeneity of light use efficiency in a northern Wisconsin forest: implications for modeling net primary production with remote sensing 93:168
Ahmad, W.: *See* Islam, A.
Akhmedov, B.: *See* Doraiswamy, P.C.
Allgöwer, B.: *See* Kötz, B.
Allgöwer, B.: *See* Morsdorf, F.
Alvain, S.: *See* Six, D.
Anagnostou, E.N.: *See* Lee, K.-H.
Anderson, L.O.: *See* Wessels, K.J.
Anderson, M.: *See* Jackson, T.J.
Anderson, M.: *See* Walthall, C.
Anderson, M.C., Neale, C.M.U., Li, F., Norman, J.M., Kustas, W.P., Jayanthi, H. and Chavez, J.: Upscaling ground observations of vegetation water content, canopy height, and leaf area index during SMEX02 using aircraft and Landsat imagery 92:447
Appel, I.: *See* Salomonson, V.V.
Arroyo-Mora, J.P.: *See* Kalácska, M.
Ashton, M.S.: *See* Thenkabail, P.S.
Asner, G.P.: *See* Lobell, D.B.
Atzberger, C.: Object-based retrieval of biophysical canopy variables using artificial neural nets and radiative transfer models 93:53
Awata, Y.: *See* Fu, B.
Axelrad, P.: *See* Masters, D.

Balch, W.M.: *See* Knobelspiesse, K.D.
Bauer, M.E.: *See* Haapanen, R.
Beaubien, J.: *See* Fernandes, R.
Beck, R.F.: *See* Laliberte, A.S.
Bégué, A.: *See* Luquet, D.
Belchansky, G.I., Douglas, D.C., Mordvintsev, I.N. and Platonov, N.G.: Estimating the time of melt onset and freeze onset over Arctic sea-ice area using active and passive microwave data 92:21

Bell, P.: *See* Islam, A.
Ben-Dor, E., Kindel, B. and Goetz, A.F.H.: Quality assessment of several methods to recover surface reflectance using synthetic imaging spectroscopy data 90:389
Ben-Dor, E.: *See* Levin, N.
Bénié, G.B.: *See* Mbow, C.
Benoist, J.-P.: *See* Six, D.
Berjón, A.: *See* Zarco-Tejada, P.J.
Biging, G.S.: *See* Wang, L.
Bindlish, R.: *See* Cosh, M.H.
Bindlish, R.: *See* Li, F.
Bindschadler, R.: *See* Choi, H.
Bisht, G.: *See* Venturini, V.
Boles, S.H., Xiao, X., Liu, J., Zhang, Q., Munkhtuya, S., Chen, S. and Ojima, D.: Land cover characterization of Temperate East Asia using multi-temporal VEGETATION sensor data 90:477
Boles, S.: *See* Xiao, X.
Bonnefond, J.-M.: *See* Lagouarde, J.-P.
Boschetti, L., Flasse, S.P. and Brivio, P.A.: Analysis of the conflict between omission and commission in low spatial resolution dichotomic thematic products: The Pareto Boundary 91:280
Bounoua, L.: *See* Imhoff, M.L.
Bove, D.J.: *See* Dalton, J.B.
Bowyer, P.: *See* Danson, F.M.
Bowyer, P.: *See* Kötz, B.
Brando, V.E.: *See* Wettle, M.
Braswell, B.: *See* Xiao, X.
Bréon, F.M.: *See* Camacho-de Coca, F.
Bréon, F.-M.: *See* Maignan, F.
Bresee, M.: *See* Zheng, D.
Bridgeman, T.: *See* Vincent, R.K.
Briggs, B.B.J.: *See* Patenaude, G.
Brivio, P.A.: *See* Boschetti, L.
Brock, J.C.: *See* Hu, C.
Buermann, W.: *See* Wang, Y.
Bunn, A.: *See* Lawrence, R.
Burrows, S.N.: *See* Ahl, D.E.
Butson, C.R. and Fernandes, R.A.: A consistency analysis of surface reflectance and leaf area index retrieval from overlapping clear-sky Landsat ETM+ imagery 89:369

- Cabido, M.R.: *See* Cingolani, A.M.
- Caelli, T.: *See* Castro-Esau, K.L.
- Calvo-Alvarado, J.C.: *See* Kalácska, M.
- Camacho-de Coca, F., Bréon, F.M., Leroy, M. and Garcia-Haro, F.J.: Airborne measurement of hot spot reflectance signatures 90:63
- Camenen, L.: *See* Moya, I.
- Campbell, J.W.: *See* Slater, J.F.
- Canty, M.J., Nielsen, A.A. and Schmidt, M.: Automatic radiometric normalization of multitemporal satellite imagery 91:441
- Carder, K.L.: *See* Lee, Z.
- Carn, S.: *See* Tupper, A.
- Caselles, V.: *See* Rivas, R.
- Casey, N.W.: *See* Gregg, W.W.
- Castro-Esau, K.L., Sánchez-Azofeifa, G.A. and Caelli, T.: Discrimination of lianas and trees with leaf-level hyperspectral data 90:353
- Caylor, K.K.: *See* Pereira, J.M.C.
- Cazenave, A.: *See* Kouraev, A.V.
- Cerovic, Z.G.: *See* Moya, I.
- Champeaux, J.-L.: *See* Han, K.-S.
- Chapman, B.: *See* Siqueira, P.
- Chavez, J.: *See* Anderson, M.C.
- Chen, D.: *See* Jackson, Th.J.
- Chen, G., Fang, C., Zhang, C. and Chen, Y.: Observing the coupling effect between warm pool and "rain pool" in the Pacific Ocean 91:153
- Chen, J., Jönsson, Per., Tamura, M., Gu, Z., Matsushita, B. and Eklundh, L.: A simple method for reconstructing a high-quality NDVI time-series data set based on the Savitzky-Golay filter 91:332
- Chen, J.: *See* Cihlar, J.
- Chen, J.: *See* Gamon, J.A.
- Chen, J.: *See* Zheng, D.
- Chen, J.M.: *See* Fernandes, R.A.
- Chen, J.M.: *See* Hu, B.
- Chen, J.M.: *See* Simic, A.
- Chen, S.: *See* Boles, S.H.
- Chen, S.-A.: Space-time variations of the TOPEX/POSEIDON-derived heat storage anomaly over the Kuroshio upstream regions 89:128
- Chen, W.: *See* Zhang, Q.
- Chen, X., Vierling, L., Rowell, E. and DeFelice, T.: Using lidar and effective LAI data to evaluate IKONOS and Landsat 7 ETM+ vegetation cover estimates in a ponderosa pine forest 91:14
- Chen, Y.: *See* Chen, G.
- Chen, Z.: *See* Hu, C.
- Choi, H. and Bindschadler, R.: Cloud detection in Landsat imagery of ice sheets using shadow matching technique and automatic normalized difference snow index threshold value decision 91:237
- Chuvieco, E. and Justice, C.: Editorial for the RSE Special Edition from the Ghent workshop 92:295
- Chuvieco, E., Cocero, D., Riaño, D., Martin, P., Martínez-Vega, J., de la Riva, J. and Pérez, F.: Combining NDVI and surface temperature for the estimation of live fuel moisture content in forest fire danger rating 92:322
- Chuvieco, E.: *See* García, M.
- Chuvieco, E.: *See* Riaño, D.
- Cierniewski, J., Gdala, T. and Karnieli, A.: A hemispherical-directional reflectance model as a tool for understanding image distinctions between cultivated and uncultivated bare surfaces 90:505
- Cihlar, J., Latifovic, R., Chen, J., Trishchenko, A., Du, Y., Fedosejevs, G. and Guindon, B.: Systematic corrections of AVHRR image composites for temporal studies 89:217
- Cihlar, J.: *See* Fernandes, R.
- Cihlar, J.: *See* Gamon, J.A.
- Cihlar, J.: *See* Latifovic, R.
- Cihlar, J.: *See* Peddle, D.R.
- Cihlar, J.: *See* Zhang, Q.
- Cingolani, A.M., Renison, D., Zak, M.R. and Cabido, M.R.: Mapping vegetation in a heterogeneous mountain range-land using landsat data: an alternative method to define and classify land-cover units 92:84
- Clark, D.B.: *See* Clark, M.L.
- Clark, M.: *See* Powell, R.L.
- Clark, M.L., Clark, D.B. and Roberts, D.A.: Small-footprint lidar estimation of sub-canopy elevation and tree height in a tropical rain forest landscape 91:68
- Clayton, T.D.: *See* Hu, C.
- Clouvel, P.: *See* Luquet, D.
- Clutter, M.: *See* Kellndorfer, J.
- Cocero, D.: *See* Chuvieco, E.
- Cohen, W.B.: *See* Lee, K.-S.
- Colls, J.J.: *See* Smith, K.L.
- Colombo, R.: *See* Meroni, M.
- Comiso, J.C.: *See* Cota, G.F.
- Comiso, J.C.: *See* Worby, A.P.
- Condés, S.: *See* Riaño, D.
- Conrad, S.G.: *See* Sukhinin, A.I.
- Cosh, M.: *See* Jackson, Th.J.
- Cosh, M.H., Jackson, Th.J., Bindlish, R. and Prueger, J.H.: Watershed scale temporal and spatial stability of soil moisture and its role in validating satellite estimates 92:427
- Cosh, M.H.: *See* Li, F.
- Cota, G.F., Wang, J. and Comiso, J.C.: Transformation of global satellite chlorophyll retrievals with a regionally tuned algorithm 90:373
- Cros, S.: *See* Mueller, R.W.
- Crosson, W.L.: *See* Limaye, A.S.
- Crotwell, J.: *See* Lunetta, R.S.
- Crow, T.: *See* Zheng, D.
- Csillag, F.: *See* Simic, A.
- Csiszar, I.A.: *See* Sukhinin, A.I.
- Czajkowski, K.: *See* Vincent, R.K.

- DaCamara, C.C.: *See* Peres, L.F.
 Daeschner, S.: *See* Stow, D.A.
 Dagestad, K.F.: *See* Mueller, R.W.
 Dalton, J.B., Bove, D.J., Mladinich, C.S. and Rockwell, B.W.: Identification of spectrally similar materials using the USGS Tetracorder algorithm: the calcite-epidote-chlorite problem 89:455
 Danson, F.M. and Bowyer, P.: Estimating live fuel moisture content from remotely sensed reflectance 92:309
 Darecki, M. and Stramski, D.: An evaluation of MODIS and SeaWiFS bio-optical algorithms in the Baltic Sea 89:326
 Daughtry, C.S.T., Hunt, E.R.Jr. and McMurtrey, J.E.III: Assessing crop residue cover using shortwave infrared reflectance 90:126
 Dauzat, J.: *See* Luquet, D.
 Davey, J.: *See* Tupper, A.
 Davidson, A. and Wang, S.: The effects of sampling resolution on the surface albedos of dominant land cover types in the North American boreal region 93:211
 Davidson, E.A.: *See* Xiao, X.
 Davis, C.O.: *See* Gao, B.-C.
 Dawson, T.P.: *See* Patenaude, G.
 De Beurs, K.M. and Henebry, G.M.: Land surface phenology, climatic variation, and institutional change: Analyzing agricultural land cover change in Kazakhstan 89:497
 De Dieu, M.J.: *See* Thenkabail, P.S.
 De Fries, R.S.: *See* Wessels, K.J.
 De la Riva, J.: *See* Chuvieco, E.
 De la Riva, J., Pérez-Cabello, F., Lana-Renault, N. and Koutsias, N.: Mapping wildfire occurrence at regional scale 92:288
 De Souza Jr., C.: *See* Powell, R.L.
 De Wulf, R.R.: *See* Mertens, K.C.
 Dean, K.G.: *See* Lu, Z.
 DeFelice, T.: *See* Chen, X.
 DeFries, R.: *See* Imhoff, M.L.
 Dekker, A.G.: *See* Wettle, M.
 Dempewolf, J.: *See* Wessels, K.J.
 Dennison, P.E., Halligan, K.Q. and Roberts, D.A.: A comparison of error metrics and constraints for multiple endmember spectral mixture analysis and spectral angle mapper 93:359
 Dennison, P.E.: *See* Herold, M.
 Derksen, C.: *See* LeDrew, E.F.
 Diak, G.R.: *See* Ahl, D.E.
 Dibb, J.E.: *See* Slater, J.F.
 Dillabaugh, C.: *See* Guindon, B.
 Dinh, N.Q.: *See* Wang, Q.
 Dobberty, M.: *See* Morsdorf, F.
 Dobson, C.: *See* Kellndorfer, J.
 Donald, G.E.: *See* Hill, M.J.
 Doraiswamy, P.C., Hatfield, J.L., Jackson, T.J., Akhmedov, B., Prueger, J. and Stern, A.: Crop condition and yield simulations using Landsat and MODIS 92:548
 Doriaswamy, P.: *See* Jackson, Th.J.
 Douglas, D.: *See* Stow, D.A.
 Douglas, D.C.: *See* Belchansky, G.I.
 Dozier, J.: *See* Painter, T.H.
 Du, Y.: *See* Cihlar, J.
 Du, Y.: *See* Fernandes, R.
 Dulaney, W.: *See* Walthall, C.
 Dumortier, D.: *See* Mueller, R.W.
 Dury, S.J.: *See* Huang, Z.
 Dymond, J.R. and Shepherd, J.D.: The spatial distribution of indigenous forest and its composition in the Wellington region, New Zealand, from ETM+ satellite imagery 90:116
 Eerikäinen, K.: *See* Maltamo, M.
 Egbert, S.L.: *See* Park, S.
 Ek, A.R.: *See* Haapanen, R.
 Eklundh, L.: *See* Chen, J.
 Ellis, R.J. and Scott, P.W.: Evaluation of hyperspectral remote sensing as a means of environmental monitoring in the St. Austell China clay (kaolin) region, Cornwall, UK 93:118
 Elvidge, C.D.: *See* Waluda, C.M.
 Enclona, E.A.: *See* Thenkabail, P.S.
 Epstein, H.: *See* Stow, D.A.
 Erikson, M.: Species classification of individually segmented tree crowns in high-resolution aerial images using radiometric and morphologic image measures 91:469
 Estiarte, M.: *See* Filella, I.
 Evain, S., Flexas, J. and Moya, I.: A new instrument for passive remote sensing: 2. Measurement of leaf and canopy reflectance changes at 531 nm and their relationship with photosynthesis and chlorophyll fluorescence 91:175
 Evain, S.: *See* Moya, I.
 Fang, C.: *See* Chen, G.
 Fang, H.: *See* Walthall, C.
 Fargion, G.S.: *See* Knobelspiesse, K.D.
 Feddema, J.J.: *See* Park, S.
 Fedosejevs, G.: *See* Cihlar, J.
 Fensholt, R., Sandholt, I. and Rasmussen, M.S.: Evaluation of MODIS LAI, fAPAR and the relation between fAPAR and NDVI in a semi-arid environment using in situ measurements 91:490
 Fernandes, R.: *See* Gamon, J.A.
 Fernandes, R., Fraser, R., Latifovic, R., Cihlar, J., Beaubien, J. and Du, Y.: Approaches to fractional land cover and continuous field mapping: A comparative assessment over the BOREAS study region 89:234
 Fernandes, R.A., Miller, J.R., Chen, J.M. and Rubinstein, I.G.: Evaluating image-based estimates of leaf area index in boreal conifer stands over a range of scales using high-resolution CASI imagery 89:200
 Fernandes, R.A.: *See* Butson, C.R.

- Filella, I., Peñuelas, J., Llorens, L. and Estiarte, M.: Reflectance assessment of seasonal and annual changes in biomass and CO₂ uptake of a Mediterranean shrubland submitted to experimental warming and drought 90:308
- Fily, M.: *See* Six, D.
- Finley, A.O.: *See* Haapanen, R.
- Fisher, J.I. and Mustard, J.F.: High spatial resolution sea surface climatology from Landsat thermal infrared data 90:293
- Fites, J.A.: *See* Kellndorfer, J.
- Flasse, S.P.: *See* Boschetti, L.
- Flexas, J.: *See* Evain, S.
- Flexas, J.: *See* Moya, I.
- Foley, W.J.: *See* Huang, Z.
- Fonstad, M.A.: *See* Legleiter, C.J.
- Foody, G.M. and Mathur, A.: Toward intelligent training of supervised image classifications: directing training data acquisition for SVM classification 93:107
- Forster, R.R.: *See* Koenig, L.S.
- François, C.: *See* le Maire, G.
- Fraser, R.: *See* Fernandes, R.
- Fraser, R.: *See* Zhang, Q.
- French, A.: *See* Jacob, F.
- French, A.N.: *See* Li, F.
- French, N.H.F.: *See* Sukhinin, A.I.
- Frey, R.A.: *See* Liu, Y.
- Frolking, S.: *See* Kimball, J.S.
- Frolking, S.E.: *See* Kimball, J.S.
- Frost, P.A.: *See* Jiang, H.
- Frost, P.E.: *See* Wessels, K.J.
- Frouin, R.: *See* Knobelspiesse, K.D.
- Fu, B., Ninomiya, Y., Lei, X., Toda, S. and Awata, Y.: Mapping active fault associated with the 2003 Mw 6.6 Bam (SE Iran) earthquake with ASTER 3D images 92:153
- Fuentes, D.: *See* Gamon, J.A.
- Gamon, J.: *See* Stow, D.A.
- Gamon, J.A., Huemmrich, K.F., Peddle, D.R., Chen, J., Fuentes, D., Hall, F.G., Kimball, J.S., Goetz, S., Gu, J., McDonald, K.C., Miller, J.R., Moghaddam, M., Rahman, A.F., Roujean, J.-L., Smith, E.A., Walthall, C.L., Zarco-Tejada, P., Hu, B., Fernandes, R. and Cihlar, J.: Remote sensing in BOREAS: Lessons learned 89:139
- Gannier, A.: *See* Littaye, A.
- Gao, B.-C., Montes, M.J. and Davis, C.O.: Refinement of wavelength calibrations of hyperspectral imaging data using a spectrum-matching technique 90:424
- Gao, J.: *See* Islam, A.
- Garbeil, H.: *See* Stevens, N.F.
- Garcia-Haro, F.J.: *See* Camacho-de Coca, F.
- García, M. and Chuvieco, E.: Assessment of the potential of SAC-C/MMRS imagery for mapping burned areas in Spain 92:414
- Gardner, M.E.: *See* Herold, M.
- Gaveau, D.L.A.: *See* Patenaude, G.
- Gdala, T.: *See* Cierniewski, J.
- Geerken, R. and Ilaiwi, M.: Assessment of rangeland degradation and development of a strategy for rehabilitation 90:490
- Gimeno, M. and San-Miguel-Ayanz, J.: Evaluation of RADARSAT-1 data for identification of burnt areas in Southern Europe 92:370
- Giri, C.: *See* Latifovic, R.
- Goel, N.: *See* Zarco-Tejada, P.J.
- Goetz, A.F.H.: *See* Ben-Dor, E.
- Goetz, S.: *See* Gamon, J.A.
- Goita, K.: *See* Mbow, C.
- Goltz, M.: *See* Xiao, X.
- Golubeva, E.I.: *See* Rees, W.G.
- Gong, P.: *See* Pu, R.
- Gong, P.: *See* Wang, L.
- Gonzalez, A.L.: *See* Laliberte, A.S.
- González-Matesanz, J.: *See* Riaño, D.
- Goulas, Y.: *See* Moya, I.
- Gower, S.T.: *See* Ahl, D.E.
- Gower, S.T.: *See* Lee, K.-S.
- Greeley, R.: *See* Williams, K.K.
- Gregg, W.W. and Casey, N.W.: Global and regional evaluation of the SeaWiFS chlorophyll data set 93:463
- Greuell, W. and Oerlemans, J.: Narrowband-to-broadband albedo conversion for glacier ice and snow: equations based on modeling and ranges of validity of the equations 89:95
- Griffith, B.: *See* Stow, D.A.
- Grippa, M., Mognard, N., Le Toan, T. and Josberger, E.G.: Siberia snow depth climatology derived from SSM/I data using a combined dynamic and static algorithm 93:30
- Gu, J.: *See* Gamon, J.A.
- Gu, Z.: *See* Chen, J.
- Guindon, B.: *See* Cihlar, J.
- Guindon, B., Zhang, Y. and Dillabaugh, C.: Landsat urban mapping based on a combined spectral-spatial methodology 92:218
- Haapanen, R., Ek, A.R., Bauer, M.E. and Finley, A.O.: Delineation of forest/nonforest land use classes using nearest neighbor methods 89:265
- Haboudane, D.: *See* Hu, B.
- Haboudane, D., Miller, J.R., Pattey, E., Zarco-Tejada, P.J. and Strachan, I.B.: Hyperspectral vegetation indices and novel algorithms for predicting green LAI of crop canopies: Modeling and validation in the context of precision agriculture 90:337
- Hall, F.G.: *See* Gamon, J.A.
- Halligan, K.Q.: *See* Dennison, P.E.
- Hallikainen, M.: *See* Tedesco, M.
- Halme, M.: *See* Tomppo, E.

- Häme, T.: *See* Wang, Y.
- Han, K.-S., Champeaux, J.-L. and Roujean, J.-L.: A land cover classification product over France at 1 km resolution using SPOT4/VEGETATION data 92:52
- Hansen, A.J.: *See* Wessels, K.J.
- Hara, K.: *See* Susaki, J.
- Harron, J.: *See* Zarco-Tejada, P.J.
- Hatfield, J.L.: *See* Doraiswamy, P.C.
- Havstad, K.M.: *See* Laliberte, A.S.
- Hay, S.I.: *See* Tatem, A.J.
- Hayashi, T.: *See* Mohamad, I.N.
- He, M.-X.: *See* Jo, Y.-H.
- Heil, C.A.: *See* Tomlinson, M.C.
- Heinemann, D.: *See* Mueller, R.W.
- Henebry, G.M.: *See* de Beurs, K.M.
- Henry, P.: *See* Six, D.
- Herold, M., Roberts, D.A., Gardner, M.E. and Dennison, P.E.: Spectrometry for urban area remote sensing—Development and analysis of a spectral library from 350 to 2400 nm 91:304
- Hess, L.L.: *See* Powell, R.L.
- Hewson, J.H.: *See* Sukhinin, A.I.
- Hill, M.J., Donald, G.E., Hyder, M.W. and Smith, R.C.G.: Estimation of pasture growth rate in the south west of Western Australia from AVHRR NDVI and climate data 93:528
- Hill, R.A.: *See* Patenaude, G.
- Hinzman, L.: *See* Stow, D.A.
- Ho, C.-R.: *See* Kuo, N.-J.
- Hobson, V.R.: *See* Waluda, C.M.
- Holden, H.: *See* LeDrew, E.F.
- Hollinger, A.: *See* Hu, B.
- Hollinger, A.B.: *See* Hu, B.
- Hollinger, D.: *See* Xiao, X.
- Holmgren, J. and Persson, Å.: Identifying species of individual trees using airborne laser scanner 90:415
- Honda, Y.: *See* Susaki, J.
- Hope, A.: *See* Stow, D.A.
- Houborg, R.M. and Soegaard, H.: Regional simulation of ecosystem CO₂ and water vapor exchange for agricultural land using NOAA AVHRR and Terra MODIS satellite data. Application to Zealand, Denmark 93:150
- Houston, S.: *See* Stow, D.A.
- Hsu, E.-C.: *See* Jacobs, J.M.
- Hu, B.: *See* Gamon, J.A.
- Hu, B., Miller, J.R., Chen, J.M. and Hollinger, A.: Retrieval of the canopy leaf area index in the BOREAS flux tower sites using linear spectral mixture analysis 89:176
- Hu, B., Qian, S.-E., Haboudane, D., Miller, J.R., Hollinger, A.B., Tremblay, N. and Pattey, E.: Retrieval of crop chlorophyll content and leaf area index from decompressed hyperspectral data: the effects of data compression 92:139
- Hu, B.: *See* Zarco-Tejada, P.J.
- Hu, C., Chen, Z., Clayton, T.D., Swarzenski, P., Brock, J.C. and Muller-Karger, F.E.: Assessment of estuarine water-quality indicators using MODIS medium-resolution bands: Initial results from Tampa Bay, FL 93:423
- Hu, J.: *See* Wang, Y.
- Huang, Z., Turner, B.J., Dury, S.J., Wallis, I.R. and Foley, W.J.: Estimating foliage nitrogen concentration from HYMAP data using continuum removal analysis 93:18
- Huemmrich, F.: *See* Stow, D.A.
- Huemmrich, K.F.: *See* Gamon, J.A.
- Huggel, C.: *See* Paul, F.
- Hunsaker, C.: *See* Kellndorfer, J.
- Hunt, E.R.: *See* Jackson, Th.J.
- Hunt Jr., E.R.: *See* Daughtry, C.S.T.
- Hyder, M.W.: *See* Hill, M.J.
- Hyer, E.J.: *See* Sukhinin, A.I.
- Hyypä, J.: *See* Maltamo, M.
- Hyypä, J.: *See* Yu, X.
- Ilaivi, M.: *See* Geerken, R.
- Imhoff, M.L., Bounoua, L., DeFries, R., Lawrence, W.T., Stutzer, D., Tucker, C.J. and Ricketts, T.: The consequences of urban land transformation on net primary productivity in the United States 89:434
- Ineichen, P.: *See* Mueller, R.W.
- Irvine, M.: *See* Lagouarde, J.-P.
- Ishihara, M.: *See* Maki, M.
- Islam, A., Gao, J., Ahmad, W., Neil, D. and Bell, P.: A composite DOP approach to excluding bottom reflectance in mapping water parameters of shallow coastal zones from TM imagery 92:40
- Islam, S.: *See* Venturini, V.
- Itten, K.: *See* Kötz, B.
- Itten, K.I.: *See* Morsdorf, F.
- Jackson, T.J.: *See* Doraiswamy, P.C.
- Jackson, T.J.: *See* Kustas, W.P.
- Jackson, Th.J.: *See* Cosh, M.H.
- Jackson, Th.J.: *See* Li, F.
- Jackson, Th.J., Chen, D., Cosh, M., Li, F., Anderson, M., Walthall, C., Doraiswamy, P. and Hunt, E.R.: Vegetation water content mapping using Landsat data derived normalized difference water index for corn and soybeans 92:475
- Jacob, F., Petitcolin, F., Schmugge, T., Vermote, É., French, A. and Ogawa, K.: Comparison of land surface emissivity and radiometric temperature derived from MODIS and ASTER sensors 90:137
- Jacobs, J.M., Mohanty, B.P., Hsu, E.-C. and Miller, D.: SMEX02: Field scale variability, time stability and similarity of soil moisture 92:436
- Jayanthi, H.: *See* Anderson, M.C.
- Jia, G.: *See* Stow, D.A.
- Jiang, H., Strittholt, J.R., Frost, P.A. and Slosser, N.C.: The classification of late seral forests in the Pacific Northwest, USA using Landsat ETM+ imagery 91:320

- Jiang, L.: *See* Venturini, V.
 Jiménez-Muñoz, J.C.: *See* Sobrino, J.A.
 Jo, Y.-H., Yan, X.-H., Pan, J., Liu, W.T. and He, M.-X.:
 Sensible and latent heat flux in the tropical Pacific from
 satellite multi-sensor data 90:166
 Johnson, D.M.: *See* Lunetta, R.S.
 Johnson, R.L.: *See* Peddle, D.R.
 Jönsson, Per.: *See* Chen, J.
 Josberger, E.G.: *See* Grippa, M.
 Journet, A.R.P.: *See* Kalácska, M.
 Justice, C.: *See* Chuvieco, E.
 Justice, C.O.: *See* Korontzi, S.
- Kääb, A.: *See* Paul, F.
 Kaartinen, H.: *See* Yu, X.
 Kafatos, M.: *See* Sarkar, S.
 Kajiwar, K.: *See* Susaki, J.
 Kalácska, M., Sánchez-Azofeifa, G.A., Rivard, B., Calvo-
 Alvarado, J.C., Journet, A.R.P., Arroyo-Mora, J.P. and
 Ortiz-Ortiz, D.: Leaf area index measurements in a
 tropical moist forest: A case study from Costa Rica 91:134
 Kamada, Y.: *See* Tupper, A.
 Karnieli, A.: *See* Levin, N.
 Karnieli, A.: *See* Cierniewski, J.
 Kasilingam, D.: *See* Schuler, D.L.
 Kasischke, E.S.: *See* Sukhinin, A.I.
 Katzberg, S.: *See* Masters, D.
 Kellndorfer, J., Walker, W., Pierce, L., Dobson, C., Fites,
 J.A., Hunsaker, C., Vona, J. and Clutter, M.: Vegetation
 height estimation from Shuttle Radar Topography Mis-
 sion and National Elevation Datasets 93:339
 Kennedy, R.E.: *See* Lee, K.-S.
 Keronen, P.: *See* Wang, Q.
 Key, C.H.: *See* van Wageningen, J.W.
 Key, J.R.: *See* Liu, Y.
 Kharuk, V.I.: *See* Ranson, K.J.
 Kikuchi, K.: *See* Mohamad, I.N.
 Kimball, J.S.: *See* Gamon, J.A.
 Kimball, J.S., McDonald, K.C., Frolking, S. and Running,
 S.W.: Radar remote sensing of the spring thaw transition
 across a boreal landscape 89:163
 Kimball, J.S., McDonald, K.C., Running, S.W. and Frolk-
 ing, S.E.: Satellite radar remote sensing of seasonal
 growing seasons for boreal and subalpine evergreen
 forests 90:243
 Kindel, B.: *See* Ben-Dor, E.
 King, D.J.: *See* Olthof, I.
 Kirkpatrick, G.J.: *See* Tomlinson, M.C.
 Klemas, V.: *See* Zhao, Z.
 Knobelspiesse, K.D., Pietras, C., Fargion, G.S., Wang, M.,
 Frouin, R., Miller, M.A., Subramaniam, A. and Balch,
 W.M.: Maritime aerosol optical thickness measured by
 handheld sun photometers 93:87
 Knyazikhin, Y.: *See* Kotchenova, S.Y.
 Knyazikhin, Y.: *See* Wang, Y.
- Koenig, L.S. and Forster, R.R.: Evaluation of passive
 microwave snow water equivalent algorithms in the
 depth hoar-dominated snowpack of the Kuparuk River
 Watershed, Alaska, USA 93:511
 Korontzi, S., Roy, D.P., Justice, C.O. and Ward, D.E.:
 Modeling and sensitivity analysis of fire emissions in
 southern Africa during SAFARI 2000 92:255
 Korontzi, S., Roy, D.P., Justice, C.O. and Ward, D.E.:
 Modeling and sensitivity analysis of fire emissions in
 southern Africa during SAFARI 2000 92:376
 Kotchenova, S.Y., Song, X., Shabanov, N.V., Potter, C.S.,
 Knyazikhin, Y. and Myneni, R.B.: Lidar remote sensing
 for modeling gross primary production of deciduous
 forests 92:158
 Kötz, B.: *See* Morsdorf, F.
 Kötz, B., Schaepman, M., Morsdorf, F., Bowyer, P., Itten, K.
 and Allgöwer, B.: Radiative transfer modeling within a
 heterogeneous canopy for estimation of forest fire fuel
 properties 92:332
 Kouraev, A.V., Zakharova, E.A., Samain, O., Mognard,
 N.M. and Cazenave, A.: Ob' river discharge from
 TOPEX/Poseidon satellite altimetry (1992-2002) 93:238
 Koutsias, N.: *See* de la Riva, J.
 Kovacs, K.: *See* Ranson, K.J.
 Kuhlemann, R.: *See* Mueller, R.W.
 Kuo, N.-J., Zheng, Q. and Ho, C.-R.: Response of Vietnam
 coastal upwelling to the 1997-1998 ENSO event
 observed by multisensor data 89:106
 Kurz, W.A.: *See* Wulder, M.A.
 Kustas, W.P.: *See* Anderson, M.C.
 Kustas, W.P.: *See* Li, F.
 Kustas, W.P., Li, F., Jackson, T.J., Prueger, J.H., MacPherson,
 J.I. and Wolde, M.: Effects of remote sensing pixel
 resolution on modeled energy flux variability of crop-
 lands in Iowa 92:535
 Kuusk, A.: *See* Rautiainen, M.
- Lacava, T.: *See* Pergola, N.
 Lacaze, R.: *See* Maignan, F.
 Lagouarde, J.-P., Moreau, P., Irvine, M., Bonnefond, J.-M.,
 Voogt, J.A. and Sollic, F.: Airborne experimental
 measurements of the angular variations in surface
 temperature over urban areas: case study of Marseille
 (France) 93:443
 Lakshmi, V.: *See* Narayan, U.
 Lakshmi, V.: *See* Njoku, E.G.
 Laliberte, A.S., Rango, A., Havstad, K.M., Paris, J.F., Beck,
 R.F., McNeely, R. and Gonzalez, A.L.: Object-oriented
 image analysis for mapping shrub encroachment from
 1937 to 2003 in southern New Mexico 93:198
 Lana-Renault, N.: *See* de la Riva, J.
 Lanfredi, M., Simoniello, T. and Macchiato, M.: Temporal
 persistence in vegetation cover changes observed from
 satellite: Development of an estimation procedure in the
 test site of the Mediterranean Italy 93:565

- Laran, S.: *See* Littaye, A.
- Latifovic, R. and Olthof, I.: Accuracy assessment using sub-pixel fractional error matrices of global land cover products derived from satellite data 90:153
- Latifovic, R., Zhu, Z.-L., Cihlar, J., Giri, C. and Olthof, I.: Land cover mapping of North and Central America—Global Land Cover 2000 89:116
- Latifovic, R.: *See* Cihlar, J.
- Latifovic, R.: *See* Fernandes, R.
- Latifovic, R.: *See* Peddle, D.R.
- Latifovic, R.: *See* Zhang, Q.
- Latouche, G.: *See* Moya, I.
- Lautenschlager, R.A.: *See* Olthof, I.
- Lawrence, R., Bunn, A., Powell, S. and Zambon, M.: Classification of remotely sensed imagery using stochastic gradient boosting as a refinement of classification tree analysis 90:331
- Lawrence, W.T.: *See* Imhoff, M.L.
- Laymon, C.A.: *See* Limaye, A.S.
- Le Hégarat-Masclé, S. and Seltz, R.: Automatic change detection by evidential fusion of change indices 91:390
- Le Maire, G., François, C. and Dufrêne, E.: Towards universal broad leaf chlorophyll indices using PROSPECT simulated database and hyperspectral reflectance measurements 89:1
- Le Moine, J.: *See* Zheng, D.
- Le Toan, T.: *See* Grippa, M.
- LeDrew, E.F., Holden, H., Wulder, M.A., Derksen, C. and Newman, C.: A spatial statistical operator applied to multirate satellite imagery for identification of coral reef stress 91:271
- Lee, J.S.: *See* Schuler, D.L.
- Lee, K.-H. and Anagnostou, E.N.: A combined passive/active microwave remote sensing approach for surface variable retrieval using Tropical Rainfall Measuring Mission observations 92:112
- Lee, K.-S., Cohen, W.B., Kennedy, R.E., Maersperger, T.K. and Gower, S.T.: Hyperspectral versus multispectral data for estimating leaf area index in four different biomes 91:508
- Lee, Z. and Carder, K.L.: Absorption spectrum of phytoplankton pigments derived from hyperspectral remote-sensing reflectance 89:361
- Legg, C.: *See* Thenkabail, P.S.
- Legleiter, C.J., Roberts, D.A., Marcus, W.A. and Fonstad, M.A.: Passive optical remote sensing of river channel morphology and in-stream habitat: Physical basis and feasibility 93:493
- Lei, X.: *See* Fu, B.
- Leroy, M.: *See* Camacho-de Coca, F.
- Levin, N., Ben-Dor, E. and Karnieli, A.: Topographic information of sand dunes as extracted from shading effects using Landsat images 90:190
- Li, F.: *See* Anderson, M.C.
- Li, F.: *See* Jackson, Th.J.
- Li, F.: *See* Kustas, W.P.
- Li, F., Jackson, Th.J., Kustas, W.P., Schmugge, Th.J., French, A.N., Cosh, M.H. and Bindlish, R.: Deriving land surface temperature from Landsat 5 and 7 during SMEX02/SMACEX 92:521
- Li, L.: *See* Whiting, M.L.
- Li, X. and Yeh, A.G.: Multitemporal SAR images for monitoring cultivation systems using—based reasoning 90:524
- Li, X.: *See* Zhao, Z.
- Liang, S.: *See* Walthall, C.
- Limaye, A.S., Crosson, W.L., Laymon, C.A. and Njoku, E.G.: Land cover-based optimal deconvolution of PALS L-band microwave brightness temperatures 92:497
- Littaye, A., Gannier, A., Laran, S. and Wilson, J.P.F.: The relationship between summer aggregation of fin whales and satellite-derived environmental conditions in the northwestern Mediterranean Sea 90:44
- Liu, J.: *See* Boles, S.H.
- Liu, J.: *See* Simic, A.
- Liu, W.T.: *See* Jo, Y.-H.
- Liu, Y., Key, J.R., Frey, R.A., Ackerman, S.A. and Menzel, W.P.: Nighttime polar cloud detection with MODIS 92:181
- Llorens, L.: *See* Filella, I.
- Lobell, D.B. and Asner, G.P.: Cropland distributions from temporal unmixing of MODIS data 93:412
- Loboda, T.: *See* Sukhinin, A.I.
- Loeb, N.G.: *See* Loukachine, K.
- Lorenzetti, J.A.: *See* Zagaglia, C.R.
- Loukachine, K. and Loeb, N.G.: Top-of-atmosphere flux retrievals from CERES using artificial neural networks 93:381
- Lu, D.: *See* Weng, Q.
- Lu, Z., Rykhus, R., Masterlark, T. and Dean, K.G.: Mapping recent lava flows at Westdahl Volcano, Alaska, using radar and optical satellite imagery 91:345
- Lunetta, R.S., Johnson, D.M., Lyon, J.G. and Crotwell, J.: Impacts of imagery temporal frequency on land-cover change detection monitoring 89:444
- Lusch, D.P.: *See* South, S.
- Luquet, D., Vidal, A., Dauzat, J., Bégué, A., Oliso, A. and Clouvel, P.: Using directional TIR measurements and 3D simulations to assess the limitations and opportunities of water stress indices 90:53
- Lyon, J.G.: *See* Lunetta, R.S.
- Macchiato, M.: *See* Lanfredi, M.
- Mackay, D.S.: *See* Ahl, D.E.
- MacPherson, J.I.: *See* Kustas, W.P.
- Maersperger, T.K.: *See* Lee, K.-S.
- Maignan, F., Bréon, F.-M. and Lacaze, R.: Bidirectional reflectance of Earth targets: evaluation of analytical models using a large set of spaceborne measurements with emphasis on the Hot Spot 90:210

- Maki, M., Ishiahra, M. and Tamura, M.: Estimation of leaf water status to monitor the risk of forest fires by using remotely sensed data 90:441
- Maltamo, M., Eerikäinen, K., änen, J., ä, J. and Vehmas, M.: Estimation of timber volume and stem density based on scanning laser altimetry and expected tree size distribution functions 90:319
- Maltamo, M.: *See* Yu, X.
- Marchese, F.: *See* Pergola, N.
- Marcus, W.A.: *See* Legleiter, C.J.
- Mars, J.C.: *See* Rowan, L.C.
- Marsett, R.: *See* Wang, C.
- Marsh, S.E.: *See* Shupe, S.M.
- Martin, P.: *See* Chuvieco, E.
- Martínez-Vega, J.: *See* Chuvieco, E.
- Maselli, F.: Monitoring forest conditions in a protected Mediterranean coastal area by the analysis of multiyear NDVI data 89:423
- Masterlark, T.: *See* Lu, Z.
- Masters, D., Axelrad, P. and Katzberg, S.: Initial results of land-reflected GPS bistatic radar measurements in SMEX02 92:507
- Mathur, A.: *See* Foody, G.M.
- Matsushita, B.: *See* Chen, J.
- Matzke, N.: *See* Powell, R.L.
- Mbow, C., Goita, K. and énié, G.B.: Spectral indices and fire behavior simulation for fire risk assessment in savanna ecosystems 91:1
- McDonald, K.C.: *See* Gamon, J.A.
- McDonald, K.C.: *See* Kimball, J.S.
- McGarragh, G.: *See* Siqueira, P.
- McGuire, D.: *See* Stow, D.A.
- McKay, R.M.L.: *See* Vincent, R.K.
- McKee, B.A.: *See* Miller, R.L.
- McMurtrey III, J.E.: *See* Daughtry, C.S.T.
- McNeely, R.: *See* Laliberte, A.S.
- Meier, E.: *See* Morsdorf, F.
- Menzel, W.P.: *See* Liu, Y.
- Meroni, M., Colombo, R. and Panigada, C.: Inversion of a radiative transfer model with hyperspectral observations for LAI mapping in poplar plantations 92:195
- Mertens, K.C., Verbeke, L.P.C., Westra, T. and De Wulf, R.R.: Sub-pixel mapping and sub-pixel sharpening using neural network predicted wavelet coefficients 91:225
- Miller, D.: *See* Jacobs, J.M.
- Miller, J.R.: *See* Fernandes, R.A.
- Miller, J.R.: *See* Gamon, J.A.
- Miller, J.R.: *See* Haboudane, D.
- Miller, J.R.: *See* Hu, B.
- Miller, J.R.: *See* Zarco-Tejada, P.J.
- Miller, M.A.: *See* Knobelspiesse, K.D.
- Miller, R.L. and McKee, B.A.: Using MODIS Terra 250 m imagery to map concentrations of total suspended matter in coastal waters 93:259
- Milne, R.: *See* Patenaude, G.
- Miner, J.: *See* Vincent, R.K.
- Mishra, D.R.: *See* Narumalani, S.
- Miskiv, S.I.: *See* Sukhinin, A.I.
- Mladinich, C.S.: *See* Dalton, J.B.
- Moghaddam, M.: *See* Gamon, J.A.
- Mognard, N.: *See* Grippa, M.
- Mognard, N.M.: *See* Kouraev, A.V.
- Mohamad, I.N., Hayashi, T., Uyeda, H., Terao, T. and Kikuchi, K.: Diurnal variations of cloud activity in Bangladesh and north of the Bay of Bengal in 2000 90:378
- Mohammed, G.H.: *See* Zarco-Tejada, P.J.
- Mohanty, B.P.: *See* Jacobs, J.M.
- Montes, M.J.: *See* Gao, B.-C.
- Moore III, B.: *See* Xiao, X.
- Moore, T.S.: *See* Slater, J.F.
- Morales, A.: *See* Zarco-Tejada, P.J.
- Moran, E.F.: *See* Wessels, K.J.
- Moran, S.: *See* Wang, C.
- Mordvintsev, I.N.: *See* Belchansky, G.I.
- Moreau, P.: *See* Lagouarde, J.-P.
- Morsdorf, F.: *See* Kötz, B.
- Morsdorf, F., Meier, E., Kötz, B., Itten, K.I., Dobbartin, M. and Allgöwer, B.: LIDAR-based geometric reconstruction of boreal type forest stands at single tree level for forest and wildland fire management 92:353
- Mota, B.: *See* Pereira, J.M.C.
- Mouginis-Mark, P.J.: *See* Stevens, N.F.
- Moya, I.: *See* Evain, S.
- Moya, I., Camenen, L., Evain, S., Goulas, Y., Cerovic, Z.G., Latouche, G., Flexas, J. and Ounis, A.: A new instrument for passive remote sensing1. Measurements of sunlight-induced chlorophyll fluorescence 91:186
- Mueller, R.W., Dagestad, K.F., Ineichen, P., Schroedter-Homscheidt, M., Cros, S., Dumortier, D., Kuhlemann, R., Olseth, J.A., Piernavieja, G., Reise, C., Wald, L. and Heinemann, D.: Rethinking satellite-based solar irradiance modellingThe SOLIS clear-sky module 91:160
- Muller-Karger, F.E.: *See* Hu, C.
- Munkhtuya, S.: *See* Boles, S.H.
- Mustard, J.F.: *See* Fisher, J.I.
- Mutanga, O. and Skidmore, A.K.: Integrating imaging spectroscopy and neural networks to map grass quality in the Kruger National Park, South Africa 90:104
- Mutanga, O., Skidmore, A.K. and Prins, H.H.T.: Predicting in situ pasture quality in the Kruger National Park, South Africa, using continuum-removed absorption features 89:393
- Myneni, R.: *See* Stow, D.A.
- Myneni, R.B.: *See* Kotchenova, S.Y.
- Myneni, R.B.: *See* Wang, Y.
- Næsset, E.: Effects of different flying altitudes on biophysical stand properties estimated from canopy height and density measured with a small-footprint airborne scanning laser 91:243

- Nair, S.K., Rajeev, K. and Parameswaran, K.: Cloud screening in IRS-P4 OCM satellite data: potential of spatial coherence method in the absence of thermal channel information 90:259
- Narayan, U., Lakshmi, V. and Njoku, E.G.: Retrieval of soil moisture from passive and active L/S band sensor (PALS) observations during the Soil Moisture Experiment in 2002 (SMEX02) 92:483
- Narumalani, S., Mishra, D.R. and Rothwell, R.G.: Change detection and landscape metrics for inferring anthropogenic processes in the greater EFMO area 91:478
- Neale, C.M.U.: *See* Anderson, M.C.
- Neil, D.: *See* Islam, A.
- Newman, C.: *See* LeDrew, E.F.
- Nielsen, A.A.: *See* Canty, M.J.
- Nilson, T.: *See* Rautiainen, M.
- Ni-Meister, W.: *See* Pereira, J.M.C.
- Ninomiya, Y.: *See* Fu, B.
- Njoku, E.G.: *See* Limaye, A.S.
- Njoku, E.G.: *See* Narayan, U.
- Njoku, E.G., Lakshmi, V. and O'Neill, P.E.: Soil moisture field experiment special issue 92:425
- Noland, T.L.: *See* Zarco-Tejada, P.J.
- Noor, A.M.: *See* Tatem, A.J.
- Norman, J.: *See* Walthall, C.
- Norman, J.M.: *See* Ahl, D.E.
- Norman, J.M.: *See* Anderson, M.C.
- Noyle, B.: *See* Stow, D.A.
- Numata, I.: *See* Powell, R.L.
- Oerlemans, J.: *See* Greuell, W.
- Ogawa, K.: *See* Jacob, F.
- Ojima, D.: *See* Boles, S.H.
- Ojima, D.: *See* Xiao, X.
- Okin, G.S. and Painter, T.H.: Effect of grain size on remotely sensed spectral reflectance of sandy desert surfaces 89:272
- Oliosio, A.: *See* Luquet, D.
- Olsen, A., Triñanes, J.A. and Wanninkhof, R.: Sea-air flux of CO₂ in the Caribbean Sea estimated using in situ and remote sensing data 89:309
- Olseth, J.A.: *See* Mueller, R.W.
- Olthof, I.: *See* Latifovic, R.
- Olthof, I., King, D.J. and Lautenschlager, R.A.: Mapping deciduous forest ice storm damage using Landsat and environmental data 89:484
- O'Neill, P.E.: *See* Njoku, E.G.
- Ortiz-Ortiz, D.: *See* Kalácska, M.
- Ounis, A.: *See* Moya, I.
- Pampaloni, P.: *See* Tedesco, M.
- Pan, J.: *See* Jo, Y.-H.
- Panigada, C.: *See* Meroni, M.
- Paolini, L.: *See* Sobrino, J.A.
- Parameswaran, K.: *See* Nair, S.K.
- Paris, J.F.: *See* Laliberte, A.S.
- Park, S., Feddema, J.J. and Egbert, S.L.: Impacts of hydrologic soil properties on drought detection with MODIS thermal data 89:53
- Patenaude, G., Hill, R.A., Milne, R., Gaveau, D.L.A., Briggs, B.B.J. and Dawson, T.P.: Quantifying forest above ground carbon content using LiDAR remote sensing 93:368
- Pattey, E.: *See* Haboudane, D.
- Pattey, E.: *See* Hu, B.
- Paul, F., Huggel, C. and Kääb, A.: Combining satellite multispectral image data and a digital elevation model for mapping debris-covered glaciers 89:510
- Pavelsky, T.M. and Smith, L.C.: Spatial and temporal patterns in Arctic river ice breakup observed with MODIS and AVHRR time series 93:328
- Pavlic, G.: *See* Zhang, Q.
- Pavlichenko, E.A.: *See* Sukhinin, A.I.
- Peddle, D.R.: *See* Gamon, J.A.
- Peddle, D.R., Johnson, R.L., Cihlar, J. and Latifovic, R.: Large area forest classification and biophysical parameter estimation using the 5-Scale canopy reflectance model in Multiple-Forward-Mode 89:252
- Pederson, B.A.: *See* Tomlinson, M.C.
- Pekkarinen, A.: *See* Tuominen, S.
- Peñuelas, J.: *See* Filella, I.
- Pereira, J.M.C., Mota, B., Privette, J.L., Caylor, K.K., Silva, J.M.N., Sá, A.C.L. and Ni-Meister, W.: A simulation analysis of the detectability of understory burns in *miombo* woodlands 93:296
- Peres, L.F. and DaCamara, C.C.: Land surface temperature and emissivity estimation based on the two-temperature method: sensitivity analysis using simulated MSG/SEVIRI data 91:377
- Pérez, F.: *See* Chuvieco, E.
- Pérez-Cabello, F.: *See* de la Riva, J.
- Pergola, N., Marchese, F. and Tramutoli, V.: Automated detection of thermal features of active volcanoes by means of infrared AVHRR records 93:311
- Pergola, N., Tramutoli, V., Marchese, F., Scaffidi, I. and Lacava, T.: Improving volcanic ash cloud detection by a robust satellite technique 90:1
- Persson, Å.: *See* Holmgren, J.
- Petitcolin, F.: *See* Jacob, F.
- Petersen, A.: *See* Stow, D.A.
- Pierce, L.: *See* Kellndorfer, J.
- Piervavieja, G.: *See* Mueller, R.W.
- Pietras, C.: *See* Knobelspiesse, K.D.
- Pitkänen, J.: *See* Maltamo, M.
- Platonov, N.G.: *See* Belchansky, G.I.
- Potter, C.S.: *See* Kotchenova, S.Y.
- Painter, T.H.: *See* Okin, G.S.
- Painter, T.H. and Dozier, J.: The effect of anisotropic reflectance on imaging spectroscopy of snow properties 89:409

- Pottier, E.: *See* Schuler, D.L.
 Potts, R.: *See* Tupper, A.
 Poveda, G. and Salazar, L.F.: Annual and interannual (ENSO) variability of spatial scaling properties of a vegetation index (NDVI) in Amazonia 93:391
 Powell, R.L., Matzke, N., de Souza, C.Jr., Clark, M.Jr., Numata, I.Jr., Hess, L.L.Jr. and Roberts, D.A.Jr.: Sources of error in accuracy assessment of thematic land-cover maps in the Brazilian Amazon 90:221
 Powell, S.: *See* Lawrence, R.
 Powell, S.L.: *See* Wessels, K.J.
 Prata, F.: *See* Tupper, A.
 Prince, S.D.: *See* Wessels, K.J.
 Prins, H.H.T.: *See* Mutanga, O.
 Privette, J.L.: *See* Pereira, J.M.C.
 Prueger, J.: *See* Doraiswamy, P.C.
 Prueger, J.H.: *See* Cosh, M.H.
 Prueger, J.H.: *See* Kustas, W.P.
 Pu, R. and Gong, P.: Wavelet transform applied to EO-1 hyperspectral data for forest LAI and crown closure mapping 91:212
 Pulliainen, J.: *See* Tedesco, M.

 Qi, J.: *See* South, S.
 Qi, J.: *See* Wang, C.
 Qian, S.-E.: *See* Hu, B.
 Qin, X.: *See* Vincent, R.K.

 Racine, C.: *See* Stow, D.A.
 Rademacher, J.: *See* Zheng, D.
 Rahman, A.F.: *See* Gamon, J.A.
 Rajeev, K.: *See* Nair, S.K.
 Rango, A.: *See* Laliberte, A.S.
 Ransibrahmanakul, V.: *See* Tomlinson, M.C.
 Ranson, K.J., Sun, G., Kharuk, V.I. and Kovacs, K.: Assessing tundra-taiga boundary with multi-sensor satellite data 93:283
 Rasmussen, M.S.: *See* Fensholt, R.
 Rautiainen, M., Stenberg, P., Nilson, T. and Kuusk, A.: The effect of crown shape on the reflectance of coniferous stands 89:41
 Rees, W.G., Tutubalina, O.V. and Golubeva, E.I.: Reflectance spectra of subarctic lichens between 400 and 2400 nm 90:281
 Reichstein, M.: *See* Wang, Q.
 Reise, C.: *See* Mueller, R.W.
 Renison, D.: *See* Cingolani, A.M.
 Riaño, D.: *See* Chuvieco, E.
 Riaño, D., Chuvieco, E., Condés, S., González-Matesanz, J. and Ustin, S.L.: Generation of crown bulk density for *Pinus sylvestris* L. from lidar 92:345
 Ricketts, T.: *See* Imhoff, M.L.
 Rivard, B.: *See* Kalácska, M.
 Rivas, R. and Caselles, V.: A simplified equation to estimate spatial reference evaporation from remote sensing-based surface temperature and local meteorological data 93:68
 Roberts, D.A.: *See* Clark, M.L.
 Roberts, D.A.: *See* Herold, M.
 Rockwell, B.W.: *See* Dalton, J.B.
 Roberts, D.A.: *See* Dennison, P.E.
 Roberts, D.A.: *See* Legleiter, C.J.
 Roberts, D.A.: *See* Powell, R.L.
 Rodhouse, P.G.: *See* Waluda, C.M.
 Romaguera, M.: *See* Sobrino, J.A.
 Romasko, V.I.: *See* Sukhinin, A.I.
 Root, R.R.: *See* van Wagendonk, J.W.
 Rothwell, R.G.: *See* Narumalani, S.
 Roujean, J.-L.: *See* Gamon, J.A.
 Roujean, J.-L.: *See* Han, K.-S.
 Rowan, L.C., Simpson, C.J. and Mars, J.C.: Hyperspectral analysis of the ultramafic complex and adjacent lithologies at Mordor, NT, Australia 91:419
 Rowell, E.: *See* Chen, X.
 Roy, D.P.: *See* Korontzi, S.
 Rubinstein, I.G.: *See* Fernandes, R.A.
 Running, S.W.: *See* Kimball, J.S.
 Rykhus, R.: *See* Lu, Z.
 Ryu, S.-R.: *See* Zheng, D.

 Sá, A.C.L.: *See* Pereira, J.M.C.
 Salazar, L.F.: *See* Poveda, G.
 Salomonson, V.V. and Appel, I.: Estimating fractional snow cover from MODIS using the normalized difference snow index 89:351
 Samain, O.: *See* Kouraev, A.V.
 Sampson, P.: *See* Zarco-Tejada, P.J.
 Sánchez-Azofeifa, G.A.: *See* ácska, M.
 Sánchez-Azofeifa, G.A.: *See* Castro-Esau, K.L.
 Sanchez-Azofeifa, G.A.: *See* Van Laake, P.E.
 Sandholt, I.: *See* Fensholt, R.
 San-Miguel-Ayanz, J.: *See* Gimeno, M.
 Sarkar, S. and Kafatos, M.: Interannual variability of vegetation over the Indian sub-continent and its relation to the different meteorological parameters 90:268
 Sassan, J.: *See* Schmidtlein, S.
 Savino, J.: *See* Vincent, R.K.
 Scaffidi, I.: *See* Pergola, N.
 Schaepman, M.: *See* Kötz, B.
 Schmidt, M.: *See* Canty, M.J.
 Schmidtlein, S. and Sassan, J.: Mapping of continuous floristic gradients in grasslands using hyperspectral imagery 92:126
 Schmidtlein, S. and Sassan, J.: Mapping of continuous floristic gradients in grasslands using hyperspectral imagery 92:126
 Schmugge, T.: *See* Jacob, F.
 Schmugge, Th.J.: *See* Li, F.
 Schroedter-Homscheidt, M.: *See* Mueller, R.W.

- Schuler, D.L., Lee, J.S., Kasilingam, D. and Pottier, E.: Measurement of ocean surface slopes and wave spectra using polarimetric SAR image data 91:198
- Schubring, J.: *See* Weng, Q.
- Scott, P.W.: *See* Ellis, R.J.
- Seltz, R.: *See* Le Hégarat-Masclé, S.
- Settle, J.: On the dimensionality of multi-view hyperspectral measurements of vegetation 90:235
- Shabanov, N.V.: *See* Kotchenova, S.Y.
- Shepherd, J.D.: *See* Dymond, J.R.
- Shoshany, M.: *See* Svoray, T.
- Shupe, S.M. and Marsh, S.E.: Cover- and density-based vegetation classifications of the Sonoran Desert using Landsat TM and ERS-1 SAR imagery 93:131
- Silapaswan, C.: *See* Stow, D.A.
- Silva, J.M.N.: *See* Pereira, J.M.C.
- Simic, A., Chen, J.M., Liu, J. and Csillag, F.: Spatial scaling of net primary productivity using subpixel information 93:246
- Simoniello, T.: *See* Lanfredi, M.
- Simpson, C.J.: *See* Rowan, L.C.
- Siqueira, P., Chapman, B. and McGarragh, G.: The coregistration, calibration, and interpretation of multiseason JERS-1 SAR data over South America 90:536
- Six, D., Fily, M., Alvain, S., Henry, P. and Benoist, J.-P.: Surface characterisation of the Dome Concordia area (Antarctica) as a potential satellite calibration site, using Spot 4/Vegetation instrument 89:83
- Skakun, R.S.: *See* Wulder, M.A.
- Skidmore, A.K.: *See* Mutanga, O.
- Slater, J.F., Dibb, J.E., Campbell, J.W. and Moore, T.S.: Physical and chemical properties of surface and column aerosols at a rural New England site during MODIS overpass 92:173
- Slinkina, O.A.: *See* Sukhinin, A.I.
- Slosser, N.C.: *See* Jiang, H.
- Small, C.: The Landsat ETM+ spectral mixing space 93:1
- Smith, E.A.: *See* Gamon, J.A.
- Smith, J.H.: *See* Wickham, J.D.
- Smith, K.L., Steven, M.D. and Colls, J.J.: Use of hyperspectral derivative ratios in the red-edge region to identify plant stress responses to gas leaks 92:207
- Smith, L.C.: *See* Pavelsky, T.M.
- Smith, R.C.G.: *See* Hill, M.J.
- Smolander, H.: *See* Wang, Y.
- Sobrino, J.A., Jiménez-Muñoz, J.C. and Paolini, L.: Land surface temperature retrieval from LANDSAT TM 5 90:434
- Sobrino, J.A. and Romaguera, M.: Land surface temperature retrieval from MSG1-SEVIRI data 92:247
- Soegaard, H.: *See* Houborg, R.M.
- Soja, A.J.: *See* Sukhinin, A.I.
- Sollicec, F.: *See* Lagouarde, J.-P.
- Song, X.: *See* Kotchenova, S.Y.
- Sousa, W.P.: *See* Wang, L.
- South, S., Qi, J. and Lusch, D.P.: Optimal classification methods for mapping agricultural tillage practices 91:90
- Stech, J.L.: *See* Zagaglia, C.R.
- Stehman, S.V.: *See* Wickham, J.D.
- Stenberg, P.: *See* Rautiainen, M.
- Stenberg, P.: *See* Wang, Y.
- Stern, A.: *See* Doraiswamy, P.C.
- Steven, M.D.: *See* Smith, K.L.
- Stevens, N.F., Garbeil, H. and Mouginiis-Mark, P.J.: NASA EOS Terra ASTER: Volcanic topographic mapping and capability 90:405
- Stow, D.A., Hope, A., McGuire, D., Verbyla, D., Gamon, J., Huemmrich, F., Houston, S., Racine, C., Sturm, M., Tape, K., Hinzman, L., Yoshikawa, K., Tweedie, C., Noyle, B., Silapaswan, C., Douglas, D., Griffith, B., Jia, G., Epstein, H., Walker, D., Daeschner, S., Petersen, A., Zhou, L. and Myneni, R.: Remote sensing of vegetation and land-cover change in Arctic Tundra Ecosystems 89:281
- Strachan, I.B.: *See* Haboudane, D.
- Strittholt, J.R.: *See* Jiang, H.
- Stumpf, R.P.: *See* Tomlinson, M.C.
- Stramski, D.: *See* Darecki, M.
- Sturm, M.: *See* Stow, D.A.
- Stutzer, D.: *See* Imhoff, M.L.
- Subramaniam, A.: *See* Knobelspiesse, K.D.
- Sukhinin, A.I., French, N.H.F., Kasischke, E.S., Hewson, J.H., Soja, A.J., Csiszar, I.A., Hyer, E.J., Loboda, T., Conrad, S.G., Romasko, V.I., Pavlichenko, E.A., Miskiv, S.I. and Slinkina, O.A.: AVHRR-based mapping of fires in Russia: New products for fire management and carbon cycle studies 93:546
- Sun, G.: *See* Ranson, K.J.
- Susaki, J., Hara, K., Kajiwara, K. and Honda, Y.: Robust estimation of BRDF model parameters 89:63
- Svoray, T. and Shoshany, M.: Multi-scale analysis of intrinsic soil factors from SAR-based mapping of drying rates 92:233
- Swarzenski, P.: *See* Hu, C.
- Takala, M.: *See* Tedesco, M.
- Tamura, M.: *See* Chen, J.
- Tamura, M.: *See* Maki, M.
- Tamura, M.: *See* Yamano, H.
- Tape, K.: *See* Stow, D.A.
- Tatem, A.J., Noor, A.M. and Hay, S.I.: Defining approaches to settlement mapping for public health management in Kenya using medium spatial resolution satellite imagery 93:42
- Tedesco, M., Pulliainen, J., Takala, M., Hallikainen, M. and Pampaloni, P.: Artificial neural network-based techniques for the retrieval of SWE and snow depth from SSM/I data 90:76
- Tenhunen, J.: *See* Wang, Q.
- Terao, T.: *See* Mohamad, I.N.

- Thenkabail, P.S., Enclona, E.A., Ashton, M.S., Legg, C. and De Dieu, M.J.: Hyperion, IKONOS, ALI, and ETM+ sensors in the study of African rainforests 90:23
- Thenkabail, P.S., Enclona, E.A., Ashton, M.S. and Van Der Meer, B.: Accuracy assessments of hyperspectral waveband performance for vegetation analysis applications 91:354
- Tian, Y.: *See* Wang, Y.
- Toda, S.: *See* Fu, B.
- Tokuno, M.: *See* Tupper, A.
- Tomlinson, M.C., Stumpf, R.P., Ransibrahmanakul, V., Truby, E.W., Kirkpatrick, G.J., Pederson, B.A., Vargo, G.A. and Heil, C.A.: Evaluation of the use of SeaWiFS imagery for detecting *Karenia brevis* harmful algal blooms in the eastern Gulf of Mexico 91:293
- Tomppo, E. and Halme, M.: Using coarse scale forest variables as ancillary information and weighting of variables in k-NN estimation: a genetic algorithm approach 92:1
- Tramutoli, V.: *See* Pergola, N.
- Tremblay, N.: *See* Hu, B.
- Triñanes, J.A.: *See* Olsen, A.
- Trishchenko, A.: *See* Cihlar, J.
- Truby, E.W.: *See* Tomlinson, M.C.
- Tucker, C.J.: *See* Imhoff, M.L.
- Tuominen, S. and Pekkarinen, A.: Local radiometric correction of digital aerial photographs for multi source forest inventory 89:72
- Tupper, A., Carn, S., Davey, J., Kamada, Y., Potts, R., Prata, F. and Tokuno, M.: An evaluation of volcanic cloud detection techniques during recent significant eruptions in the western 'Ring of Fire' 91:27
- Turner, B.J.: *See* Huang, Z.
- Tutubalina, O.V.: *See* Rees, W.G.
- Tweedie, C.: *See* Stow, D.A.
- Urbanski, S.: *See* Xiao, X.
- Ustin, S.L.: *See* Riaño, D.
- Ustin, S.L.: *See* Whiting, M.L.
- Uyeda, H.: *See* Mohamad, I.N.
- Van Der Meer, B.: *See* Thenkabail, P.S.
- Van Laake, P.E. and Sanchez-Azofeifa, G.A.: Simplified atmospheric radiative transfer modelling for estimating incident PAR using MODIS atmosphere products 91:98
- Van Wagtendonk, J.W., Root, R.R. and Key, C.H.: Comparison of AVIRIS and Landsat ETM+ detection capabilities for burn severity 92:397
- Van Zyl, D.: *See* Wessels, K.J.
- Vargo, G.A.: *See* Tomlinson, M.C.
- Vehmas, M.: *See* Maltamo, M.
- Venturini, V., Bisht, G., Islam, S. and Jiang, L.: Comparison of evaporative fractions estimated from AVHRR and MODIS sensors over South Florida 93:77
- Verbeke, L.P.C.: *See* Mertens, K.C.
- Verbyla, D.: *See* Stow, D.A.
- Vermote, É.: *See* Jacob, F.
- Vesala, T.: *See* Wang, Q.
- Vidal, A.: *See* Luquet, D.
- Vierling, L.: *See* Chen, X.
- Vincent, R.K., Qin, X., McKay, R.M.L., Miner, J., Czajkowski, K., Savino, J. and Bridgeman, T.: Phyco-cyanin detection from LANDSAT TM data for mapping cyanobacterial blooms in Lake Erie 89:381
- Voipio, P.: *See* Wang, Y.
- Vona, J.: *See* Kellndorfer, J.
- Voogt, J.A.: *See* Lagouarde, J.-P.
- Wald, L.: *See* Mueller, R.W.
- Walker, D.: *See* Stow, D.A.
- Walker, W.: *See* Kellndorfer, J.
- Wallis, I.R.: *See* Huang, Z.
- Walthall, C.: *See* Jackson, Th.J.
- Walthall, C., Dulaney, W., Anderson, M., Norman, J., Fang, H. and Liang, S.: A comparison of empirical and neural network approaches for estimating corn and soybean leaf area index from Landsat ETM+ imagery 92:465
- Walthall, C.L.: *See* Gamon, J.A.
- Waluda, C.M., Yamashiro, C., Elvidge, C.D., Hobson, V.R. and Rodhouse, P.G.: Quantifying light-fishing for *Dosidicus gigas* in the eastern Pacific using satellite remote sensing 91:129
- Wang, C., Qi, J., Moran, S. and Marsett, R.: Soil moisture estimation in a semiarid rangeland using ERS-2 and TM imagery 90:178
- Wang, J.: *See* Cota, G.F.
- Wang, L., Sousa, W.P., Gong, P. and Biging, G.S.: Comparison of IKONOS and QuickBird images for mapping mangrove species on the Caribbean coast of Panama 91:432
- Wang, M.: *See* Knobelspiesse, K.D.
- Wang, Q., Tenhunen, J., Dinh, N.Q., Reichstein, M., Vesala, T. and Keronen, P.: Similarities in ground- and satellite-based NDVI time series and their relationship to physiological activity of a Scots pine forest in Finland 93:225
- Wang, S.: *See* Davidson, A.
- Wang, Y., Woodcock, C.E., Buermann, W., Stenberg, P., Voipio, P., Smolander, H., Häme, T., Tian, Y., Hu, J., Knyazikhin, Y. and Myneni, R.B.: Evaluation of the MODIS LAI algorithm at a coniferous forest site in Finland 91:114
- Wanninkhof, R.: *See* Olsen, A.

- Ward, D.E.: See Korontzi, S.
- Weng, Q., Lu, D. and Schubring, J.: Estimation of land surface temperature-vegetation abundance relationship for urban heat island studies 89:467
- Wessels, K.J., De Fries, R.S., Dempewolf, J., Anderson, L.O., Hansen, A.J., Powell, S.L. and Moran, E.F.: Mapping regional land cover with MODIS data for biological conservation: Examples from the Greater Yellowstone Ecosystem, USA and Pará State, Brazil 92:67
- Wessels, K.J., Prince, S.D., Frost, P.E. and van Zyl, D.: Assessing the effects of human-induced land degradation in the former homelands of northern South Africa with a 1 km AVHRR NDVI time-series 91:47
- Westra, T.: See Mertens, K.C.
- Wettle, M., Brando, V.E. and Dekker, A.G.: A methodology for retrieval of environmental noise equivalent spectra applied to four Hyperion scenes of the same tropical coral reef 93:188
- White, J.C.: See Wulder, M.A.
- Whiting, M.L., Li, L. and Ustin, S.L.: Predicting water content using Gaussian model on soil spectra 89:535
- Wickham, J.D., Stehman, S.V., Smith, J.H. and Yang, L.: Thematic accuracy of the 1992 National Land-Cover Data for the western United States 91:452
- Williams, K.K. and Greeley, R.: Laboratory and field measurements of the modification of radar backscatter by sand 89:29
- Wilson, J.P.F.: See Littaye, A.
- Wofsy, S.: See Xiao, X.
- Wolde, M.: See Kustas, W.P.
- Woodcock, C.E.: See Wang, Y.
- Worby, A.P. and Comiso, J.C.: Studies of the Antarctic sea ice edge and ice extent from satellite and ship observations 92:98
- Wu, C.: Normalized spectral mixture analysis for monitoring urban composition using ETM+ imagery 93:480
- Wulder, M.A.: See LeDrew, E.F.
- Wulder, M.A., Skakun, R.S., Kurz, W.A. and White, J.C.: Estimating time since forest harvest using segmented Landsat ETM+ imagery 93:179
- Xiao, X.: See Boles, S.H.
- Xiao, X., Hollinger, D., Aber, J., Goltz, M., Davidson, E.A., Zhang, Q. and MooreIII, B.: Satellite-based modeling of gross primary production in an evergreen needleleaf forest 89:519
- Xiao, X., Zhang, Q., Braswell, B., Urbanski, S., Boles, S., Wofsy, S., Moore, B.III and Ojima, D.III: Modeling gross primary production of temperate deciduous broad-leaf forest using satellite images and climate data 91:256
- Yamano, H. and Tamura, M.: Detection limits of coral reef bleaching by satellite remote sensing: Simulation and data analysis 90:86
- Yamashiro, C.: See Waluda, C.M.
- Yan, X.-H.: See Jo, Y.-H.
- Yan, X.-H.: See Zhao, Z.
- Yang, L.: See Wickham, J.D.
- Yeh, A.G.: See Li, X.
- Yoshikawa, K.: See Stow, D.A.
- Yu, X., Hyypä, J., Kaartinen, H. and Maltamo, M.: Automatic detection of harvested trees and determination of forest growth using airborne laser scanning 90:451
- Zagaglia, C.R., Lorenzetti, J.A. and Stech, J.L.: Remote sensing data and longline catches of yellowfin tuna (*Thunnus albacares*) in the equatorial Atlantic 93:267
- Zakharova, E.A.: See Kouraev, A.V.
- Zambon, M.: See Lawrence, R.
- Zarco-Tejada, P.: See Gamon, J.A.
- Zarco-Tejada, P.J.: See Haboudane, D.
- Zarco-Tejada, P.J., Miller, J.R., Harron, J., Hu, B., Noland, T.L., Goel, N., Mohammed, G.H. and Sampson, P.: Needle chlorophyll content estimation through model inversion using hyperspectral data from boreal conifer forest canopies 89:189
- Zarco-Tejada, P.J., Miller, J.R., Morales, A., Berjón, A. and üera, J.: Hyperspectral indices and model simulation for chlorophyll estimation in open-canopy tree crops 90:463
- Zak, M.R.: See Cingolani, A.M.
- Zhang, C.: See Chen, G.
- Zhang, Q.: See Boles, S.H.
- Zhang, Q., Pavlic, G., Chen, W., Latifovic, R., Fraser, R. and Cihlar, J.: Deriving stand age distribution in boreal forests using SPOT VEGETATION and NOAA AVHRR imagery 91:405
- Zhang, Q.: See Xiao, X.
- Zhang, Y.: See Guindon, B.
- Zhao, Z., Klemas, V., Zheng, Q., Li, X. and Yan, X.-H.: Estimating parameters of a two-layer stratified ocean from polarity conversion of internal solitary waves observed in satellite SAR images 92:276
- Zheng, D., Rademacher, J., Chen, J., Crow, T., Bresee, M., Le Moine, J. and Ryu, S.-R.: Estimating aboveground biomass using Landsat 7 ETM+ data across a managed landscape in northern Wisconsin, USA 93:402
- Zheng, Q.: See Kuo, N.-J.
- Zheng, Q.: See Zhao, Z.
- Zhou, L.: See Stow, D.A.
- Zhu, Z.-L.: See Latifovic, R.



Subject Index for Volumes 89–93

A contrario theory

Automatic change detection by evidential fusion of change indices, S. Le Hégarat-Masclé and R. Seltz, 91:390

Absorbed radiation

Heterogeneity of light use efficiency in a northern Wisconsin forest: implications for modeling net primary production with remote sensing, D.E. Ahl, S.T. Gower, D.S. Mackay, S.N. Burrows, J.M. Norman and G.R. Diak, 93:168

Absorption features

Predicting in situ pasture quality in the Kruger National Park, South Africa, using continuum-removed absorption features, O. Mutanga, A.K. Skidmore and H.H.T. Prins, 89:393

Integrating imaging spectroscopy and neural networks to map grass quality in the Kruger National Park, South Africa, O. Mutanga and A.K. Skidmore, 90:104

Estimating foliage nitrogen concentration from HYMAP data using continuum removal analysis, Z. Huang, B.J. Turner, S.J. Dury, I.R. Wallis and W.J. Foley, 93:18

Absorption spectrum of phytoplankton pigments

Absorption spectrum of phytoplankton pigments derived from hyperspectral remote-sensing reflectance, Z.P. Lee and K.L. Carder, 89:361

Accuracy

Classification of remotely sensed imagery using stochastic gradient boosting as a refinement of classification tree analysis, R. Lawrence, A. Bunn, S. Powell and M. Zambon, 90:331

Accuracy assessment

Land cover mapping of North and Central America—Global Land Cover 2000, R. Latifovic, Z.-L. Zhu, J. Cihlar, C. Giri and I. Olthof, 89:116

Impacts of imagery temporal frequency on land-cover change detection monitoring, R.S. Lunetta, D.M. Johnson, J.G. Lyon and J. Crotwell, 89:444

Mapping deciduous forest ice storm damage using Landsat and environmental data, I. Olthof, D.J. King and R.A. Lautenschlager, 89:484

Accuracy assessment using sub-pixel fractional error matrices of global land cover products derived from satellite data, R. Latifovic and I. Olthof, 90:153

Sources of error in accuracy assessment of thematic land-cover maps in the Brazilian Amazon, R.L. Powell, N. Matzke, C. de Souza Jr., M. Clark, I. Numata, L.L. Hess and D.A. Roberts, 90:221

Accuracy assessments

Hyperion, IKONOS, ALI, and ETM+ sensors in the study of African rainforests, P.S. Thenkabail, E.A. Enclona, M.S. Ashton, C. Legg and M.J. De Dieu, 90:23

Accuracy assessments of hyperspectral waveband performance for vegetation analysis applications, P.S. Thenkabail, E.A. Enclona, M.S. Ashton and B. Van Der Meer, 91:354

Active volcano

Automated detection of thermal features of active volcanoes by means of infrared AVHRR records, N. Pergola, F. Marchese and V. Tramutoli, 93:311

Advanced Microwave Scanning Radiometer

Watershed scale temporal and spatial stability of soil moisture and its role in validating satellite estimates, M.H. Cosh, T.J. Jackson, R. Bindlish and J.H. Prueger, 92:427

Aerial image

Species classification of individually segmented tree crowns in high-resolution aerial images using radiometric and morphologic image measures, M. Erikson, 91:469

Aerial photography

Object-oriented image analysis for mapping shrub encroachment from 1937 to 2003 in southern New Mexico, A.S. Laliberte, A. Rango, K.M. Havstad, J.F. Paris, R.F. Beck, R. McNeely and A.L. Gonzalez, 93:198

AERONET

A comparison of empirical and neural network approaches for estimating corn and soybean leaf area index from Landsat ETM+ imagery, C. Walthall, W. Dulaney, M. Anderson, J. Norman, H. Fang and S. Liang, 92:465

Aerosol optical depth comparison

Physical and chemical properties of surface and column aerosols at a rural New England site during MODIS overpass, J.F. Slater, J.E. Dibb, J.W. Campbell and T.S. Moore, 92:173

Aerosol optical thickness

Maritime aerosol optical thickness measured by handheld sun photometers, K.D. Knobelspiesse, C. Pietras, G.S. Fargion, M. Wang, R. Frouin, M.A. Miller, A. Subramaniam and W.M. Balch, 93:87

African rainforests

Hyperion, IKONOS, ALI, and ETM+ sensors in the study of African rainforests, P.S. Thenkabail, E.A. Enclona, M.S. Ashton, C. Legg and M.J. De Dieu, 90:23

African savannas

Accuracy assessments of hyperspectral waveband performance for vegetation analysis applications, P.S. Thenkabail, E.A. Enclona, M.S. Ashton and B. Van Der Meer, 91:354

Age

Estimating time since forest harvest using segmented Landsat ETM+ imagery, M.A. Wulder, R.S. Skakun, W.A. Kurz and J.C. White, 93:179

Agricultural land

Regional simulation of ecosystem CO₂ and water vapor exchange for agricultural land using NOAA AVHRR and Terra MODIS satellite data. Application to Zealand, Denmark, R.M. Houborg and H. Soegaard, 93:150

Agricultural tillage methods

Optimal classification methods for mapping agricultural tillage practices, S. South, J. Qi and D.P. Lusch, 91:89

Agriculture

Cropland distributions from temporal unmixing of MODIS data, D.B. Lobell and G.P. Asner, 93:412

Airborne experimental measurements

Airborne experimental measurements of the angular variations in surface temperature over urban areas: case study of Marseille (France), J.-P. Lagouarde, P. Moreau, M. Irvine, J.-M. Bonnefond, J.A. Voogt and F. Sollicec, 93:443

Airborne laser scanner

Small-footprint lidar estimation of sub-canopy elevation and tree height in a tropical rain forest landscape, M.L. Clark, D.B. Clark and D.A. Roberts, 91:68

Airborne laser scanning

LIDAR-based geometric reconstruction of boreal type forest stands at single tree level for forest and wildland fire management, F. Morsdorf, E. Meier, B. Kötz, K.I. Itten, M. Dobbertin and B. Allgöwer, 92:353

AIRSAR

Laboratory and field measurements of the modification of radar backscatter by sand, K.K. Williams and R. Greeley, 89:29

Air—sea flux

Sea—air flux of CO₂ in the Caribbean Sea estimated using in situ and remote sensing data, A. Olsen, J.A. Tripanes and R. Wanninkhof, 89:309

Alaska

Remote sensing of vegetation and land-cover change in Arctic Tundra Ecosystems, D.A. Stow, A. Hope, D. McGuire, D. Verbyla, J. Gamon, F. Huemmrich, S. Houston, C. Racine, M. Sturm, K. Tape, L. Hinzman, K. Yoshikawa, C. Tweedie, B. Noyle, C. Silapaswan, D. Douglas, B. Griffith, G. Jia, H. Epstein, D. Walker, S. Daeschner, A. Petersen, L. Zhou and R. Myneni, 89:281
Evaluation of passive microwave snow water equivalent algorithms in the depth hoar-dominated snowpack of the Kuparuk River Watershed, Alaska, USA, L.S. Koenig and R.R. Forster, 93:511

Algal blooms

Phycocyanin detection from LANDSAT TM data for mapping cyanobacterial blooms in Lake Erie, R.K. Vincent, X. Qin, R.M.L. McKay, J. Miner, K. Czajkowski, J. Savino and T. Bridgeman, 89:381

Algorithm

Systematic corrections of AVHRR image composites for temporal studies, J. Cihlar, R. Latifovic, J. Chen, A. Trishchenko, Y. Du, G. Fedosejevs and B. Guindon, 89:217
Transformation of global satellite chlorophyll retrievals with a regionally tuned algorithm, G.F. Cota, J. Wang and J.C. Comiso, 90:373

ALI

Hyperion, IKONOS, ALI, and ETM+ sensors in the study of African rainforests, Prasad S. Thenkabail, E.A. Enclona, M.S. Ashton, C. Legg and M.J. De Dieu, 90:23

Amazonia

Annual and interannual (ENSO) variability of spatial scaling properties of a vegetation index (NDVI) in Amazonia, G. Poveda and L.F. Salazar, 93:391

Ancillary data

Using coarse scale forest variables as ancillary information and weighting of variables in k-NN estimation: a genetic algorithm approach, E. Tomppo and M. Halme, 92:1

Ångström exponent

Maritime aerosol optical thickness measured by handheld sun photometers, K.D. Knobelspiesse, C. Pietras, G.S. Fargion, M. Wang, R. Frouin, M.A. Miller, A. Subramaniam and W.M. Balch, 93:87

Angular variations

Airborne experimental measurements of the angular variations in surface temperature over urban areas: case study of Marseille (France), J.-P. Lagouarde, P. Moreau, M. Irvine, J.-M. Bonnefond, J.A. Voogt and F. Sollicec, 93:443

Anisotropy

The effect of anisotropic reflectance on imaging spectroscopy of snow properties, T.H. Painter and J. Dozier, 89:409

Annual and interannual variability

Annual and interannual (ENSO) variability of spatial scaling properties of a vegetation index (NDVI) in Amazonia, G. Poveda and L.F. Salazar, 93:391

Anomaly

Evaluation of the use of SeaWiFS imagery for detecting *Karenia brevis* harmful algal blooms in the eastern Gulf of Mexico, M.C. Tomlinson, R.P. Stumpf, V. Ransibrahmanakul, E.W. Truby, G.J. Kirkpatrick, B.A. Pederson, G.A. Vargo and C.A. Heil, 91:293

Antarctic

Studies of the Antarctic sea ice edge and ice extent from satellite and ship observations, A.P. Worby and J.C. Comiso, 92:98

Applications

NASA EOS Terra ASTER: Volcanic topographic mapping and capability, N.F. Stevens, H. Garbeil and P.J. Mouginis-Mark, 90:405

Arctic

Evaluation of passive microwave snow water equivalent algorithms in the depth hoar-dominated snowpack of the Kuparuk River Watershed, Alaska, USA, L.S. Koenig and R.R. Forster, 93:511

Arctic Hydrology

Spatial and temporal patterns in Arctic river ice breakup observed with MODIS and AVHRR time series, T.M. Pavelsky and L.C. Smith, 93:328

Arctic tundra vegetation

Remote sensing of vegetation and land-cover change in Arctic Tundra Ecosystems, D.A. Stow, A. Hope, D. McGuire, D. Verbyla, J. Gamon, F. Huemmrich, S. Houston, C. Racine, M. Sturm, K. Tape, L. Hinzman, K. Yoshikawa, C. Tweedie, B. Noyle, C. Silapaswan, D. Douglas, B. Griffith, G. Jia, H. Epstein, D. Walker, S. Daeschner, A. Petersen, L. Zhou and R. Myneni, 89:281

ARGOS

Quantifying light-fishing for *Dosidicus gigas* in the eastern Pacific using satellite remote sensing, C.M. Waluda, C. Yamashiro, C.D. Elvidge, V.R. Hobson and P.G. Rodhouse, 91:129

Artificial neural net

Object-based retrieval of biophysical canopy variables using artificial neural nets and radiative transfer models, C. Atzberger, 93:53

Artificial neural network

Cover- and density-based vegetation classifications of the Sonoran Desert using Landsat TM and ERS-1 SAR imagery, S.M. Shupe and S.E. Marsh, 93:131

Top-of-atmosphere flux retrievals from CERES using artificial neural networks, K. Loukachine and N.G. Loeb, 93:381

Artificial neural networks

Artificial neural network-based techniques for the retrieval of SWE and snow depth from SSM/I data, M. Tedesco, J. Pulliainen, M. Takala, M. Hallikainen and P. Pampaloni, 90:76

Ash clouds detection/discrimination

Improving volcanic ash cloud detection by a robust satellite technique, N. Pergola, V. Tramutoli, F. Marchese, I. Scaffidi and T. Lacava, 90:1

ASPECT

Studies of the Antarctic sea ice edge and ice extent from satellite and ship observations, A.P. Worby and J.C. Comiso, 92:98

ASTER

Comparison of land surface emissivity and radiometric temperature derived from MODIS and ASTER sensors, F. Jacob, F. Petitcolin, T. Schmugge, É. Vermote, A. French and K. Ogawa, 90:137

ASTER VNIR data

Mapping active fault associated with the 2003 Mw 6.6 Bam (SE Iran) earthquake with ASTER 3D images, B. Fu, Y. Ninomiya, X. Lei, S. Toda and Y. Awata, 92:153

Atmospheric correction

Quality assessment of several methods to recover surface reflectance using synthetic imaging spectroscopy data, E. Ben-Dor, B. Kindel and A.F.H. Goetz, 90:389

Atmospheric corrections

Comparison of land surface emissivity and radiometric temperature derived from MODIS and ASTER sensors, F. Jacob, F. Petitcolin, T. Schmugge, É. Vermote, A. French and K. Ogawa, 90:137

Australia

Hyperspectral analysis of the ultramafic complex and adjacent lithologies at Mordor, NT, Australia, L.C. Rowan, C.J. Simpson and J.C. Mars, 91:419

Automatic cloud cover assessment (ACCA)

Cloud detection in Landsat imagery of ice sheets using shadow matching technique and automatic normalized difference snow index threshold value decision, H. Choi and R. Bindschadler, 91:237

AVHRR

Systematic corrections of AVHRR image composites for temporal studies, J. Cihlar, R. Latifovic, J. Chen, A. Trishchenko, Y. Du, G. Fedosejevs and B. Guindon, 89:217

Sea—air flux of CO₂ in the Caribbean Sea estimated using in situ and remote sensing data, A. Olsen, J.A. Tripanes and R. Wanninkhof, 89:309

Monitoring forest conditions in a protected Mediterranean coastal area by the analysis of multiyear NDVI data, F. Maselli, 89:423

Improving volcanic ash cloud detection by a robust satellite technique, N. Pergola, V. Tramutoli, F. Marchese, I. Scaffidi and T. Lacava, 90:1

Combining NDVI and surface temperature for the estimation of live fuel moisture content in forest fire danger rating, E. Chuvieco, D. Cocero, D. Riaño, P. Martin, J. Martínez-Vega, J. de la Riva and F. Pérez, 92:322

Comparison of evaporative fractions estimated from AVHRR and MODIS sensors over South Florida, V. Venturini, G. Bisht, S. Islam and L. Jiang, 93:77

Temporal persistence in vegetation cover changes observed from satellite: Development of an estimation procedure in the test site of the Mediterranean Italy, M. Lanfredi, T. Simoniello and M. Macchiato, 93:565

Aviation safety

An evaluation of volcanic cloud detection techniques during recent significant eruptions in the western Ring of Fire, A. Tupper, S. Carn, J. Davey, Y. Kamada, R. Potts, F. Prata and M. Tokuno, 91:27

AVIRIS

Effect of grain size on remotely sensed spectral reflectance of sandy desert surfaces, G.S. Okin and T.H. Painter, 89:272

Spectrometry for urban area remote sensing—Development and analysis of a spectral library from 350 to 2400 nm, Martin Herold, D.A. Roberts, M.E. Gardner and P.E. Dennison, 91:304

Comparison of AVIRIS and Landsat ETM+ detection capabilities for burn severity, J.W. van Wagendonk, R.R. Root and C.H. Key, 92:397

Backscattering cross section

Estimating the time of melt onset and freeze onset over Arctic sea-ice area using active and passive microwave data, G.I. Belchansky, D.C. Douglas, I.N. Mordvintsev and N.G. Platonov, 92:21

Baltic Sea

An evaluation of MODIS and SeaWiFS bio-optical algorithms in the Baltic Sea, M. Darecki and D. Stramski, 89:326

Bam earthquake

Mapping active fault associated with the 2003 Mw 6.6 Bam (SE Iran) earthquake with ASTER 3D images, B. Fu, Y. Ninomiya, X. Lei, S. Toda and Y. Awata, 92:153

Bhattacharyya distance

Spectrometry for urban area remote sensing—Development and analysis of a spectral library from 350 to 2400 nm, M. Herold, D.A. Roberts, M.E. Gardner and P.E. Dennison, 91:304

Bidirectional reflectance

The spatial distribution of indigenous forest and its composition in the Wellington region, New Zealand, from ETM+ satellite imagery, J.R. Dymond and J.D. Shepherd, 90:116

A hemispherical-directional reflectance model as a tool for understanding image distinctions between cultivated and uncultivated bare surfaces, J. Cierniewski, T. Gdala and A. Karnieli, 90:505

Biodiversity

The spatial distribution of indigenous forest and its composition in the Wellington region, New Zealand, from ETM+ satellite imagery, J.R. Dymond and J.D. Shepherd, 90:116

Biomass

Vegetation height estimation from Shuttle Radar Topography Mission and National Elevation Datasets, J. Kellndorfer, W. Walker, L. Pierce, C. Dobson, J.A. Fites, C. Hunsaker, J. Vona and M. Clutter, 93:339

Biomass distribution

Estimating aboveground biomass using Landsat 7 ETM+ data across a managed landscape in northern Wisconsin, USA, D. Zheng, J. Rademacher, J. Chen, T. Crow, M. Bresee, J. Le Moine and S.-R. Ryu, 93:402

Biomass models

Hyperion, IKONOS, ALI, and ETM+ sensors in the study of African rainforests, P.S. Thenkabail, E.A. Enclona, M.S. Ashton, C. Legg and M.J. De Dieu, 90:23

Biophysical parameter estimation

Large area forest classification and biophysical parameter estimation using the 5-Scale canopy reflectance model in Multiple-Forward-Mode, D.R. Peddle, R.L. Johnson, J. Cihlar and R. Latifovic, 89:252

Bistatic radar

Initial results of land-reflected GPS bistatic radar measurements in SMEX02, D. Masters, P. Axelrad and S. Katzberg, 92:507

Bleaching

Detection limits of coral reef bleaching by satellite remote sensing: Simulation and data analysis, H. Yamano and M. Tamura, 90:86

Bootstrapping

Predicting in situ pasture quality in the Kruger National Park, South Africa, using continuum-removed absorption features, O. Mutanga, A.K. Skidmore and H.H.T. Prins, 89:393

Boreal conifers

Evaluating image-based estimates of leaf area index in boreal conifer stands over a range of scales using high-resolution CASI imagery, R.A. Fernandes, J.R. Miller, J.M. Chen and I.G. Rubinstein, 89:200

Boreal forest

Remote sensing in BOREAS: Lessons learned, J.A. Gamon, K.F. Huemmrich, D.R. Peddle, J. Chen, D. Fuentes, F.G. Hall, J.S. Kimball, S. Goetz, J. Gu, K.C. McDonald, J.R. Miller, M. Moghaddam, A.F. Rahman, J.-L. Roujean, E.A. Smith, C.L. Walthall, P. Zarco-Tejada, B. Hu, R. Fernandes and J. Cihlar, 89:139

Radar remote sensing of the spring thaw transition across a boreal landscape, J.S. Kimball, K.C. McDonald, S. Frolking and S.W. Running, 89:163

Assessing tundra-taiga boundary with multi-sensor satellite data, K.J. Ranson, G. Sun, V.I. Kharuk and K. Kovacs, 93:283

BOREAS

Radar remote sensing of the spring thaw transition across a boreal landscape, J.S. Kimball, K.C. McDonald, S. Frolking and S.W. Running, 89:163

Retrieval of the canopy leaf area index in the BOREAS flux tower sites using linear spectral mixture analysis, B. Hu, J.R. Miller, J.M. Chen and A. Hollinger, 89:176

Evaluating image-based estimates of leaf area index in boreal conifer stands over a range of scales using high-resolution CASI imagery, R.A. Fernandes, J.R. Miller, J.M. Chen and I.G. Rubinstein, 89:200

The effects of sampling resolution on the surface albedos of dominant land cover types in the North American boreal region, A. Davidson and S. Wang, 93:211

BOREAS study region

Approaches to fractional land cover and continuous field mapping: A comparative assessment over the BOREAS study region, R. Fernandes, R. Fraser, R. Latifovic, J. Cihlar, J. Beaubien and Y. Du, 89:234

Bowen ratio

Sensible and latent heat flux in the tropical Pacific from satellite multi-sensor data, Y.-H. Jo, X.-H. Yan, J. Pan, W.T. Liu and M.-X. He, 90:166

Brazilian Amazon

Sources of error in accuracy assessment of thematic land-cover maps in the Brazilian Amazon, R.L. Powell, N. Matzke, C. de Souza, M. Clark, I. Numata, L.L. Hess and D.A. Roberts, 90:221

BRDF

Robust estimation of BRDF model parameters, J. Susaki, K. Hara, K. Kajiwara and Y. Honda, 89:63

Bidirectional reflectance of Earth targets: evaluation of analytical models using a large set of spaceborne measurements with emphasis on the Hot Spot, F. Maignan, F.-M. Bréon and R. Lacaze, 90:210

Brightness temperature

Estimating the time of melt onset and freeze onset over Arctic sea-ice area using active and passive microwave data, G.I. Belchansky, D.C. Douglas, I.N. Mordvintsev and N.G. Platonov, 92:21

Broadband NDVI

Similarities in ground- and satellite-based NDVI time series and their relationship to physiological activity of a Scots pine forest in Finland, Q. Wang, J. Tenhunen, N.Q. Dinh, M. Reichstein, T. Vesala and P. Keronen, 93:225

Broadbands

Hyperion, IKONOS, ALI, and ETM+ sensors in the study of African rainforests, P.S. Thenkabail, E.A. Enclona, M.S. Ashton, C. Legg and M.J. De Dieu, 90:23

Burn severity

Comparison of AVIRIS and Landsat ETM+ detection capabilities for burn severity, J.W. van Wageningen, R.R. Root and C.H. Key, 92:397

Burned area mapping

Object-based image classification for burned area mapping of Creus Cape, Spain, using NOAA-AVHRR imagery, I.Z. Gitas, G.H. Mitri and G. Ventura, 92:409

Assessment of the potential of SAC-C/MMRS imagery for mapping burned areas in Spain, M. García and E. Chuvieco, 92:414

Burnt area mapping

Evaluation of RADARSAT-1 data for identification of burnt areas in Southern Europe, M. Gimeno and J. San-Miguel-Ayanz, 92:370

Calcite

Identification of spectrally similar materials using the USGS Tetracorder algorithm: the calcite epidote chlorite problem, J.B. Dalton, D.J. Bove, C.S. Mladinich and B.W. Rockwell, 89:455

Calibration

Refinement of wavelength calibrations of hyperspectral imaging data using a spectrum-matching technique, B.-C. Gao, M.J. Montes and C.O. Davis, 90:424

Canopy density

Effects of different flying altitudes on biophysical stand properties estimated from canopy height and density measured with a small-footprint airborne scanning laser, E. Næsset, 91:243

Canopy height

Effects of different flying altitudes on biophysical stand properties estimated from canopy height and density measured with a small-footprint airborne scanning laser, E. Næsset, 91:243

Canopy modelling

Needle chlorophyll content estimation through model inversion using hyperspectral data from boreal conifer forest canopies, P.J. Zarco-Tejada, J.R. Miller, J. Harron, B. Hu, T.L. Noland, N. Goel, G.H. Mohammed and P. Sampson, 89:189

Canopy structure

Radiative transfer modeling within a heterogeneous canopy for estimation of forest fire fuel properties, B. Kötz, M. Schaepman, F. Morsdorf, P. Bowyer, K. Itten and B. Allgöwer, 92:332

Carbon

Estimating time since forest harvest using segmented Landsat ETM+ imagery, M.A. Wulder, R.S. Skakun, W.A. Kurz and J.C. White, 93:179

Vegetation height estimation from Shuttle Radar Topography Mission and National Elevation Datasets, J. Kellndorfer, W. Walker, L. Pierce, C. Dobson, J.A. Fites, C. Hunsaker, J. Vona and M. Clutter, 93:339

Quantifying forest above ground carbon content using LiDAR remote sensing, G. Patenaude, R.A. Hill, R. Milne, D.L.A. Gaveau, B.B.J. Briggs and T.P. Dawson, 93:368

Carbon cycle

Remote sensing in BOREAS: Lessons learned, J.A. Gamon, K.F. Huemmrich, D.R. Peddle, J. Chen, D. Fuentes, F.G. Hall, J.S. Kimball, S. Goetz, J. Gu, K.C. McDonald, J.R. Miller, M. Moghaddam, A.F. Rahman, J.-L. Roujean, E.A. Smith, C.L. Walthall, P. Zarco-Tejada, B. Hu, R. Fernandes and J. Cihlar, 89:139

The consequences of urban land transformation on net primary productivity in the United States, M.L. Imhoff, L. Bounoua, R. DeFries, W.T. Lawrence, D. Stutzer, C.J. Tucker and T. Ricketts, 89:434

Carbon dioxide

Sea-air flux of CO₂ in the Caribbean Sea estimated using in situ and remote sensing data, A. Olsen, J.A. Tripanes and R. Wanninkhof, 89:309

Carbon flux

Hyperion, IKONOS, ALI, and ETM+ sensors in the study of African rainforests, P.S. Thenkabail, E.A. Enclona, M.S. Ashton, C. Legg and M.J. De Dieu, 90:23

Carbon pools

Estimating aboveground biomass using Landsat 7 ETM+ data across a managed landscape in northern Wisconsin, USA, D. Zheng, J. Rademacher, J. Chen, T. Crow, M. Bresee, J. Le Moine and S.-R. Ryu, 93:402

Caribbean Sea

Sea-air flux of CO₂ in the Caribbean Sea estimated using in situ and remote sensing data, A. Olsen, J.A. Tripanes and R. Wanninkhof, 89:309

Case-based reasoning

Multitemporal SAR images for monitoring cultivation systems using-based reasoning, X. Li and A.G. Yeh, 90:524

CASI

Evaluating image-based estimates of leaf area index in boreal conifer stands over a range of scales using high-resolution CASI imagery, R.A. Fernandes, J.R. Miller, J.M. Chen and I.G. Rubinstein, 89:200

Change detection

A spatial statistical operator applied to multirate satellite imagery for identification of coral reef stress, E.F. LeDrew, H. Holden, M.A. Wulder, C. Derksen and C. Newman, 91:271

Automatic change detection by evidential fusion of change indices, S. Le Hégarat-Masclé and R. Seltz, 91:390

Change detection and landscape metrics for inferring anthropogenic processes in the greater EFMO area, S. Narumalani, D.R. Mishra and R.G. Rothwell, 91:478

Channel ratio method

Cloud screening in IRS-P4 OCM satellite data: potential of spatial coherence method in the absence of thermal channel information, S.K. Nair, K. Rajeev and K. Parameswaran, 90:259

Chemical composition of aerosols

Physical and chemical properties of surface and column aerosols at a rural New England site during MODIS overpass, J.F. Slater, J.E. Dibb, J.W. Campbell and T.S. Moore, 92:173

Chlorite

Identification of spectrally similar materials using the USGS Tetracorder algorithm: the calcitepidotchlorite problem, J.B. Dalton, D.J. Bove, C.S. Mladinich and B.W. Rockwell, 89:455

Chlorophyll

Needle chlorophyll content estimation through model inversion using hyperspectral data from boreal conifer forest canopies, P.J. Zarco-Tejada, J.R. Miller, J. Harron, B. Hu, T.L. Noland, N. Goel, G.H. Mohammed and P. Sampson, 89:189

An evaluation of MODIS and SeaWiFS bio-optical algorithms in the Baltic Sea, M. Darecki and D. Stramski, 89:326

Transformation of global satellite chlorophyll retrievals with a regionally tuned algorithm, G.F. Cota, J. Wang and J.C. Comiso, 90:373

Evaluation of the use of SeaWiFS imagery for detecting *Karenia brevis* harmful algal blooms in the eastern Gulf of Mexico, M.C. Tomlinson, R.P. Stumpf, V. Ransibrahmanakul, E.W. Truby, G.J. Kirkpatrick, B.A. Pederson, G.A. Vargo and C.A. Heil, 91:293

Assessment of estuarine water-quality indicators using MODIS medium-resolution bands: Initial results from Tampa Bay, FL, C. Hu, Z. Chen, T.D. Clayton, P. Swarzenski, J.C. Brock and F.E. Muller-Karger, 93:423

Global and regional evaluation of the SeaWiFS chlorophyll data set, W.W. Gregg and N.W. Casey, 93:463

Chlorophyll content

Hyperspectral vegetation indices and novel algorithms for predicting green LAI of crop canopies: Modeling and validation in the context of precision agriculture, D. Haboudane, J.R. Miller, E. Pattey, P.J. Zarco-Tejada and I.B. Strachan, 90:337

Hyperspectral indices and model simulation for chlorophyll estimation in open-canopy tree crops, P.J. Zarco-Tejada, J.R. Miller, A. Morales, A. Berjón and J. Agüera, 90:463

Retrieval of crop chlorophyll content and leaf area index from decompressed hyperspectral data: the effects of data compression, B. Hu, S.-E. Qian, D. Haboudane, J.R. Miller, A.B. Hollinger, N. Tremblay and E. Pattey, 92:139

Chlorophyll fluorescence

A new instrument for passive remote sensing 1. Measurements of sunlight-induced chlorophyll fluorescence, I. Moya, L. Camenen, S. Evain, Y. Goulas, Z.G. Cerovic, G. Latouche, J. Flexas and A. Ounis, 91:186

Classification

Land cover mapping of North and Central America—Global Land Cover 2000, R. Latifovic, Z.-L. Zhu, J. Cihlar, C. Giri and I. Olthof, 89:116

Mapping deciduous forest ice storm damage using Landsat and environmental data, I. Olthof, D.J. King and R.A. Lautenschlager, 89:484

Multitemporal SAR images for monitoring cultivation systems using—based reasoning, X. Li and A.G. Yeh, 90:524

Optimal classification methods for mapping agricultural tillage practices, S. South, J. Qi and D.P. Lusch, 91:89

Cloud detection in Landsat imagery of ice sheets using shadow matching technique and automatic normalized difference snow index threshold value decision, H. Choi and R. Bindenschadler, 91:237

Heterogeneity of light use efficiency in a northern Wisconsin forest: implications for modeling net primary production with remote sensing, D.E. Ahl, S.T. Gower, D.S. Mackay, S.N. Burrows, J.M. Norman and G.R. Diak, 93:168

Classification methodology

Landsat urban mapping based on a combined spectralspatial methodology, B. Guindon, Y. Zhang and C. Dillabaugh, 92:218

Classification tree analysis

Classification of remotely sensed imagery using stochastic gradient boosting as a refinement of classification tree analysis, R. Lawrence, A. Bunn, S. Powell and M. Zambon, 90:331

Climate change

Reflectance assessment of seasonal and annual changes in biomass and CO₂ uptake of a Mediterranean shrubland submitted to experimental warming and drought, I. Filella, J. Peñuelas, L. Llorens and M. Estiarte, 90:308

Cloud detection

Nighttime polar cloud detection with MODIS, Y. Liu, J. R. Key, R.A. Frey, S.A. Ackerman and W.P. Menzel, 92:181

Cloud screening

Cloud screening in IRS-P4 OCM satellite data: potential of spatial coherence method in the absence of thermal channel information, S.K. Nair, K. Rajeev and K. Parameswaran, 90:259

Clouds

Cloud detection in Landsat imagery of ice sheets using shadow matching technique and automatic normalized difference snow index threshold value decision, H. Choi and R. Bindenschadler, 91:237

Cluster analysis

LIDAR-based geometric reconstruction of boreal type forest stands at single tree level for forest and wildland fire management, F. Morsdorf, E. Meier, B. Kötz, K.I. Itten, M. Dobbartin and B. Allgöwer, 92:353

CO₂

Regional simulation of ecosystem CO₂ and water vapor exchange for agricultural land using NOAA AVHRR and Terra MODIS satellite data. Application to Zealand, Denmark, R.M. Houborg and H. Soegaard, 93:150

CO₂ flux tower

Modeling gross primary production of temperate deciduous broadleaf forest using satellite images and climate data, X. Xiao, Q. Zhang, B. Braswell, S. Urbanski, S. Boles, S. Moore, B. Moore III and D. Ojima, 91:256

Coastal upwelling

Response of Vietnam coastal upwelling to the 1997-1998 ENSO event observed by multisensor data, N.-J. Kuo, Q. Zheng and C.-R. Ho, 89:106

Colored dissolved organic matter

Assessment of estuarine water-quality indicators using MODIS medium-resolution bands: Initial results from Tampa Bay, FL, C. Hu, Z. Chen, T.D. Clayton, P. Swarzenski, J.C. Brock and F.E. Muller-Karger, 93:423

Combined active and passive microwave

A combined passive/active microwave remote sensing approach for surface variable retrieval using Tropical Rainfall Measuring Mission observations, K.-H. Lee and E.N. Anagnostou, 92:112

Commission

Analysis of the conflict between omission and commission in low spatial resolution dichotomic thematic products: The Pareto Boundary, Luigi Boschetti, S.P. Flasse and P.A. Brivio, 91:280

Comparative analysis

Estimating the time of melt onset and freeze onset over Arctic sea-ice area using active and passive microwave data, G.I. Belchansky, D.C. Douglas, I.N. Mordvintsev and N.G. Platonov, 92:21

Concentration

Estimating the time of melt onset and freeze onset over Arctic sea-ice area using active and passive microwave data, G.I. Belchansky, D.C. Douglas, I.N. Mordvintsev and N.G. Platonov, 92:21

Conifer forest

The classification of late seral forests in the Pacific Northwest, USA using Landsat ETM+ imagery, H. Jiang, J.R. Stritholt, P.A. Frost and N.C. Slosser, 91:320

Coniferous and broadleaved forests

Monitoring forest conditions in a protected Mediterranean coastal area by the analysis of multiyear NDVI data, F. Maselli, 89:423

Coniferous canopy

Radiative transfer modeling within a heterogeneous canopy for estimation of forest fire fuel properties, B. Kötz, M. Schaepman, F. Morsdorf, P. Bowyer, K. Itten and B. Allgöwer, 92:332

Coniferous forest site

Evaluation of the MODIS LAI algorithm at a coniferous forest site in Finland, Y. Wang, C.E. Woodcock, W. Buermann, P. Stenberg, P. Voipio, H. Smolander, T. Häme, Y. Tian, J. Hu, Y. Knyazikhin and R.B. Myneni, 91:113

Conservation planning

Mapping vegetation in a heterogeneous mountain rangeland using landsat data: an alternative method to define and classify land-cover units, A.M. Cingolani, D. Renison, M.R. Zak and M.R. Cabido, 92:84

Constraints

A comparison of error metrics and constraints for multiple endmember spectral mixture analysis and spectral angle mapper, P.E. Dennison, K.Q. Halligan and D.A. Roberts, 93:359

Continuous field mapping

Approaches to fractional land cover and continuous field mapping: A comparative assessment over the BOREAS study region, R. Fernandes, R. Fraser, R. Latifovic, J. Cihlar, J. Beaubien and Y. Du, 89:234

Continuum removal

Predicting in situ pasture quality in the Kruger National Park, South Africa, using continuum-removed absorption features, O. Mutanga, A.K. Skidmore and H.H.T. Prins, 89:393

Integrating imaging spectroscopy and neural networks to map grass quality in the Kruger National Park, South Africa, O. Mutanga and A.K. Skidmore, 90:104

Continuum removal analysis

Estimating foliage nitrogen concentration from HYMAP data using continuum removal analysis, Z. Huang, B.J. Turner, S.J. Dury, I.R. Wallis and W.J. Foley, 93:18

Coral reef

Detection limits of coral reef bleaching by satellite remote sensing: Simulation and data analysis, H. Yamano and M. Tamura, 90:86

A spatial statistical operator applied to multirate satellite imagery for identification of coral reef stress, E.F. LeDrew, H. Holden, M.A. Wulder, C. Derksen and C. Newman, 91:271

CPUE

Remote sensing data and longline catches of yellowfin tuna (*Thunnus albacares*) in the equatorial Atlantic, C.R. Zagaglia, J.A. Lorenzetti and J.L. Stech, 93:267

Crop residue cover

Assessing crop residue cover using shortwave infrared reflectance, C.S.T. Daughtry, E.R. Hunt and J.E. McMurtrey, 90:126

Crop yield

Crop condition and yield simulations using Landsat and MODIS, P.C. Doraiswamy, J.L. Hatfield, T.J. Jackson, B. Akhmedov, J. Prueger and A. Stern, 92:548

Croplands

Cropland distributions from temporal unmixing of MODIS data, D.B. Lobell and G.P. Asner, 93:412

Crown base height

Identifying species of individual trees using airborne laser scanner, J. Holmgren and Å Persson, 90:415

Generation of crown bulk density for *Pinus sylvestris* L. from lidar, D. Riaño, E. Chuvieco, S. Condés, J. González-Matesanz and S.L. Ustin, 92:345

Crown bulk density

Generation of crown bulk density for *Pinus sylvestris* L. from lidar, D. Riaño, E. Chuvieco, S. Condés, J. González-Matesanz and S.L. Ustin, 92:345

Crown closure

Wavelet transform applied to EO-1 hyperspectral data for forest LAI and crown closure mapping, R. Pu and P. Gong, 91:212

Crown volume

Generation of crown bulk density for *Pinus sylvestris* L. from lidar, D. Riaño, E. Chuvieco, S. Condés, J. González-Matesanz and S.L. Ustin, 92:345

Cyanobacteria

Phycocyanin detection from LANDSAT TM data for mapping cyanobacterial blooms in Lake Erie, R.K. Vincent, X. Qin, R.M.L. McKay, J. Miner, K. Czajkowski, J. Savino and T. Bridgeman, 89:381

CZCS

Assessment of estuarine water-quality indicators using MODIS medium-resolution bands: Initial results from Tampa Bay, FL, C. Hu, Z. Chen, T.D. Clayton, P. Swarzenski, J.C. Brock and F.E. Muller-Karger, 93:423

3D imagery

Mapping active fault associated with the 2003 Mw 6.6 Bam (SE Iran) earthquake with ASTER 3D images, B. Fu, Y. Ninomiya, X. Lei, S. Toda and Y. Awata, 92:153

3D modeling

Using directional TIR measurements and 3D simulations to assess the limitations and opportunities of water stress indices, D. Luquet, A. Vidal, J. Dauzat, A. Bégué, A. Oliso and P. Clouvel, 90:53

Data compression

Retrieval of crop chlorophyll content and leaf area index from decompressed hyperspectral data: the effects of data compression, B. Hu, S.-E. Qian, D. Haboudane, J.R. Miller, A.B. Hollinger, N. Tremblay and E. Pattey, 92:139

Debris cover

Combining satellite multispectral image data and a digital elevation model for mapping debris-covered glaciers, F. Paul, C. Huggel and A. Kääb, 89:510

Decision level fusion

Automatic change detection by evidential fusion of change indices, S. Le Hégarat-Masclé and R. Seltz, 91:390

Decision tree

Cropland distributions from temporal unmixing of MODIS data, D.B. Lobell and G.P. Asner, 93:412

Degradation

Assessment of rangeland degradation and development of a strategy for rehabilitation, R. Geerken and M. Ilaiwi, 90:490

DEM

Mapping active fault associated with the 2003 Mw 6.6 Bam (SE Iran) earthquake with ASTER 3D images, B. Fu, Y. Ninomiya, X. Lei, S. Toda and Y. Awata, 92:153

DEM analysis

Combining satellite multispectral image data and a digital elevation model for mapping debris-covered glaciers, F. Paul, C. Huggel and A. Kääb, 89:510

Depth

Passive optical remote sensing of river channel morphology and in-stream habitat: Physical basis and feasibility, C.J. Legleiter, D.A. Roberts, W.A. Marcus and M.A. Fonstad, 93:493

Depth hoar

Evaluation of passive microwave snow water equivalent algorithms in the depth hoar-dominated snowpack of the Kuparuk River Watershed, Alaska, USA, L.S. Koenig and R.R. Forster, 93:511

Depth of penetration

A composite DOP approach to excluding bottom reflectance in mapping water parameters of shallow coastal zones from TM imagery, A. Islam, J. Gao, W. Ahmad, D. Neil and P. Bell, 92:40

Desert grassland

Object-oriented image analysis for mapping shrub encroachment from 1937 to 2003 in southern New Mexico, A.S. Laliberte, A. Rango, K.M. Havstad, J.F. Paris, R.F. Beck, R. McNeely and A.L. Gonzalez, 93:198

Digital aerial photographs

Local radiometric correction of digital aerial photographs for multi source forest inventory, S. Tuominen and A. Pekkarinen, 89:72

Digital canopy model

Small-footprint lidar estimation of sub-canopy elevation and tree height in a tropical rain forest landscape, M.L. Clark, D.B. Clark and D.A. Roberts, 91:68

Digital elevation model (DEM)

NASA EOS Terra ASTER: Volcanic topographic mapping and capability, N.F. Stevens, H. Garbeil and P.J. Mougini-Mark, 90:405

Digital elevation models

Topographic information of sand dunes as extracted from shading effects using Landsat images, N. Levin, E. Ben-Dor and A. Karnieli, 90:190

Digital terrain models

Small-footprint lidar estimation of sub-canopy elevation and tree height in a tropical rain forest landscape, M.L. Clark, D.B. Clark and D.A. Roberts, 91:68

Directional

The effect of anisotropic reflectance on imaging spectroscopy of snow properties, T.H. Painter and J. Dozier, 89:409

Directional effects

Using directional TIR measurements and 3D simulations to assess the limitations and opportunities of water stress indices, D. Luquet, A. Vidal, J. Dautat, A. Bégué, A. Oliso and P. Clouvel, 90:53

Discriminant Functions

Mapping vegetation in a heterogeneous mountain rangeland using landsat data: an alternative method to define and classify land-cover units, A.M. Cingolani, D. Renison, M.R. Zak and M.R. Cabido, 92:84

Discrimination

Discrimination of lianas and trees with leaf-level hyperspectral data, K.L. Castro-Esau, G.A. Sánchez-Azofeifa and T. Caelli, 90:353

Diurnal variation

Diurnal variations of cloud activity in Bangladesh and north of the Bay of Bengal in 2000, Md.N. Islam Mohamad, T. Hayashi, H. Uyeda, T. Terao and K. Kikuchi, 90:378

DMSP-OLS

Quantifying light-fishing for *Dosidicus gigas* in the eastern Pacific using satellite remote sensing, C.M. Waluda, C. Yamashiro, C.D. Elvidge, V.R. Hobson and P.G. Rodhouse, 91:129

Dome Concordia area (Antarctica)

Surface characterisation of the Dome Concordia area (Antarctica) as a potential satellite calibration site, using Spot 4/Vegetation instrument, D. Six, M. Fily, S. Alvain, P. Henry and J.-P. Benoist, 89:83

Dosidicus gigas

Quantifying light-fishing for *Dosidicus gigas* in the eastern Pacific using satellite remote sensing, C.M. Waluda, C. Yamashiro, C.D. Elvidge, V.R. Hobson and P.G. Rodhouse, 91:129

Effective LAI

Using lidar and effective LAI data to evaluate IKONOS and Landsat 7 ETM+ vegetation cover estimates in a ponderosa pine forest, X. Chen, L. Vierling, E. Rowell and T. DeFelice, 91:14

Effective leaf area index

Evaluating image-based estimates of leaf area index in boreal conifer stands over a range of scales using high-resolution CASI imagery, R.A. Fernandes, J.R. Miller, J.M. Chen and I.G. Rubinstein, 89:200

EFMO area

Change detection and landscape metrics for inferring anthropogenic processes in the greater EFMO area, S. Narumalani, D.R. Mishra and R.G. Rothwell, 91:478

Emissivity

Land surface temperature retrieval from LANDSAT TM 5, J.A. Sobrino, J.C. Jiménez-Muñoz and L. Paolini, 90:434

Empirical line

Quality assessment of several methods to recover surface reflectance using synthetic imaging spectroscopy data, E. Ben-Dor, B. Kindel and A.F.H. Goetz, 90:389

Endmembers

Using lidar and effective LAI data to evaluate IKONOS and Landsat 7 ETM+ vegetation cover estimates in a ponderosa pine forest, X. Chen, L. Vierling, E. Rowell and T. DeFelice, 91:14

Energy flux variability

Effects of remote sensing pixel resolution on modeled energy flux variability of croplands in Iowa, W.P. Kustas, F. Li, T.J. Jackson, J.H. Prueger, J.I. MacPherson and M. Wolde, 92:535

Environmental noise

A methodology for retrieval of environmental noise equivalent spectra applied to four Hyperion scenes of the same tropical coral reef, M. Wettle, V.E. Brando and A.G. Dekker, 93:188

EOF analysis

Response of Vietnam coastal upwelling to the 1997-1998 ENSO event observed by multisensor data, N.-J. Kuo, Q. Zheng and C.-R. Ho, 89:106

EOS aqua

Estimating fractional snow cover from MODIS using the normalized difference snow index, V.V. Salomonson and I. Appel, 89:351

EOS Terra

Estimating fractional snow cover from MODIS using the normalized difference snow index, V.V. Salomonson and I. Appel, 89:351

EOS Terra ASTER

NASA EOS Terra ASTER: Volcanic topographic mapping and capability, N.F. Stevens, H. Garbeil and P.J. Mouginis-Mark, 90:405

Epidote

Identification of spectrally similar materials using the USGS Tetracorder algorithm: the calciteepidotechlorite problem, J.B. Dalton, D.J. Bove, C.S. Mladinich and B.W. Rockwell, 89:455

Equivalent leaf water thickness

Object-based retrieval of biophysical canopy variables using artificial neural nets and radiative transfer models, C. Atzberger, 93:53

Equivalent water thickness

Estimation of leaf water status to monitor the risk of forest fires by using remotely sensed data, M. Maki, M. Ishihara and M. Tamura, 90:441

Erica multiflora

Reflectance assessment of seasonal and annual changes in biomass and CO₂ uptake of a Mediterranean shrubland submitted to experimental warming and drought, I. Filella, J. Peñuelas, L. Llorens and M. Estiarte, 90:308

Error

Sources of error in accuracy assessment of thematic land-cover maps in the Brazilian Amazon, R.L. Powell, N. Matzke, C. de Souza Jr., M. Clark, I. Numata, L.L. Hess and D.A. Roberts, 90:221

Error metrics

A comparison of error metrics and constraints for multiple endmember spectral mixture analysis and spectral angle mapper, P.E. Dennison, K.Q. Halligan and D.A. Roberts, 93:359

ERS-1 SAR

Cover- and density-based vegetation classifications of the Sonoran Desert using Landsat TM and ERS-1 SAR imagery, S.M. Shupe and S.E. Marsh, 93:131

ERS-2 imagery

Soil moisture estimation in a semiarid rangeland using ERS-2 and TM imagery, C. Wang, J. Qi, S. Moran and R. Marsett, 90:178

Estuary

Assessment of estuarine water-quality indicators using MODIS medium-resolution bands: Initial results from Tampa Bay, FL, C. Hu, Z. Chen, T.D. Clayton, P. Swarzenski, J.C. Brock and F.E. Muller-Karger, 93:423

ETM+

Hyperion, IKONOS, ALI, and ETM+ sensors in the study of African rainforests, Prasad S. Thenkabail, E.A. Enclona, M.S. Ashton, C. Legg and M.J. De Dieu, 90:23

Cloud detection in Landsat imagery of ice sheets using shadow matching technique and automatic normalized difference snow index threshold value decision, H. Choi and R. Bindenschadler, 91:237

Assessing tundra-taiga boundary with multi-sensor satellite data, K.J. Ranson, G. Sun, V.I. Kharuk and K. Kovacs, 93:283

ETM+ data

Normalized spectral mixture analysis for monitoring urban composition using ETM+ imagery, C. Wu, 93:480

Evaporative fractions

Comparison of evaporative fractions estimated from AVHRR and MODIS sensors over South Florida, V. Venturini, G. Bisht, S. Islam and L. Jiang, 93:77

Evergreen forest

Satellite radar remote sensing of seasonal growing seasons for boreal and subalpine evergreen forests, J.S. Kimball, K.C. McDonald, S.W. Running and S.E. Frolking, 90:243

EVI

Using lidar and effective LAI data to evaluate IKONOS and Landsat 7 ETM+ vegetation cover estimates in a ponderosa pine forest, X. Chen, L. Vierling, E. Rowell and T. DeFelice, 91:14

Evidence theory

Automatic change detection by evidential fusion of change indices, S. Le Hégarat-Masclé and R. Seltz, 91:390

fAPAR

Evaluation of MODIS LAI, fAPAR and the relation between fAPAR and NDVI in a semi-arid environment using in situ measurements, R. Fensholt, I. Sandholt and M.S. Rasmussen, 91:490

FAPAR

Similarities in ground- and satellite-based NDVI time series and their relationship to physiological activity of a Scots pine forest in Finland, Q. Wang, J. Tenhunen, N.Q. Dinh, M. Reichstein, T. Vesala and P. Keronen, 93:225

Feature extraction

Wavelet transform applied to EO-1 hyperspectral data for forest LAI and crown closure mapping, R. Pu and P. Gong, 91:212

FIA

Delineation of forest/nonforest land use classes using nearest neighbor methods, R. Haapanen, A.R. Ek, M.E. Bauer and A.O. Finley, 89:265

Field scale variability

SMEX02: Field scale variability, time stability and similarity of soil moisture, J.M. Jacobs, B.P. Mohanty, E.-C. Hsu and D. Miller, 92:436

Field spectra

Predicting in situ pasture quality in the Kruger National Park, South Africa, using continuum-removed absorption features, O. Mutanga, A.K. Skidmore and H.H.T. Prins, 89:393

Fin whale

The relationship between summer aggregation of fin whales and satellite-derived environmental conditions in the northwestern Mediterranean Sea, A. Littaye, A. Gannier, S. Laran and J.P.F. Wilson, 90:44

Fine particle mass concentration

Physical and chemical properties of surface and column aerosols at a rural New England site during MODIS overpass, J.F. Slater, J.E. Dibb, J.W. Campbell and T.S. Moore, 92:173

Finland

Evaluation of the MODIS LAI algorithm at a coniferous forest site in Finland, Y. Wang, C.E. Woodcock, W. Buermann, P. Stenberg, P. Voipio, H. Smolander, T. Häme, Y. Tian, J. Hu, Y. Knyazikhin and R.B. Myneni, 91:113

Fire detection and mapping

AVHRR-based mapping of fires in Russia: New products for fire management and carbon cycle studies, A.I. Sukhinin, N.H.F. French, E.S. Kasischke, J.H. Hewson, A.J. Soja, I.A. Csiszar, E.J. Hyer, T. Loboda, S.G. Conrad, V.I. Romasko, E.A. Pavlichenko, S.I. Miskiv and O.A. Slinkina, 93:546

Fire risk

Spectral indices and fire behavior simulation for fire risk assessment in savanna ecosystems, C. Mbow, K. Goïta and G.B. Béné, 91:1

FLIM

Hyperspectral indices and model simulation for chlorophyll estimation in open-canopy tree crops, P.J. Zarco-Tejada, J.R. Miller, A. Morales, A. Berjón and J. Agüera, 90:463

FLIM-CLUS

Evaluating image-based estimates of leaf area index in boreal conifer stands over a range of scales using high-resolution CASI imagery, R.A. Fernandes, J.R. Miller, J.M. Chen and I.G. Rubinstein, 89:200

Florida

Evaluation of the use of SeaWiFS imagery for detecting *Karenia brevis* harmful algal blooms in the eastern Gulf of Mexico, M.C. Tomlinson, R.P. Stumpf, V. Ransibrahmanakul, E.W. Truby, G.J. Kirkpatrick, B.A. Pederson, G.A. Vargo and C.A. Heil, 91:293

Floristic composition

Leaf area index measurements in a tropical moist forest: A case study from Costa Rica, M. Kalácska, G.A. Sánchez-Azofeifa, B. Rivard, J.C. Calvo-Alvarado, A.R.P. Journet, J.P. Arroyo-Mora and D. Ortiz-Ortiz, 91:134

Floristic gradient

Mapping of continuous floristic gradients in grasslands using hyperspectral imagery, S. Schmidtlein and J. Sasson, 92:126

Flowering

Reflectance assessment of seasonal and annual changes in biomass and CO₂ uptake of a Mediterranean shrubland submitted to experimental warming and drought, I. Filella, J. Peñuelas, L. Llorens and M. Estiarte, 90:308

Foliage biomass

Generation of crown bulk density for *Pinus sylvestris* L. from lidar, D. Riaño, E. Chuvieco, S. Condés, J. González-Matesanz and S.L. Ustin, 92:345

Foliage water content

Radiative transfer modeling within a heterogeneous canopy for estimation of forest fire fuel properties, B. Kötz, M. Schaepman, F. Morsdorf, P. Bowyer, K. Itten and B. Allgöwer, 92:332

Foliar nitrogen concentration

Integrating imaging spectroscopy and neural networks to map grass quality in the Kruger National Park, South Africa, O. Mutanga and A.K. Skidmore, 90:104

Forest

Estimating time since forest harvest using segmented Landsat ETM+ imagery, M.A. Wulder, R.S. Skakun, W.A. Kurz and J.C. White, 93:179

Quantifying forest above ground carbon content using LiDAR remote sensing, G. Patenaude, R.A. Hill, R. Milne, D.L.A. Gaveau, B.B.J. Briggs and T.P. Dawson, 93:368

Forest canopy structure

Generation of crown bulk density for *Pinus sylvestris* L. from lidar, D. Riaño, E. Chuvieco, S. Condés, J. González-Matesanz and S.L. Ustin, 92:345

Forest damage

Mapping deciduous forest ice storm damage using Landsat and environmental data, I. Olthof, D.J. King and R.A. Lautenschlager, 89:484

Forest disturbances

Deriving stand age distribution in boreal forests using SPOT VEGETATION and NOAA AVHRR imagery, Q. Zhang, G. Pavlic, W. Chen, R. Latifovic, R. Fraser and J. Cihlar, 91:405

Forest fire

Estimation of leaf water status to monitor the risk of forest fires by using remotely sensed data, M. Maki, M. Ishiahra and M. Tamura, 90:441

Radiative transfer modeling within a heterogeneous canopy for estimation of forest fire fuel properties, B. Kötz, M. Schaepman, F. Morsdorf, P. Bowyer, K. Itten and B. Allgöwer, 92:332

AVHRR-based mapping of fires in Russia: New products for fire management and carbon cycle studies, A.I. Sukhinin, N.H.F. French, E.S. Kasischke, J.H. Hewson, A.J. Soja, I.A. Csiszar, E.J. Hyer, T. Loboda, S.G. Conrad, V.I. Romasko, E.A. Pavlichenko, S.I. Miskiv and O.A. Slinkina, 93:546

Forest fires

Automatic change detection by evidential fusion of change indices, S. Le Hégarat-Masclé and R. Seltz, 91:390

Combining NDVI and surface temperature for the estimation of live fuel moisture content in forest fire danger rating, E. Chuvieco, D. Cocero, D. Riaño, P. Martin, J. Martínez-Vega, J. de la Riva and F. Pérez, 92:322

Evaluation of RADARSAT-1 data for identification of burnt areas in Southern Europe, M. Gimeno and J. San-Miguel-Ayanz, 92:370

Forest inventory

The spatial distribution of indigenous forest and its composition in the Wellington region, New Zealand, from ETM+ satellite imagery, J.R. Dymond and J.D. Shepherd, 90:116

Effects of different flying altitudes on biophysical stand properties estimated from canopy height and density measured with a small-footprint airborne scanning laser, E. Næsset, 91:243

Forest/nonforest

Delineation of forest/nonforest land use classes using nearest neighbor methods, R. Haapanen, A.R. Ek, M.E. Bauer and A.O. Finley, 89:265

Forestry

LiDAR-based geometric reconstruction of boreal type forest stands at single tree level for forest and wildland fire management, F. Morsdorf, E. Meier, B. Kötz, K.I. Itten, M. Dobbertin and B. Allgöwer, 92:353

Fractal analysis

Estimation of land surface temperature—vegetation abundance relationship for urban heat island studies, Q. Weng, D. Lu and J. Schubring, 89:467

Fractional land cover

Approaches to fractional land cover and continuous field mapping: A comparative assessment over the BOREAS study region, R. Fernandes, R. Fraser, R. Latifovic, J. Cihlar, J. Beaubien and Y. Du, 89:234

Fractional snow cover

Estimating fractional snow cover from MODIS using the normalized difference snow index, V.V. Salomonson and I. Appel, 89:351

France

A land cover classification product over France at 1 km resolution using SPOT4/VEGETATION data, K.-S. Han, J.-L. Champeaux and J.-L. Roujean, 92:52

Fraunhofer line principle

A new instrument for passive remote sensing1. Measurements of sunlight-induced chlorophyll fluorescence, I. Moya, L. Camenen, S. Evain, Y. Goulas, Z.G. Cerovic, G. Latouche, J. Flexas and A. Ounis, 91:186

Freeze onset

Estimating the time of melt onset and freeze onset over Arctic sea-ice area using active and passive microwave data, G.I. Belchansky, D.C. Douglas, I.N. Mordvintsev and N.G. Platonov, 92:21

Freeze/thaw

Radar remote sensing of the spring thaw transition across a boreal landscape, J.S. Kimball, K.C. McDonald, S. Frolking and S.W. Running, 89:163

Freeze-thaw, BIOME-BGC

Satellite radar remote sensing of seasonal growing seasons for boreal and subalpine evergreen forests, J.S. Kimball, K.C. McDonald, S.W. Running and S.E. Frolking, 90:243

Frequency of occurrence

Diurnal variations of cloud activity in Bangladesh and north of the Bay of Bengal in 2000, Md.N. Islam, T. Hayashi, H. Uyeda, T. Terao and K. Kikuchi, 90:378

Fuel accumulation

Estimating aboveground biomass using Landsat 7 ETM+ data across a managed landscape in northern Wisconsin, USA, D. Zheng, J. Rademacher, J. Chen, T. Crow, M. Bresee, J. Le Moine and S.-R. Ryu, 93:402

Fuel moisture content

Estimation of leaf water status to monitor the risk of forest fires by using remotely sensed data, M. Maki, M. Ishihara and M. Tamura, 90:441

Sensitivity of spectral reflectance to variation in live fuel moisture content at leaf and canopy level, P. Bowyer and F.M. Danson, 92:297

Estimating live fuel moisture content from remotely sensed reflectance, F.M. Danson and P. Bowyer, 92:309

Combining NDVI and surface temperature for the estimation of live fuel moisture content in forest fire danger rating, E. Chuvieco, D. Cocero, D. Riaño, P. Martin, J. Martínez-Vega, J. de la Riva and F. Pérez, 92:322

Gaussian model

Predicting water content using Gaussian model on soil spectra, M.L. Whiting, L. Li and S.L. Ustin, 89:535

Generalized additive models

Remote sensing data and longline catches of yellowfin tuna (*Thunnus albacares*) in the equatorial Atlantic, C.R. Zagaglia, J.A. Lorenzetti and J.L. Stech, 93:267

Genetic algorithm

Using coarse scale forest variables as ancillary information and weighting of variables in k-NN estimation: a genetic algorithm approach, E. Tomppo and M. Halme, 92:1

Geographical Information Systems

Multi-scale analysis of intrinsic soil factors from SAR-based mapping of drying rates, T. Svoray and M. Shoshany, 92:233

Geometric and geomorphic feature

Mapping active fault associated with the 2003 Mw 6.6 Bam (SE Iran) earthquake with ASTER 3D images, B. Fu, Y. Ninomiya, X. Lei, S. Toda and Y. Awata, 92:153

Geometric and radiometric correction

Evaluation of RADARSAT-1 data for identification of burnt areas in Southern Europe, M. Gimeno and J. San-Miguel-Ayanz, 92:370

Geometrical model

A hemispherical-directional reflectance model as a tool for understanding image distinctions between cultivated and uncultivated bare surfaces, J. Cierniewski, T. Gdala and A. Karnieli, 90:505

Geostatistics

Small-footprint lidar estimation of sub-canopy elevation and tree height in a tropical rain forest landscape, M.L. Clark, D.B. Clark and D.A. Roberts, 91:68

GIS

Quantifying light-fishing for *Dosidicus gigas* in the eastern Pacific using satellite remote sensing, C.M. Waluda, C. Yamashiro, C.D. Elvidge, V.R. Hobson and P.G. Rodhouse, 91:129

Glacier mapping

Combining satellite multispectral image data and a digital elevation model for mapping debris-covered glaciers, F. Paul, C. Huggel and A. Kääb, 89:510

Global and regional evaluation

Global and regional evaluation of the SeaWiFS chlorophyll data set, W.W. Gregg and N.W. Casey, 93:463

Global climate

Remote sensing of vegetation and land-cover change in Arctic Tundra Ecosystems, D.A. Stow, A. Hope, D. McGuire, D. Verbyla, J. Gamon, F. Huemmrich, S. Houston, C. Racine, M. Sturm, K. Tape, L. Hinzman, K. Yoshikawa, C. Tweedie, B. Noyle, C. Silapaswan, D. Douglas, B. Griffith, G. Jia, H. Epstein, D. Walker, S. Daeschner, A. Petersen, L. Zhou and R. Myneni, 89:281

Global Positioning System

Initial results of land-reflected GPS bistatic radar measurements in SMEX02, D. Masters, P. Axelrad and S. Katzberg, 92:507

Global satellite

Transformation of global satellite chlorophyll retrievals with a regionally tuned algorithm, G.F. Cota, J. Wang and J.C. Comiso, 90:373

Globularia alypum

Reflectance assessment of seasonal and annual changes in biomass and CO₂ uptake of a Mediterranean shrubland submitted to experimental warming and drought, I. Filella, J. Peñuelas, L. Llorens and M. Estiarte, 90:308

GPP

Similarities in ground- and satellite-based NDVI time series and their relationship to physiological activity of a Scots pine forest in Finland, Q. Wang, J. Tenhunen, N.Q. Dinh, M. Reichstein, T. Vesala and P. Keronen, 93:225

Grain size

Effect of grain size on remotely sensed spectral reflectance of sandy desert surfaces, G.S. Okin and T.H. Painter, 89:272

The effect of anisotropic reflectance on imaging spectroscopy of snow properties, T.H. Painter and J. Dozier, 89:409

Grassland

Estimation of pasture growth rate in the south west of Western Australia from AVHRR NDVI and climate data, M.J. Hill, G.E. Donald, M.W. Hyder and R.C.G. Smith, 93:528

Greater Yellowstone Ecosystem

Mapping regional land cover with MODIS data for biological conservation: Examples from the Greater Yellowstone Ecosystem, USA and Pará State, Brazil, K.J. Wessels, R.S. De Fries, J. Dempewolf, L.O. Anderson, A.J. Hansen, S.L. Powell and E.F. Moran, 92:67

Green LAI

Hyperspectral vegetation indices and novel algorithms for predicting green LAI of crop canopies: Modeling and validation in the context of precision agriculture, D. Haboudane, J.R. Miller, E. Pattey, P.J. Zarco-Tejada and I.B. Strachan, 90:337

Green SVI

A comparison of empirical and neural network approaches for estimating corn and soybean leaf area index from Landsat ETM+ imagery, C. Walthall, W. Dulaney, M. Anderson, J. Norman, H. Fang and S. Liang, 92:465

Gross ecosystem exchange of CO₂

Satellite-based modeling of gross primary production in an evergreen needleleaf forest, X. Xiao, D. Hollinger, J. Aber, M. Goltz, E.A. Davidson, Q. Zhang and B. Moore, 89:519

Growing degree-day models

Land surface phenology, climatic variation, and institutional change: Analyzing agricultural land cover change in Kazakhstan, K.M. de Beurs and G.M. Henebry, 89:497

Growing season

Satellite radar remote sensing of seasonal growing seasons for boreal and subalpine evergreen forests, J.S. Kimball, K.C. McDonald, S.W. Running and S.E. Frolking, 90:243

Growth rate

Estimation of pasture growth rate in the south west of Western Australia from AVHRR NDVI and climate data, M.J. Hill, G.E. Donald, M.W. Hyder and R.C.G. Smith, 93:528

Hardwood and pine forests

Estimating aboveground biomass using Landsat 7 ETM+ data across a managed landscape in northern Wisconsin, USA, D. Zheng, J. Rademacher, J. Chen, T. Crow, M. Bresee, J. Le Moine and S.-R. Ryu, 93:402

Harmful algae

Evaluation of the use of SeaWiFS imagery for detecting *Karenia brevis* harmful algal blooms in the eastern Gulf of Mexico, M.C. Tomlinson, R.P. Stumpf, V. Ransibrahmanakul, E.W. Truby, G.J. Kirkpatrick, B.A. Pederson, G.A. Vargo and C.A. Heil, 91:293

Harvest

Estimating time since forest harvest using segmented Landsat ETM+ imagery, M.A. Wulder, R.S. Skakun, W.A. Kurz and J.C. White, 93:179

Heat flux

Sensible and latent heat flux in the tropical Pacific from satellite multi-sensor data, Y.-H. Jo, X.-H. Yan, J. Pan, W.T. Liu and M.-X. He, 90:166

Heat storage anomaly

Space-time variations of the TOPEX/POSEIDON-derived heat storage anomaly over the Kuroshio upstream regions, S.-A. Chen, 89:128

Hemispherical-directional reflectance

A hemispherical-directional reflectance model as a tool for understanding image distinctions between cultivated and uncultivated bare surfaces, J. Cierniewski, T. Gdala and A. Karnieli, 90:505

Heterogeneous areas

Mapping vegetation in a heterogeneous mountain rangeland using landsat data: an alternative method to define and classify land-cover units, A.M. Cingolani, D. Renison, M.R. Zak and M.R. Cabido, 92:84

High spatial resolution sea surface climatology

High spatial resolution sea surface climatology from Landsat thermal infrared data, J.I. Fisher and J.F. Mustard, 90:293

Holdridge complexity index

Leaf area index measurements in a tropical moist forest: A case study from Costa Rica, M. Kalácska, G.A. Sánchez-Azofeifa, B. Rivard, J.C. Calvo-Alvarado, A.R.P. Journet, J.P. Arroyo-Mora and D. Ortiz-Ortiz, 91:134

Hot spot

Airborne measurement of hot spot reflectance signatures, F. Camacho-de Coca, F.M. Bréon, M. Leroy and F.J. Garcia-Haro, 90:63

Hot Spot

Bidirectional reflectance of Earth targets: evaluation of analytical models using a large set of spaceborne measurements with emphasis on the Hot Spot, F. Maignan, F.-M. Bréon and R. Lacaze, 90:210

Howland forest

Satellite-based modeling of gross primary production in an evergreen needleleaf forest, X. Xiao, D. Hollinger, J. Aber, M. Goltz, E.A. Davidson, Q. Zhang and B. Moore, 89:519

Hydrologic soil group

Impacts of hydrologic soil properties on drought detection with MODIS thermal data, S. Park, J.J. Feddema and S.L. Egbert, 89:53

HyMap

Airborne measurement of hot spot reflectance signatures, F. Camacho-de Coca, F.M. Bréon, M. Leroy and F.J. Garcia-Haro, 90:63

Hymap imagery

Integrating imaging spectroscopy and neural networks to map grass quality in the Kruger National Park, South Africa, O. Mutanga and A.K. Skidmore, 90:104

HyMap scanner

Hyperspectral analysis of the ultramafic complex and adjacent lithologies at Mordor, NT, Australia, L.C. Rowan, C.J. Simpson and J.C. Mars, 91:419

Hyperion

Hyperion, IKONOS, ALI, and ETM+ sensors in the study of African rainforests, P.S. Thenkabail, E.A. Enclona, M.S. Ashton, C. Legg and M.J. De Dieu, 90:23

Wavelet transform applied to EO-1 hyperspectral data for forest LAI and crown closure mapping, R. Pu and P. Gong, 91:212

Accuracy assessments of hyperspectral waveband performance for vegetation analysis applications, P.S. Thenkabail, E.A. Enclona, M.S. Ashton and B. Van Der Meer, 91:354

Hyperion scenes

A methodology for retrieval of environmental noise equivalent spectra applied to four Hyperion scenes of the same tropical coral reef, M. Wettle, V.E. Brando and A.G. Dekker, 93:188

Hyperion vegetation indices

Hyperion, IKONOS, ALI, and ETM+ sensors in the study of African rainforests, P.S. Thenkabail, E.A. Enclona, M.S. Ashton, C. Legg and M.J. De Dieu, 90:23

Hyperspectral

Needle chlorophyll content estimation through model inversion using hyperspectral data from boreal conifer forest canopies, P.J. Zarco-Tejada, J.R. Miller, J. Harron, B. Hu, T.L. Noland, N. Goel, G.H. Mohammed and P. Sampson, 89:189

On the dimensionality of multi-view hyperspectral measurements of vegetation, J. Settle, 90:235

Hyperspectral vegetation indices and novel algorithms for predicting green LAI of crop canopies: Modeling and validation in the context of precision agriculture, D. Haboudane, J.R. Miller, E. Pattey, P.J. Zarco-Tejada and I.B. Strachan, 90:337

Discrimination of lianas and trees with leaf-level hyperspectral data, K.L. Castro-Esau, G.A. Sánchez-Azofeifa and T. Caelli, 90:353

Hyperspectral indices and model simulation for chlorophyll estimation in open-canopy tree crops, P.J. Zarco-Tejada, J.R. Miller, A. Morales, A. Berjón and J. Agüera, 90:463

Hyperspectral versus multispectral data for estimating leaf area index in four different biomes, K.-S. Lee, W.B. Cohen, R.E. Kennedy, T.K. Maiersperger and S.T. Gower, 91:508

Mapping of continuous floristic gradients in grasslands using hyperspectral imagery, S. Schmidtlein and J. Sassan, 92:126

Use of hyperspectral derivative ratios in the red-edge region to identify plant stress responses to gas leaks, K.L. Smith, M.D. Steven and J.J. Colls, 92:207

Hyperspectral data

Hyperspectral analysis of the ultramafic complex and adjacent lithologies at Mordor, NT, Australia, L.C. Rowan, C.J. Simpson and J.C. Mars, 91:419

Hyperspectral imaging

Refinement of wavelength calibrations of hyperspectral imaging data using a spectrum-matching technique, B.-C. Gao, M.J. Montes and C.O. Davis, 90:424

Hyperspectral reflectance measurements

Towards universal broad leaf chlorophyll indices using PROSPECT simulated database and hyperspectral reflectance measurements, G. le Maire, C. François and E. Dufrêne, 89:1

Hyperspectral remote sensing

Evaluation of hyperspectral remote sensing as a means of environmental monitoring in the St. Austell China clay (kaolin) region, Cornwall, UK, R.J. Ellis and P.W. Scott, 93:118

Hyperspectral wavebands

Accuracy assessments of hyperspectral waveband performance for vegetation analysis applications, P.S. Thenkabail, E.A. Enclona, M.S. Ashton and B. Van Der Meer, 91:354

IABP/POLES

Estimating the time of melt onset and freeze onset over Arctic sea-ice area using active and passive microwave data, G.I. Belchansky, D.C. Douglas, I.N. Mordvintsev and N.G. Platonov, 92:21

Ice

Narrowband-to-broadband albedo conversion for glacier ice and snow: equations based on modeling and ranges of validity of the equations, W. Greuell and J. Oerlemans, 89:95

Ice edge

Studies of the Antarctic sea ice edge and ice extent from satellite and ship observations, A.P. Worby and J.C. Comiso, 92:98

Ice sheet

Cloud detection in Landsat imagery of ice sheets using shadow matching technique and automatic normalized difference snow index threshold value decision, H. Choi and R. Bindschadler, 91:237

Ice storm

Mapping deciduous forest ice storm damage using Landsat and environmental data, I. Olthof, D.J. King and R.A. Lautenschlager, 89:484

Ignition point

Mapping wildfire occurrence at regional scale, J. de la Riva, F. Pérez-Cabello, N. Lana-Renault and N. Koutsias, 92:288

Mapping wildfire occurrence at regional scale, I.Z. Gitas, J. de la Riva, F. Pérez-Cabello, N. Lana-Renault and N. Koutsias, 92:363

IKONOS

Hyperion, IKONOS, ALI, and ETM+ sensors in the study of African rainforests, P.S. Thenkabail, E.A. Enclona, M.S. Ashton, C. Legg and M.J. De Dieu, 90:23

Using lidar and effective LAI data to evaluate IKONOS and Landsat 7 ETM+ vegetation cover estimates in a ponderosa pine forest, X. Chen, L. Vierling, E. Rowell and T. DeFelice, 91:14

Comparison of IKONOS and QuickBird images for mapping mangrove species on the Caribbean coast of Panama, L. Wang, W.P. Sousa, P. Gong and G.S. Biging, 91:432

Image analysis

Species classification of individually segmented tree crowns in high-resolution aerial images using radiometric and morphologic image measures, M. Erikson, 91:469

Image correction

Local radiometric correction of digital aerial photographs for multi source forest inventory, S. Tuominen and A. Pekkarinen, 89:72

Image measure

Species classification of individually segmented tree crowns in high-resolution aerial images using radiometric and morphologic image measures, M. Erikson, 91:469

Imaging spectroscopy

Radiative transfer modeling within a heterogeneous canopy for estimation of forest fire fuel properties, B. Kötz, M. Schaepman, F. Morsdorf, P. Bowyer, K. Itten and B. Allgöwer, 92:332

The effect of anisotropic reflectance on imaging spectroscopy of snow properties, T.H. Painter and J. Dozier, 89:409

Quality assessment of several methods to recover surface reflectance using synthetic imaging spectroscopy data, E. Ben-Dor, B. Kindel and A.F.H. Goetz, 90:389

In situ measurements

Evaluation of MODIS LAI, fAPAR and the relation between fAPAR and NDVI in a semi-arid environment using in situ measurements, R. Fensholt, I. Sandholt and M.S. Rasmussen, 91:490

Incidence angle normalization

Evaluation of RADARSAT-1 data for identification of burnt areas in Southern Europe, M. Gimeno and J. San-Miguel-Ayanz, 92:370

Indian sub-continent

Interannual variability of vegetation over the Indian sub-continent and its relation to the different meteorological parameters, S. Sarkar and M. Kafatos, 90:268

Indicator value

Mapping of continuous floristic gradients in grasslands using hyperspectral imagery, S. Schmidtlein and J. Sassin, 92:126

Indigenous forest

The spatial distribution of indigenous forest and its composition in the Wellington region, New Zealand, from ETM+ satellite imagery, J.R. Dymond and J.D. Shepherd, 90:116

Individual tree crown

Species classification of individually segmented tree crowns in high-resolution aerial images using radiometric and morphologic image measures, M. Erikson, 91:469

Infrared AVHRR

Automated detection of thermal features of active volcanoes by means of infrared AVHRR records, N. Pergola, F. Marchese and V. Tramutoli, 93:311

InSAR

Vegetation height estimation from Shuttle Radar Topography Mission and National Elevation Datasets, J. Kellndorfer, W. Walker, L. Pierce, C. Dobson, J.A. Fites, C. Hunsaker, J. Vona and M. Clutter, 93:339

In-stream habitat

Passive optical remote sensing of river channel morphology and in-stream habitat: Physical basis and feasibility, C.J. Legleiter, D.A. Roberts, W.A. Marcus and M.A. Fonstad, 93:493

Intelligent training

Toward intelligent training of supervised image classifications: directing training data acquisition for SVM classification, G.M. Foody and A. Mathur, 93:107

Interannual variability

Interannual variability of vegetation over the Indian sub-continent and its relation to the different meteorological parameters, S. Sarkar and M. Kafatos, 90:268

Internal solitary wave

Estimating parameters of a two-layer stratified ocean from polarity conversion of internal solitary waves observed in satellite SAR images, Z. Zhao, V. Klemas, Q. Zheng, X. Li and X.-H. Yan, 92:276

Interpolation

Land cover-based optimal deconvolution of PALS L-band microwave brightness temperatures, A.S. Limaye, W.L. Crosson, C.A. Laymon and E.G. Njoku, 92:497

Intrinsic Factors

Multi-scale analysis of intrinsic soil factors from SAR-based mapping of drying rates, T. Svoray and M. Shoshany, 92:233

Inventory

Estimation of timber volume and stem density based on scanning laser altimetry and expected tree size distribution functions, M. Maltamo, K. Eerikäinen, J. Pitkänen, J. Hyypä and M. Vehmas, 90:319

Inverse problem

Object-based retrieval of biophysical canopy variables using artificial neural nets and radiative transfer models, C. Atzberger, 93:53

Inversion

Inversion of a radiative transfer model with hyperspectral observations for LAI mapping in poplar plantations, M. Meroni, R. Colombo and C. Panigada, 92:195

Inversion algorithms

Absorption spectrum of phytoplankton pigments derived from hyperspectral remote-sensing reflectance, Z.P. Lee and K.L. Carder, 89:361

Iowa

Effects of remote sensing pixel resolution on modeled energy flux variability of croplands in Iowa, W.P. Kustas, F. Li, T.J. Jackson, J.H. Prueger, J.I. MacPherson and M. Wolde, 92:535

Ishigaki Island

Detection limits of coral reef bleaching by satellite remote sensing: Simulation and data analysis, H. Yamano and M. Tamura, 90:86

JERS-1 SAR

The coregistration, calibration, and interpretation of multi-season JERS-1 SAR data over South America, P. Siqueira, B. Chapman and G. McGarragh, 90:536

Defining approaches to settlement mapping for public health management in Kenya using medium spatial resolution satellite imagery, A.J. Tatem, A.M. Noor and S.I. Hay, 93:42

Kaolin

Evaluation of hyperspectral remote sensing as a means of environmental monitoring in the St. Austell China clay (kaolin) region, Cornwall, UK, R.J. Ellis and P.W. Scott, 93:118

Karenia brevis

Evaluation of the use of SeaWiFS imagery for detecting *Karenia brevis* harmful algal blooms in the eastern Gulf of Mexico, M.C. Tomlinson, R.P. Stumpf, V. Ransibrahmanakul, E.W. Truby, G.J. Kirkpatrick, B.A. Pederson, G.A. Vargo and C.A. Heil, 91:293

Kenya

Defining approaches to settlement mapping for public health management in Kenya using medium spatial resolution satellite imagery, A.J. Tatem, A.M. Noor and S.I. Hay, 93:42

Kernel density interpolation

Mapping wildfire occurrence at regional scale, J. de la Riva, F. Pérez-Cabello, N. Lana-Renault and N. Koutsias, 92:288

Mapping wildfire occurrence at regional scale, I.Z. Gitas, J. de la Riva, F. Pérez-Cabello, N. Lana-Renault and N. Koutsias, 92:363

kNN

Delineation of forest/nonforest land use classes using nearest neighbor methods, R. Haapanen, A.R. Ek, M.E. Bauer and A.O. Finley, 89:265

k-NN estimation

Using coarse scale forest variables as ancillary information and weighting of variables in k-NN estimation: a genetic algorithm approach, E. Tomppo and M. Halme, 92:1

Knowledge-based systems

Multitemporal SAR images for monitoring cultivation systems using-based reasoning, X. Li and A.G. Yeh, 90:524

Kriging

Small-footprint lidar estimation of sub-canopy elevation and tree height in a tropical rain forest landscape, M.L. Clark, D.B. Clark and D.A. Roberts, 91:68

Kuroshio upstream

Space-time variations of the TOPEX/POSEIDON-derived heat storage anomaly over the Kuroshio upstream regions, S.-A. Chen, 89:128

LAI

Evaluation of MODIS LAI, fAPAR and the relation between fAPAR and NDVI in a semi-arid environment using in situ measurements, R. Fensholt, I. Sandholt and M.S. Rasmussen, 91:490

Hyperspectral versus multispectral data for estimating leaf area index in four different biomes, K.-S. Lee, W.B. Cohen, R.E. Kennedy, T.K. Maersperger and S.T. Gower, 91:508

A combined passive/active microwave remote sensing approach for surface variable retrieval using Tropical Rainfall Measuring Mission observations, K.-H. Lee and E.N. Anagnostou, 92:112

Inversion of a radiative transfer model with hyperspectral observations for LAI mapping in poplar plantations, M. Meroni, R. Colombo and C. Panigada, 92:195

A comparison of empirical and neural network approaches for estimating corn and soybean leaf area index from Landsat ETM+ imagery, C. Walthall, W. Dulaney, M. Anderson, J. Norman, H. Fang and S. Liang, 92:465

LAI-2000

Evaluating image-based estimates of leaf area index in boreal conifer stands over a range of scales using high-resolution CASI imagery, R.A. Fernandes, J.R. Miller, J.M. Chen and I.G. Rubinstein, 89:200

LAI retrieval

A consistency analysis of surface reflectance and leaf area index retrieval from overlapping clear-sky Landsat ETM+ imagery, C.R. Butson and R.A. Fernandes, 89:369

Lake Erie

Phycocyanin detection from LANDSAT TM data for mapping cyanobacterial blooms in Lake Erie, R.K. Vincent, X. Qin, R.M.L. McKay, J. Miner, K. Czajkowski, J. Savino and T. Bridgeman, 89:381

Land-cover change

Impacts of imagery temporal frequency on land-cover change detection monitoring, R.S. Lunetta, D.M. Johnson, J.G. Lyon and J. Crotwell, 89:444

Land-cover mapping

Thematic accuracy of the 1992 National Land-Cover Data for the western United States, J.D. Wickham, S.V. Stehman, J.H. Smith and L. Yang, 91:452

Mapping vegetation in a heterogeneous mountain rangeland using landsat data: an alternative method to define and classify land-cover units, A.M. Cingolani, D. Renison, M.R. Zak and M.R. Cabido, 92:84

Land cover

Remote sensing in BOREAS: Lessons learned, J.A. Gamon, K.F. Huemmrich, D.R. Peddle, J. Chen, D. Fuentes, F.G. Hall, J.S. Kimball, S. Goetz, J. Gu, K.C. McDonald, J.R. Miller, M. Moghaddam, A.F. Rahman, J.-L. Roujean, E.A. Smith, C.L. Walthall, P. Zarco-Tejada, B. Hu, R. Fernandes and J. Cihlar, 89:139

Accuracy assessment using sub-pixel fractional error matrices of global land cover products derived from satellite data, R. Latifovic and I. Olthof, 90:153

Land cover characterization of Temperate East Asia using multi-temporal VEGETATION sensor data, S.H. Boles, X. Xiao, J. Liu, Q. Zhang, S. Munkhtuya, S. Chen and D. Ojima, 90:477

A land cover classification product over France at 1 km resolution using SPOT4/VEGETATION data, K.-S. Han, J.-L. Champeaux and J.-L. Roujean, 92:52

Landsat urban mapping based on a combined spectralspatial methodology, B. Guindon, Y. Zhang and C. Dillabaugh, 92:218

Land cover change

Remote sensing of vegetation and land-cover change in Arctic Tundra Ecosystems, D.A. Stow, A. Hope, D. McGuire, D. Verbyla, J. Gamon, F. Huemmrich, S. Houston, C. Racine, M. Sturm, K. Tape, L. Hinzman, K. Yoshikawa, C. Tweedie, B. Noyle, C. Silapaswan, D. Douglas, B. Griffith, G. Jia, H. Epstein, D. Walker, S. Daeschner, A. Petersen, L. Zhou and R. Myneni, 89:281

Land cover maps

Heterogeneity of light use efficiency in a northern Wisconsin forest: implications for modeling net primary production with remote sensing, D.E. Ahl, S.T. Gower, D.S. Mackay, S.N. Burrows, J.M. Norman and G.R. Diak, 93:168

Land degradation

Assessing the effects of human-induced land degradation in the former homelands of northern South Africa with a 1 km AVHRR NDVI time-series, K.J. Wessels, S.D. Prince, P.E. Frost and D. van Zyl, 91:47

Land surface emissivity

Land surface temperature and emissivity estimation based on the two-temperature method: sensitivity analysis using simulated MSG/SEVIRI data, L.F. Peres and C.C. DaCamara, 91:377

Land surface temperature

Estimation of land surface temperature—vegetation abundance relationship for urban heat island studies, Q. Weng, D. Lu and J. Schubring, 89:467

Land surface temperature retrieval from LANDSAT TM 5, José A. Sobrino, Juan C. Jiménez-Muñoz and L. Paolini, 90:434

Land surface temperature and emissivity estimation based on the two-temperature method: sensitivity analysis using simulated MSG/SEVIRI data, L.F. Peres and C.C. DaCamara, 91:377

Deriving land surface temperature from Landsat 5 and 7 during SMEX02/SMACEX, F. Li, T.J. Jackson, W.P. Kustas, T.J. Schmugge, A.N. French, M.H. Cosh and R. Bindlish, 92:521

Land use changes

Multitemporal SAR images for monitoring cultivation systems using-based reasoning, X. Li and A.G. Yeh, 90:524

Landcover

Land cover mapping of North and Central America—Global Land Cover 2000, R. Latifovic, Z.-L. Zhu, J. Cihlar, C. Giri and I. Olthof, 89:116

Landsat

Topographic information of sand dunes as extracted from shading effects using Landsat images, N. Levin, E. Bendor and A. Karnieli, 90:190

Cloud detection in Landsat imagery of ice sheets using shadow matching technique and automatic normalized difference snow index threshold value decision, H. Choi and R. Bindischadler, 91:237

Mapping regional land cover with MODIS data for biological conservation: Examples from the Greater Yellowstone Ecosystem, USA and Pará State, Brazil, K.J. Wessels, R.S. De Fries, J. Dempewolf, L.O. Anderson, A.J. Hansen, S.L. Powell and E.F. Moran, 92:67

Landsat urban mapping based on a combined spectralspatial methodology, B. Guindon, Y. Zhang and C. Dillabaugh, 92:218

Upscaling ground observations of vegetation water content, canopy height, and leaf area index during SMEX02 using aircraft and Landsat imagery, M.C. Anderson, C.M.U. Neale, F. Li, J.M. Norman, W.P. Kustas, H. Jayanthi and J. Chavez, 92:447

Vegetation water content mapping using Landsat data derived normalized difference water index for corn and soybeans, T.J. Jackson, D. Chen, M. Cosh, F. Li, M. Anderson, C. Walthall, P. Doriaswamy and E.R. Hunt, 92:475

Estimating time since forest harvest using segmented Landsat ETM+ imagery, M.A. Wulder, R.S. Skakun, W.A. Kurz and J.C. White, 93:179

Assessing tundra-taiga boundary with multi-sensor satellite data, K.J. Ranson, G. Sun, V.I. Kharuk and K. Kovacs, 93:283

Cropland distributions from temporal unmixing of MODIS data, D.B. Lobell and G.P. Asner, 93:412

Assessment of estuarine water-quality indicators using MODIS medium-resolution bands: Initial results from Tampa Bay, FL, C. Hu, Z. Chen, T.D. Clayton, P. Swarzenski, J.C. Brock and F.E. Muller-Karger, 93:423

Landsat 5 Thematic Mapper

Deriving land surface temperature from Landsat 5 and 7 during SMEX02/SMACEX, F. Li, T.J. Jackson, W.P. Kustas, T.J. Schmugge, A.N. French, M.H. Cosh and R. Bindlish, 92:521

Landsat 7 Enhanced Thematic Mapper

Deriving land surface temperature from Landsat 5 and 7 during SMEX02/SMACEX, F. Li, T.J. Jackson, W.P. Kustas, T.J. Schmugge, A.N. French, M.H. Cosh and R. Bindlish, 92:521

Landsat 7 ETM+

Using lidar and effective LAI data to evaluate IKONOS and Landsat 7 ETM+ vegetation cover estimates in a ponderosa pine forest, X. Chen, L. Vierling, E. Rowell and T. DeFelice, 91:14

Landsat ETM+

A consistency analysis of surface reflectance and leaf area index retrieval from overlapping clear-sky Landsat ETM+ imagery, C.R. Butson and R.A. Fernandes, 89:369

The classification of late seral forests in the Pacific Northwest, USA using Landsat ETM+ imagery, H. Jiang, J.R. Strittholt, P.A. Frost and N.C. Slosser, 91:320

Comparison of AVIRIS and Landsat ETM+ detection capabilities for burn severity, J.W. van Wagtenonk, R.R. Root and C.H. Key, 92:397

A comparison of empirical and neural network approaches for estimating corn and soybean leaf area index from Landsat ETM+ imagery, C. Walthall, W. Dulaney, M. Anderson, J. Norman, H. Fang and S. Liang, 92:465

The Landsat ETM+ spectral mixing space, C. Small, 93:1

LANDSAT-ETM

Spectral indices and fire behavior simulation for fire risk assessment in savanna ecosystems, C. Mbow, K. Goïta and G.B. Bénié, 91:1

Landsat thermal infrared data

High spatial resolution sea surface climatology from Landsat thermal infrared data, Jeremy I. Fisher and John F. Mustard, 90:293

Landsat TM

Evaluating image-based estimates of leaf area index in boreal conifer stands over a range of scales using high-resolution CASI imagery, R.A. Fernandes, J.R. Miller, J.M. Chen and I.G. Rubinstein, 89:200

Detection limits of coral reef bleaching by satellite remote sensing: Simulation and data analysis, Hiroya Yamano and Masayuki Tamura, 90:86

Defining approaches to settlement mapping for public health management in Kenya using medium spatial resolution satellite imagery, A.J. Tatem, A.M. Noor and S.I. Hay, 93:42

Object-based retrieval of biophysical canopy variables using artificial neural nets and radiative transfer models, C. Atzberger, 93:53

Cover- and density-based vegetation classifications of the Sonoran Desert using Landsat TM and ERS-1 SAR imagery, S.M. Shupe and S.E. Marsh, 93:131

LANDSAT TM

Phycocyanin detection from LANDSAT TM data for mapping cyanobacterial blooms in Lake Erie, R.K. Vincent, X. Qin, R.M.L. McKay, J. Miner, K. Czajkowski, J. Savino and T. Bridgeman, 89:381

LANDSAT TM 5

Land surface temperature retrieval from LANDSAT TM 5, J.A. Sobrino, J.C. Jiménez-Muñoz and L. Paolini, 90:434

Landscape dynamics

Land surface phenology, climatic variation, and institutional change: Analyzing agricultural land cover change in Kazakhstan, K.M. de Beurs and G.M. Henebry, 89:497

Landscape metrics

Change detection and landscape metrics for inferring anthropogenic processes in the greater EFMO area, S. Narumalani, D.R. Mishra and R.G. Rothwell, 91:478

Large area forest classification

Large area forest classification and biophysical parameter estimation using the 5-Scale canopy reflectance model in Multiple-Forward-Mode, D.R. Peddle, R.L. Johnson, J. Cihlar and R. Latifovic, 89:252

Large-Scale Biosphere-Atmosphere

The coregistration, calibration, and interpretation of multi-season JERS-1 SAR data over South America, P. Siqueira, B. Chapman and G. McGarragh, 90:536

Laser

Identifying species of individual trees using airborne laser scanner, J. Holmgren and Å. Persson, 90:415

Laser scanning

Effects of different flying altitudes on biophysical stand properties estimated from canopy height and density measured with a small-footprint airborne scanning laser, E. Næsset, 91:243

Latent heat flux

Sensible and latent heat flux in the tropical Pacific from satellite multi-sensor data, Y.-H. Jo, X.-H. Yan, J. Pan, W.T. Liu and M.-X. He, 90:166

Lava flows

Mapping recent lava flows at Westdahl Volcano, Alaska, using radar and optical satellite imagery, Z. Lu, R. Rykhus, T. Masterlark and K.G. Dean, 91:345

LCLUC

Land surface phenology, climatic variation, and institutional change: Analyzing agricultural land cover change in Kazakhstan, K.M. de Beurs and G.M. Henebry, 89:497

Leaf area index

The effect of crown shape on the reflectance of coniferous stands, M. Rautiainen, P. Stenberg, T. Nilson and A. Kuusk, 89:41

Retrieval of the canopy leaf area index in the BOREAS flux tower sites using linear spectral mixture analysis, B. Hu, J.R. Miller, J.M. Chen and A. Hollinger, 89:176

Evaluating image-based estimates of leaf area index in boreal conifer stands over a range of scales using high-resolution CASI imagery, R.A. Fernandes, J.R. Miller, J.M. Chen and I.G. Rubinstein, 89:200

Leaf area index measurements in a tropical moist forest: A case study from Costa Rica, M. Kalácska, G.A. Sánchez-Azofeifa, B. Rivard, J.C. Calvo-Alvarado, A.R.P. Journet, J.P. Arroyo-Mora and D. Ortiz-Ortiz, 91:134

Wavelet transform applied to EO-1 hyperspectral data for forest LAI and crown closure mapping, R. Pu and P. Gong, 91:212

Retrieval of crop chlorophyll content and leaf area index from decompressed hyperspectral data: the effects of data compression, B. Hu, S.-E. Qian, D. Haboudane, J.R. Miller, A.B. Hollinger, N. Tremblay and E. Pattey, 92:139

Upscaling ground observations of vegetation water content, canopy height, and leaf area index during SMEX02 using aircraft and Landsat imagery, M.C. Anderson, C.M.U. Neale, F. Li, J.M. Norman, W.P. Kustas, H. Jayanthi and J. Chavez, 92:447

Object-based retrieval of biophysical canopy variables using artificial neural nets and radiative transfer models, C. Atzberger, 93:53

Leaf chlorophyll content

Object-based retrieval of biophysical canopy variables using artificial neural nets and radiative transfer models, C. Atzberger, 93:53

Leaf water content

Estimating live fuel moisture content from remotely sensed reflectance, F.M. Danson and P. Bowyer, 92:309

Lianas

Discrimination of lianas and trees with leaf-level hyperspectral data, K.L. Castro-Esau, G.A. Sánchez-Azofeifa and T. Caelli, 90:353

Lichens

Reflectance spectra of subarctic lichens between 400 and 2400 nm, W.G. Rees, O.V. Tutubalina and E.I. Golubeva, 90:281

LiDAR

Quantifying forest above ground carbon content using LiDAR remote sensing, G. Patenaude, R.A. Hill, R. Milne, D.L.A. Gaveau, B.B.J. Briggs and T.P. Dawson, 93:368

Lidar

Estimation of timber volume and stem density based on scanning laser altimetry and expected tree size distribution functions, M. Maltamo, K. Eerikäinen, J. Pitkänen, J. Hyypä and M. Vehmas, 90:319

Using lidar and effective LAI data to evaluate IKONOS and Landsat 7 ETM+ vegetation cover estimates in a ponderosa pine forest, X. Chen, L. Vierling, E. Rowell and T. DeFelice, 91:14

Generation of crown bulk density for *Pinus sylvestris* L. from lidar, D. Riaño, E. Chuvieco, S. Condés, J. González-Matesanz and S.L. Ustin, 92:345

Lidar methods

Small-footprint lidar estimation of sub-canopy elevation and tree height in a tropical rain forest landscape, M.L. Clark, D.B. Clark and D.A. Roberts, 91:68

Lidar remote sensing

Lidar remote sensing for modeling gross primary production of deciduous forests, S.Y. Kotchenova, X. Song, N.V. Shabanov, C.S. Potter, Y. Knyazikhin and R.B. Myneni, 92:158

Light use efficiency

Estimation of pasture growth rate in the south west of Western Australia from AVHRR NDVI and climate data, M.J. Hill, G.E. Donald, M.W. Hyder and R.C.G. Smith, 93:528

Linear regression

Leaf area index measurements in a tropical moist forest: A case study from Costa Rica, M. Kalácska, G.A. Sánchez-Azofeifa, B. Rivard, J.C. Calvo-Alvarado, A.R.P. Journet, J.P. Arroyo-Mora and D. Ortiz-Ortiz, 91:134

Linear spectral mixture analysis

Retrieval of the canopy leaf area index in the BOREAS flux tower sites using linear spectral mixture analysis, B. Hu, J.R. Miller, J.M. Chen and A. Hollinger, 89:176

Using lidar and effective LAI data to evaluate IKONOS and Landsat 7 ETM+ vegetation cover estimates in a ponderosa pine forest, X. Chen, L. Vierling, E. Rowell and T. DeFelice, 91:14

LMedS (least median of squares)

Robust estimation of BRDF model parameters, J. Susaki, K. Hara, K. Kajiwara and Y. Honda, 89:63

Longline

Remote sensing data and longline catches of yellowfin tuna (*Thunnus albacares*) in the equatorial Atlantic, C.R. Zagaglia, J.A. Lorenzetti and J.L. Stech, 93:267

LOPEX

Estimating live fuel moisture content from remotely sensed reflectance, F.M. Danson and P. Bowyer, 92:309

Lorentzian cumulative function

Leaf area index measurements in a tropical moist forest: A case study from Costa Rica, M. Kalácska, G.A. Sánchez-Azofeifa, B. Rivard, J.C. Calvo-Alvarado, A.R.P. Journet, J.P. Arroyo-Mora and D. Ortiz-Ortiz, 91:134

LUT

A comparison of empirical and neural network approaches for estimating corn and soybean leaf area index from Landsat ETM+ imagery, C. Walthall, W. Dulaney, M. Anderson, J. Norman, H. Fang and S. Liang, 92:465

MAD transformation

Automatic radiometric normalization of multitemporal satellite imagery, M.J. Canty, A.A. Nielsen and M. Schmidt, 91:441

Mangrove

Comparison of IKONOS and QuickBird images for mapping mangrove species on the Caribbean coast of Panama, L. Wang, W.P. Sousa, P. Gong and G.S. Biging, 91:432

Mapping

Mapping recent lava flows at Westdahl Volcano, Alaska, using radar and optical satellite imagery, Z. Lu, R. Rykhus, T. Masterlark and K.G. Dean, 91:345

Maritime aerosols

Maritime aerosol optical thickness measured by handheld sun photometers, K.D. Knobelspiesse, C. Pietras, G.S. Fargion, M. Wang, R. Frouin, M.A. Miller, A. Subramaniam and W.M. Balch, 93:87

Maximum likelihood

Cover- and density-based vegetation classifications of the Sonoran Desert using Landsat TM and ERS-1 SAR imagery, S.M. Shupe and S.E. Marsh, 93:131

Maximum Likelihood

Mapping vegetation in a heterogeneous mountain rangeland using landsat data: an alternative method to define and classify land-cover units, A.M. Cingolani, D. Renison, M.R. Zak and M.R. Cabido, 92:84

Mean/maximum spectra

Estimating foliage nitrogen concentration from HYMAP data using continuum removal analysis, Z. Huang, B.J. Turner, S.J. Dury, I.R. Wallis and W.J. Foley, 93:18

Mediterranean ecosystems

Temporal persistence in vegetation cover changes observed from satellite: Development of an estimation procedure in the test site of the Mediterranean Italy, M. Lanfredi, T. Simoniello and M. Macchiato, 93:565

Mediterranean Sea

The relationship between summer aggregation of fin whales and satellite-derived environmental conditions in the northwestern Mediterranean Sea, A. Littaye, A. Gannier, S. Laran and J.P.F. Wilson, 90:44

Melt onset

Estimating the time of melt onset and freeze onset over Arctic sea-ice area using active and passive microwave data, G.I. Belchansky, D.C. Douglas, I.N. Mordvintsev and N.G. Platonov, 92:21

M-estimators

Robust estimation of BRDF model parameters, J. Susaki, K. Hara, K. Kajiwara and Y. Honda, 89:63

Methane

Use of hyperspectral derivative ratios in the red-edge region to identify plant stress responses to gas leaks, K.L. Smith, M.D. Steven and J.J. Colls, 92:207

Microcystis

Phycocyanin detection from LANDSAT TM data for mapping cyanobacterial blooms in Lake Erie, R.K. Vincent, X. Qin, R.M.L. McKay, J. Miner, K. Czajkowski, J. Savino and T. Bridgeman, 89:381

Micrometeorology

Similarities in ground- and satellite-based NDVI time series and their relationship to physiological activity of a Scots pine forest in Finland, Q. Wang, J. Tenhunen, N.Q. Dinh, M. Reichstein, T. Vesala and P. Keronen, 93:225

Microwave

Retrieval of soil moisture from passive and active L/S band sensor (PALS) observations during the Soil Moisture Experiment in 2002 (SMEX02), U. Narayan, V. Lakshmi and E.G. Njoku, 92:483

Microwave brightness temperature

Land cover-based optimal deconvolution of PALS L-band microwave brightness temperatures, A.S. Limaye, W.L. Crosson, C.A. Laymon and E.G. Njoku, 92:497

Microwave radiometry

Siberia snow depth climatology derived from SSM/I data using a combined dynamic and static algorithm, M. Grippa, N. Mognard, T. Le Toan and E.G. Josberger, 93:30

Microwave remote sensing

Artificial neural network-based techniques for the retrieval of SWE and snow depth from SSM/I data, M. Tedesco, J. Pulliainen, M. Takala, M. Hallikainen and P. Pampaloni, 90:76

Miombo woodlands

A simulation analysis of the detectability of understory burns in *miombo* woodlands, J.M.C. Pereira, B. Mota, J.L. Privette, K.K. Caylor, J.M.N. Silva, A.C.L. Sá and W. Ni-Meister, 93:296

MIR/TIR remote sensing

Comparison of land surface emissivity and radiometric temperature derived from MODIS and ASTER sensors, F. Jacob, F. Petitcolin, T. Schmugge, É. Vermote, A. French and K. Ogawa, 90:137

MISR

Assessing tundra boundary with multi-sensor satellite data, K.J. Ranson, G. Sun, V.I. Kharuk and K. Kovacs, 93:283

Mixture modeling

Cropland distributions from temporal unmixing of MODIS data, D.B. Lobell and G.P. Asner, 93:412

Model

Bidirectional reflectance of Earth targets: evaluation of analytical models using a large set of spaceborne measurements with emphasis on the Hot Spot, F. Maignan, F.-M. Bréon and R. Lacaze, 90:210

Modelling

Estimation of pasture growth rate in the south west of Western Australia from AVHRR NDVI and climate data, M.J. Hill, G.E. Donald, M.W. Hyder and R.C.G. Smith, 93:528

MODIS

Impacts of hydrologic soil properties on drought detection with MODIS thermal data, S. Park, J.J. Feddema and S.L. Egbert, 89:53

Sea-air flux of CO₂ in the Caribbean Sea estimated using in situ and remote sensing data, A. Olsen, J.A. Tripanes and R. Wanninkhof, 89:309

An evaluation of MODIS and SeaWiFS bio-optical algorithms in the Baltic Sea, M. Darecki and D. Stramski, 89:326

Estimating fractional snow cover from MODIS using the normalized difference snow index, V.V. Salomonson and I. Appel, 89:351

Comparison of land surface emissivity and radiometric temperature derived from MODIS and ASTER sensors, F. Jacob, F. Petitcolin, T. Schmugge, É. Vermote, A. French and K. Ogawa, 90:137

Simplified atmospheric radiative transfer modelling for estimating incident PAR using MODIS atmosphere products, P.E. Van Laake and G.A. Sanchez-Azofeifa, 91:98

Modeling gross primary production of temperate deciduous broadleaf forest using satellite images and climate data, X. Xiao, Q. Zhang, B. Braswell, S. Urbanski, S. Boles, S. Moore, B. Moore III and D. Ojima, 91:256

Evaluation of MODIS LAI, fAPAR and the relation between fAPAR and NDVI in a semi-arid environment using in situ measurements, R. Fensholt, I. Sandholt and M.S. Rasmussen, 91:490

Physical and chemical properties of surface and column aerosols at a rural New England site during MODIS overpass, J.F. Slater, J.E. Dibb, J.W. Campbell and T.S. Moore, 92:173

Nighttime polar cloud detection with MODIS, Y. Liu, J.R. Key, R.A. Frey, S.A. Ackerman and W.P. Menzel, 92:181

Comparison of evaporative fractions estimated from AVHRR and MODIS sensors over South Florida, V. Venturini, G. Bisht, S. Islam and L. Jiang, 93:77

Using MODIS Terra 250 m imagery to map concentrations of total suspended matter in coastal waters, R.L. Miller and B.A. McKee, 93:259

Assessing tundra-taiga boundary with multi-sensor satellite data, K.J. Ranson, G. Sun, V.I. Kharuk and K. Kovacs, 93:283

Cropland distributions from temporal unmixing of MODIS data, D.B. Lobell and G.P. Asner, 93:412

Assessment of estuarine water-quality indicators using MODIS medium-resolution bands: Initial results from Tampa Bay, FL, C. Hu, Z. Chen, T.D. Clayton, P. Swarzenski, J.C. Brock and F.E. Muller-Karger, 93:423

MODIS and AVHRR satellite image

Spatial and temporal patterns in Arctic river ice breakup observed with MODIS and AVHRR time series, T.M. Pavelsky and L.C. Smith, 93:328

MODIS application

Crop condition and yield simulations using Landsat and MODIS, P.C. Doraiswamy, J.L. Hatfield, T.J. Jackson, B. Akhmedov, J. Prueger and A. Stern, 92:548

MODIS data

Mapping regional land cover with MODIS data for biological conservation: Examples from the Greater Yellowstone Ecosystem, USA and Pará State, Brazil, K.J. Wessels, R.S. De Fries, J. Dempewolf, L.O. Anderson, A.J. Hansen, S.L. Powell and E.F. Moran, 92:67

MODIS LAI

Evaluation of the MODIS LAI algorithm at a coniferous forest site in Finland, Y. Wang, C.E. Woodcock, W. Buermann, P. Stenberg, P. Voipio, H. Smolander, T. Häme, Y. Tian, J. Hu, Y. Knyazikhin and R.B. Myneni, 91:113

Moisture model

Predicting water content using Gaussian model on soil spectra, M.L. Whiting, L. Li and S.L. Ustin, 89:535

Monodominant forest

Using lidar and effective LAI data to evaluate IKONOS and Landsat 7 ETM+ vegetation cover estimates in a ponderosa pine forest, X. Chen, L. Vierling, E. Rowell and T. DeFelice, 91:14

Monte Carlo simulation

Effects of different flying altitudes on biophysical stand properties estimated from canopy height and density measured with a small-footprint airborne scanning laser, E. Næsset, 91:243

Mordor Australia

Hyperspectral analysis of the ultramafic complex and adjacent lithologies at Mordor, NT, Australia, L.C. Rowan, C.J. Simpson and J.C. Mars, 91:419

Most sensitive Hyperion bands

Hyperion, IKONOS, ALI, and ETM+ sensors in the study of African rainforests, P.S. Thenkabail, E.A. Enclona, M.S. Ashton, C. Legg and M.J. De Dieu, 90:23

Mount Etna

Improving volcanic ash cloud detection by a robust satellite technique, N. Pergola, V. Tramutoli, F. Marchese, I. Scaffidi and T. Lacava, 90:1

MRLC

Thematic accuracy of the 1992 National Land-Cover Data for the western United States, J.D. Wickham, S.V. Stehman, J.H. Smith and L. Yang, 91:452

MSG

Land surface temperature retrieval from MSG1-SEVIRI data, J.A. Sobrino and M. Romaguera, 92:247

MSG/SEVIRI

Land surface temperature and emissivity estimation based on the two-temperature method: sensitivity analysis using simulated MSG/SEVIRI data, L.F. Peres and C.C. DaCamara, 91:377

Multi-angle

Assessing tundra-taiga boundary with multi-sensor satellite data, K.J. Ranson, G. Sun, V.I. Kharuk and K. Kovacs, 93:283

Multiple-Forward-Mode

Large area forest classification and biophysical parameter estimation using the 5-Scale canopy reflectance model in Multiple-Forward-Mode, D.R. Peddle, R.L. Johnson, J. Cihlar and R. Latifovic, 89:252

Multi-source forest inventory

Local radiometric correction of digital aerial photographs for multi source forest inventory, S. Tuominen and A. Pekkarinen, 89:72

Using coarse scale forest variables as ancillary information and weighting of variables in k-NN estimation: a genetic algorithm approach, E. Tomppo and M. Halme, 92:1

Multispectral

Hyperspectral versus multispectral data for estimating leaf area index in four different biomes, K.-S. Lee, W.B. Cohen, R.E. Kennedy, T.K. Maersperger and S.T. Gower, 91:508

Multispectral classification

Combining satellite multispectral image data and a digital elevation model for mapping debris-covered glaciers, F. Paul, C. Huggel and A. Käb, 89:510

Multi-spectral

Assessing tundra boundary with multi-sensor satellite data, K.J. Ranson, G. Sun, V.I. Kharuk and K. Kovacs, 93:283

Multitemporal analysis

Combining NDVI and surface temperature for the estimation of live fuel moisture content in forest fire danger rating, E. Chuvieco, D. Cocero, D. Riaño, P. Martín, J. Martínez-Vega, J. de la Riva and F. Pérez, 92:322

Multi-temporal

Comparison of AVIRIS and Landsat ETM+ detection capabilities for burn severity, J.W. van Wageningen, R.R. Root and C.H. Key, 92:397

Multi-temporal analyses

Improving volcanic ash cloud detection by a robust satellite technique, N. Pergola, V. Tramutoli, F. Marchese, I. Scaffidi and T. Lacava, 90:1

Narrowbands

Hyperion, IKONOS, ALI, and ETM+ sensors in the study of African rainforests, P.S. Thenkabail, E.A. Enclona, M.S. Ashton, C. Legg and M.J. De Dieu, 90:23

Narrowband-to-broadband conversion

Narrowband-to-broadband albedo conversion for glacier ice and snow: equations based on modeling and ranges of validity of the equations, W. Greuell and J. Oerlemans, 89:95

National Park

Spectral indices and fire behavior simulation for fire risk assessment in savanna ecosystems, C. Mbow, K. Goita and G.B. Béné, 91:1

Natural gas

Use of hyperspectral derivative ratios in the red-edge region to identify plant stress responses to gas leaks, K.L. Smith, M.D. Steven and J.J. Colls, 92:207

NDSI

Cloud detection in Landsat imagery of ice sheets using shadow matching technique and automatic normalized difference snow index threshold value decision, H. Choi and R. Bindenschadler, 91:237

NDVI

Monitoring forest conditions in a protected Mediterranean coastal area by the analysis of multiyear NDVI data, F. Maselli, 89:423

Reflectance assessment of seasonal and annual changes in biomass and CO₂ uptake of a Mediterranean shrubland submitted to experimental warming and drought, I. Filella, J. Peñuelas, L. Llorens and M. Estiarte, 90:308

Using lidar and effective LAI data to evaluate IKONOS and Landsat 7 ETM+ vegetation cover estimates in a ponderosa pine forest, X. Chen, L. Vierling, E. Rowell and T. DeFelicis, 91:14

Assessing the effects of human-induced land degradation in the former homelands of northern South Africa with a 1 km AVHRR NDVI time-series, K.J. Wessels, D. Prince, P.E. Frost and D. van Zyl, 91:47

A simple method for reconstructing a high-quality NDVI time-series data set based on the Savitzky—Golay filter, J. Chen, P. Jönsson, M. Tamura, Z. Gu, B. Matsushita and L. Eklundh, 91:332

Deriving stand age distribution in boreal forests using SPOT VEGETATION and NOAA AVHRR imagery, Q. Zhang, G. Pavlic, W. Chen, R. Latifovic, R. Fraser and J. Cihlar, 91:405

Evaluation of MODIS LAI, fAPAR and the relation between fAPAR and NDVI in a semi-arid environment using in situ measurements, R. Fensholt, I. Sandholt and M.S. Rasmussen, 91:490

A comparison of empirical and neural network approaches for estimating corn and soybean leaf area index from Landsat ETM+ imagery, C. Walthall, W. Dulaney, M. Anderson, J. Norman, H. Fang and S. Liang, 92:465

Temporal persistence in vegetation cover changes observed from satellite: Development of an estimation procedure in the test site of the Mediterranean Italy, M. Lanfredi, T. Simoniello and M. Macchiato, 93:565

NDVI time series

Similarities in ground- and satellite-based NDVI time series and their relationship to physiological activity of a Scots pine forest in Finland, Q. Wang, J. Tenhunen, N.Q. Dinh, M. Reichstein, T. Vesala and P. Keronen, 93:225

NDWI

Vegetation water content mapping using Landsat data derived normalized difference water index for corn and soybeans, T.J. Jackson, D. Chen, M. Cosh, F. Li, M. Anderson, C. Walthall, P. Doriaswamy and E.R. Hunt, 92:475

NED

Vegetation height estimation from Shuttle Radar Topography Mission and National Elevation Datasets, J. Kellndorfer, W. Walker, L. Pierce, C. Dobson, J.A. Fites, C. Hunsaker, J. Vona and M. Clutter, 93:339

Needle reflectance

Needle chlorophyll content estimation through model inversion using hyperspectral data from boreal conifer forest canopies, P.J. Zarco-Tejada, J.R. Miller, J. Harron, B. Hu, T.L. Noland, N. Goel, G.H. Mohammed and P. Sampson, 89:189

Net primary productivity

Spatial scaling of net primary productivity using subpixel information, A. Simic, J.M. Chen, J. Liu and F. Csillag, 93:246

Neural network

Evaluation of RADARSAT-1 data for identification of burnt areas in Southern Europe, M. Gimeno and J. San-Miguel-Ayanz, 92:370

A comparison of empirical and neural network approaches for estimating corn and soybean leaf area index from Landsat ETM+ imagery, C. Walthall, W. Dulaney, M. Anderson, J. Norman, H. Fang and S. Liang, 92:465

Defining approaches to settlement mapping for public health management in Kenya using medium spatial resolution satellite imagery, A.J. Tatem, A.M. Noor and S.I. Hay, 93:42

Neural networks

Sub-pixel mapping and sub-pixel sharpening using neural network predicted wavelet coefficients, K.C. Mertens, L.P.C. Verbeke, T. Westra and R.R. De Wulf, 91:225

NLCD

Thematic accuracy of the 1992 National Land-Cover Data for the western United States, J.D. Wickham, S.V. Stehman, J.H. Smith and L. Yang, 91:452

NOAA AVHRR

Regional simulation of ecosystem CO₂ and water vapor exchange for agricultural land using NOAA AVHRR and Terra MODIS satellite data. Application to Zealand, Denmark, R.M. Houborg and H. Soegaard, 93:150

AVHRR-based mapping of fires in Russia: New products for fire management and carbon cycle studies, A.I. Sukhinin, N.H.F. French, E.S. Kasischke, J.H. Hewson, A.J. Soja, I.A. Csiszar, E.J. Hyer, T. Loboda, S.G. Conrad, V.I. Romasko, E.A. Pavlichenko, S.I. Miskiv and O.A. Slinkina, 93:546

NOAA-AVHRR

Object-based image classification for burned area mapping of Creus Cape, Spain, using NOAA-AVHRR imagery, I.Z. Gitas, G.H. Mitri and G. Ventura, 92:409

Noise reduction

Vegetation height estimation from Shuttle Radar Topography Mission and National Elevation Datasets, J. Kellndorfer, W. Walker, L. Pierce, C. Dobson, J.A. Fites, C. Hunsaker, J. Vona and M. Clutter, 93:339

Nonlinear regression

Leaf area index measurements in a tropical moist forest: A case study from Costa Rica, M. Kalácska, G.A. Sánchez-Azofeifa, B. Rivard, J.C. Calvo-Alvarado, A.R.P. Journet, J.P. Arroyo-Mora and D. Ortiz-Ortiz, 91:134

Normalised difference water index

Estimating live fuel moisture content from remotely sensed reflectance, F.M. Danson and P. Bowyer, 92:309

Normalized difference water index

Estimation of leaf water status to monitor the risk of forest fires by using remotely sensed data, M. Maki, M. Ishihara and M. Tamura, 90:441

Sensitivity of spectral reflectance to variation in live fuel moisture content at leaf and canopy level, P. Bowyer and F.M. Danson, 92:297

North Equatorial Current

Space—time variations of the TOPEX/POSEIDON-derived heat storage anomaly over the Kuroshio upstream regions, S.-A. Chen, 89:128

Norway spruce

The effect of crown shape on the reflectance of coniferous stands, M. Rautiainen, P. Stenberg, T. Nilson and A. Kuusk, 89:41

NPP

The consequences of urban land transformation on net primary productivity in the United States, M.L. Imhoff, L. Bounoua, R. DeFries, W.T. Lawrence, D. Stutzer, C.J. Tucker and T. Ricketts, 89:434

NSCAT

Radar remote sensing of the spring thaw transition across a boreal landscape, J.S. Kimball, K.C. McDonald, S. Frolking and S.W. Running, 89:163

Numerical experiment

Object-based retrieval of biophysical canopy variables using artificial neural nets and radiative transfer models, C. Atzberger, 93:53

Ob' river level and discharge

Ob' river discharge from TOPEX/Poseidon satellite altimetry (1992–2002), A.V. Kouraev, E.A. Zakharova, O. Samain, N.M. Mognard and A. Cazenave, 93:238

Object-based classification

Object-oriented image analysis for mapping shrub encroachment from 1937 to 2003 in southern New Mexico, A.S. Laliberte, A. Rango, K.M. Havstad, J.F. Paris, R.F. Beck, R. McNeely and A.L. Gonzalez, 93:198

Object-based image classification

Object-based image classification for burned area mapping of Creus Cape, Spain, using NOAA-AVHRR imagery, I.Z. Gitas, G.H. Mitri and G. Ventura, 92:409

Object-based modeling

Object-based retrieval of biophysical canopy variables using artificial neural nets and radiative transfer models, C. Atzberger, 93:53

Ocean color

An evaluation of MODIS and SeaWiFS bio-optical algorithms in the Baltic Sea, M. Darecki and D. Stramski, 89:326

Assessment of estuarine water-quality indicators using MODIS medium-resolution bands: Initial results from Tampa Bay, FL, C. Hu, Z. Chen, T.D. Clayton, P. Swarzenski, J.C. Brock and F.E. Muller-Karger, 93:423

Ocean stratification

Estimating parameters of a two-layer stratified ocean from polarity conversion of internal solitary waves observed in satellite SAR images, Z. Zhao, V. Klemas, Q. Zheng, X. Li and X.-H. Yan, 92:276

Ocean surface slopes

Measurement of ocean surface slopes and wave spectra using polarimetric SAR image data, D.L. Schuler, J.S. Lee, D. Kasilingam and E. Pottier, 91:198

OKEAN-01

Estimating the time of melt onset and freeze onset over Arctic sea-ice area using active and passive microwave data, G.I. Belchansky, D.C. Douglas, I.N. Mordvintsev and N.G. Platonov, 92:21

Olive tree

Hyperspectral indices and model simulation for chlorophyll estimation in open-canopy tree crops, P.J. Zarco-Tejada, J.R. Miller, A. Morales, A. Berjón and J. Agüera, 90:463

Omission

Analysis of the conflict between omission and commission in low spatial resolution dichotomic thematic products: The Pareto Boundary, L. Boschetti, S.P. Flasse and P.A. Brivio, 91:280

Open canopy

Hyperspectral indices and model simulation for chlorophyll estimation in open-canopy tree crops, P.J. Zarco-Tejada, J.R. Miller, A. Morales, A. Berjón and J. Agüera, 90:463

Optical indices

Needle chlorophyll content estimation through model inversion using hyperspectral data from boreal conifer forest canopies, P.J. Zarco-Tejada, J.R. Miller, J. Harron, B. Hu, T.L. Noland, N. Goel, G.H. Mohammed and P. Sampson, 89:189

Optimal bands

Accuracy assessments of hyperspectral waveband performance for vegetation analysis applications, P.S. Thenkabail, E.A. Enclona, M.S. Ashton and B. Van Der Meer, 91:354

Optimal deconvolution

Land cover-based optimal deconvolution of PALS L-band microwave brightness temperatures, A.S. Limaye, W.L. Crosson, C.A. Laymon and E.G. Njoku, 92:497

Orthogonal regression

Automatic radiometric normalization of multitemporal satellite imagery, M.J. Canty, A.A. Nielsen and M. Schmidt, 91:441

Overgrazing

Assessment of rangeland degradation and development of a strategy for rehabilitation, R. Geerken and M. Ilaiwi, 90:490

Pacific Decadal Oscillation Index

Spatial and temporal patterns in Arctic river ice breakup observed with MODIS and AVHRR time series, T.M. Pavelsky and L.C. Smith, 93:328

Pacific Northwest

The classification of late seral forests in the Pacific Northwest, USA using Landsat ETM+ imagery, H. Jiang, J.R. Strittholt, P.A. Frost and N.C. Slosser, 91:320

Pacific Ocean

Observing the coupling effect between warm pool and rain pool in the Pacific Ocean, G. Chen, C. Fang, C. Zhang and Y. Chen, 91:153

PALS

Retrieval of soil moisture from passive and active L/S band sensor (PALS) observations during the Soil Moisture Experiment in 2002 (SMEX02), U. Narayan, V. Lakshmi and E.G. Njoku, 92:483

Land cover-based optimal deconvolution of PALS L-band microwave brightness temperatures, A.S. Limaye, W.L. Crosson, C.A. Laymon and E.G. Njoku, 92:497

PAR

Simplified atmospheric radiative transfer modelling for estimating incident PAR using MODIS atmosphere products, P.E. Van Laake and G.A. Sanchez-Azofeifa, 91:98

Parameter estimation

Robust estimation of BRDF model parameters, J. Susaki, K. Hara, K. Kajiwara and Y. Honda, 89:63

Pareto Boundary

Analysis of the conflict between omission and commission in low spatial resolution dichotomic thematic products: The Pareto Boundary, L. Boschetti, S.P. Flasse and P.A. Brivio, 91:280

Particle

Effect of grain size on remotely sensed spectral reflectance of sandy desert surfaces, G.S. Okin and T.H. Painter, 89:272

Passive method

A new instrument for passive remote sensing1. Measurements of sunlight-induced chlorophyll fluorescence, I. Moya, L. Camenen, S. Evain, Y. Goulas, Z.G. Cerovic, G. Latouche, J. Flexas and A. Ounis, 91:186

Passive microwave

Studies of the Antarctic sea ice edge and ice extent from satellite and ship observations, A.P. Worby and J.C. Comiso, 92:98

Evaluation of passive microwave snow water equivalent algorithms in the depth hoar-dominated snowpack of the Kuparuk River Watershed, Alaska, USA, L.S. Koenig and R.R. Forster, 93:511

Pathfinder AVHRR Land (PAL) NDVI

Land surface phenology, climatic variation, and institutional change: Analyzing agricultural land cover change in Kazakhstan, K.M. de Beurs and G.M. Henebry, 89:497

pdf

Estimation of timber volume and stem density based on scanning laser altimetry and expected tree size distribution functions, M. Maltamo, K. Eerikäinen, J. Pitkänen, J. Hyypä and M. Vehmas, 90:319

Phenology

Radar remote sensing of the spring thaw transition across a boreal landscape, J.S. Kimball, K.C. McDonald, S. Frolking and S.W. Running, 89:163

Phenology, NPP, SeaWinds, Boreal forest

Satellite radar remote sensing of seasonal growing seasons for boreal and subalpine evergreen forests, J.S. Kimball, K.C. McDonald, S.W. Running and S.E. Frolking, 90:243

Photosynthesis

Heterogeneity of light use efficiency in a northern Wisconsin forest: implications for modeling net primary production with remote sensing, D.E. Ahl, S.T. Gower, D.S. Mackay, S.N. Burrows, J.M. Norman and G.R. Diak, 93:168

Photosynthesis model

Lidar remote sensing for modeling gross primary production of deciduous forests, S.Y. Kotchenova, X. Song, N.V. Shabanov, C.S. Potter, Y. Knyazikhin and R.B. Myneni, 92:158

Phycocyanin

Phycocyanin detection from LANDSAT TM data for mapping cyanobacterial blooms in Lake Erie, R.K. Vincent, X. Qin, R.M.L. McKay, J. Miner, K. Czajkowski, J. Savino and T. Bridgeman, 89:381

Pinus ponderosa

Using lidar and effective LAI data to evaluate IKONOS and Landsat 7 ETM+ vegetation cover estimates in a ponderosa pine forest, X. Chen, L. Vierling, E. Rowell and T. DeFelice, 91:14

Pixel reflectance

Systematic corrections of AVHRR image composites for temporal studies, J. Cihlar, R. Latifovic, J. Chen, A. Trishchenko, Y. Du, G. Fedosejevs and B. Guindon, 89:217

Plant functional type

Mapping of continuous floristic gradients in grasslands using hyperspectral imagery, S. Schmidtlein and J. Sassin, 92:126

PLS

Mapping of continuous floristic gradients in grasslands using hyperspectral imagery, S. Schmidtlein and J. Sassin, 92:126

Point clouds

LIDAR-based geometric reconstruction of boreal type forest stands at single tree level for forest and wildland fire management, F. Morsdorf, E. Meier, B. Kötz, K.I. Itten, M. Dobberty and B. Allgöwer, 92:353

Polar

Nighttime polar cloud detection with MODIS, Y. Liu, J.R. Key, R.A. Frey, S.A. Ackerman and W.P. Menzel, 92:181

Polarity conversion

Estimating parameters of a two-layer stratified ocean from polarity conversion of internal solitary waves observed in satellite SAR images, Z. Zhao, V. Klemas, Q. Zheng, X. Li and X.-H. Yan, 92:276

POLDER

Airborne measurement of hot spot reflectance signatures, F. Camacho-de Coca, F.M. Bréon, M. Leroy and F.J. Garcia-Haro, 90:63

Bidirectional reflectance of Earth targets: evaluation of analytical models using a large set of spaceborne measurements with emphasis on the Hot Spot, F. Maignan, F.-M. Bréon and R. Lacaze, 90:210

Poplar plantation

Inversion of a radiative transfer model with hyperspectral observations for LAI mapping in poplar plantations, M. Meroni, R. Colombo and C. Panigada, 92:195

Population

Defining approaches to settlement mapping for public health management in Kenya using medium spatial resolution satellite imagery, A.J. Tatem, A.M. Noor and S.I. Hay, 93:42

Precipitation

Diurnal variations of cloud activity in Bangladesh and north of the Bay of Bengal in 2000, Md.N. Islam, T. Hayashi, H. Uyeda, T. Terao and K. Kikuchi, 90:378

Precision agriculture

Hyperspectral vegetation indices and novel algorithms for predicting green LAI of crop canopies: Modeling and validation in the context of precision agriculture, D. Haboudane, J.R. Miller, E. Pattey, P.J. Zarco-Tejada and I.B. Strachan, 90:337

Prediction algorithms

Hyperspectral vegetation indices and novel algorithms for predicting green LAI of crop canopies: Modeling and validation in the context of precision agriculture, D. Haboudane, J.R. Miller, E. Pattey, P.J. Zarco-Tejada and I.B. Strachan, 90:337

PRI

Reflectance assessment of seasonal and annual changes in biomass and CO₂ uptake of a Mediterranean shrubland submitted to experimental warming and drought, I. Filella, J. Peñuelas, L. Llorens and M. Estiarte, 90:308

Primary production

The relationship between summer aggregation of fin whales and satellite-derived environmental conditions in the northwestern Mediterranean Sea, A. Littaye, A. Gannier, S. Laran and J.P.F. Wilson, 90:44

Principal Component Analysis

Mapping vegetation in a heterogeneous mountain rangeland using landsat data: an alternative method to define and classify land-cover units, A.M. Cingolani, D. Renison, M.R. Zak and M.R. Cabido, 92:84

PROSPECT

Towards universal broad leaf chlorophyll indices using PROSPECT simulated database and hyperspectral reflectance measurements, G. le Maire, C. François and E. Dufrêne, 89:1

Prospect model

Estimating live fuel moisture content from remotely sensed reflectance, F.M. Danson and P. Bowyer, 92:309

Public health

Defining approaches to settlement mapping for public health management in Kenya using medium spatial resolution satellite imagery, A.J. Tatem, A.M. Noor and S.I. Hay, 93:42

Quantitative remote sensing

A composite DOP approach to excluding bottom reflectance in mapping water parameters of shallow coastal zones from TM imagery, A. Islam, J. Gao, W. Ahmad, D. Neil and P. Bell, 92:40

QuickBird

Comparison of IKONOS and QuickBird images for mapping mangrove species on the Caribbean coast of Panama, L. Wang, W.P. Sousa, P. Gong and G.S. Biging, 91:432

Radar

Radar remote sensing of the spring thaw transition across a boreal landscape, J.S. Kimball, K.C. McDonald, S. Frolking and S.W. Running, 89:163

Diurnal variations of cloud activity in Bangladesh and north of the Bay of Bengal in 2000, Md.N. Islam, T. Hayashi, H. Uyeda, T. Terao and K. Kikuchi, 90:378

Radar altimetry

Ob' river discharge from TOPEX/Poseidon satellite altimetry (1992–2002), A.V. Kouraev, E.A. Zakharova, O. Samain, N.M. Mognard and A. Cazenave, 93:238

Radar backscatter

Laboratory and field measurements of the modification of radar backscatter by sand, K.K. Williams and R. Greeley, 89:29

Radar penetration

Laboratory and field measurements of the modification of radar backscatter by sand, K.K. Williams and R. Greeley, 89:29

Radar remote sensing

Satellite radar remote sensing of seasonal growing seasons for boreal and subalpine evergreen forests, J.S. Kimball, K.C. McDonald, S.W. Running and S.E. Frolking, 90:243
Multitemporal SAR images for monitoring cultivation systems using-based reasoning, X. Li and A.G. Yeh, 90:524

RADARSAT

Assessing tundra-taiga boundary with multi-sensor satellite data, K.J. Ranson, G. Sun, V.I. Kharuk and K. Kovacs, 93:283

RADARSAT-1

Evaluation of RADARSAT-1 data for identification of burnt areas in Southern Europe, M. Gimeno and J. San-Miguel-Ayanz, 92:370

Radiation budget

Top-of-atmosphere flux retrievals from CERES using artificial neural networks, K. Loukachine and N.G. Loeb, 93:381

Radiation use efficiency

Heterogeneity of light use efficiency in a northern Wisconsin forest: implications for modeling net primary production with remote sensing, D.E. Ahl, S.T. Gower, D.S. Mackay, S.N. Burrows, J.M. Norman and G.R. Diak, 93:168

Radiative transfer

Needle chlorophyll content estimation through model inversion using hyperspectral data from boreal conifer forest canopies, P.J. Zarco-Tejada, J.R. Miller, J. Harron, B. Hu, T.L. Noland, N. Goel, G.H. Mohammed and P. Sampson, 89:189

Hyperspectral indices and model simulation for chlorophyll estimation in open-canopy tree crops, P.J. Zarco-Tejada, J.R. Miller, A. Morales, A. Berjón and J. Agüera, 90:463

Simplified atmospheric radiative transfer modelling for estimating incident PAR using MODIS atmosphere products, P.E. Van Laake and G.A. Sanchez-Azofeifa, 91:98

Inversion of a radiative transfer model with hyperspectral observations for LAI mapping in poplar plantations, M. Meroni, R. Colombo and C. Panigada, 92:195

Radiative transfer modeling within a heterogeneous canopy for estimation of forest fire fuel properties, B. Kötz, M. Schaepman, F. Morsdorf, P. Bowyer, K. Itten and B. Allgöwer, 92:332

Retrieval of soil moisture from passive and active L/S band sensor (PALS) observations during the Soil Moisture Experiment in 2002 (SMEX02), U. Narayan, V. Lakshmi and E.G. Njoku, 92:483

Radiative transfer model

Detection limits of coral reef bleaching by satellite remote sensing: Simulation and data analysis, H. Yamano and M. Tamura, 90:86

Object-based retrieval of biophysical canopy variables using artificial neural nets and radiative transfer models, C. Atzberger, 93:53

Passive optical remote sensing of river channel morphology and in-stream habitat: Physical basis and feasibility, C.J. Legleiter, D.A. Roberts, W.A. Marcus and M.A. Fonstad, 93:493

Radiometric normalization

Automatic radiometric normalization of multitemporal satellite imagery, M.J. Canty, A.A. Nielsen and M. Schmidt, 91:441

Rain pool

Observing the coupling effect between warm pool and rain pool in the Pacific Ocean, G. Chen, C. Fang, C. Zhang and Y. Chen, 91:153

Rainfall

Monitoring forest conditions in a protected Mediterranean coastal area by the analysis of multiyear NDVI data, F. Maselli, 89:423

Range management

Assessment of rangeland degradation and development of a strategy for rehabilitation, R. Geerken and M. Ilaiwi, 90:490

Range rehabilitation

Assessment of rangeland degradation and development of a strategy for rehabilitation, R. Geerken and M. Ilaiwi, 90:490

Rangeland

Mapping vegetation in a heterogeneous mountain rangeland using landsat data: an alternative method to define and classify land-cover units, A.M. Cingolani, D. Renison, M.R. Zak and M.R. Cabido, 92:84

Rangelands

Assessing the effects of human-induced land degradation in the former homelands of northern South Africa with a 1 km AVHRR NDVI time-series, K.J. Wessels, S.D. Prince, P.E. Frost and D. van Zyl, 91:47

Red-edge

Use of hyperspectral derivative ratios in the red-edge region to identify plant stress responses to gas leaks, K.L. Smith, M.D. Steven and J.J. Colls, 92:207

Red edge position

Integrating imaging spectroscopy and neural networks to map grass quality in the Kruger National Park, South Africa, O. Mutanga and A.K. Skidmore, 90:104

Reflectance

The effect of anisotropic reflectance on imaging spectroscopy of snow properties, T.H. Painter and J. Dozier, 89:409

Bidirectional reflectance of Earth targets: evaluation of analytical models using a large set of spaceborne measurements with emphasis on the Hot Spot, F. Maignan, F.-M. Bréon and R. Lacaze, 90:210

Reflectance spectra of subarctic lichens between 400 and 2400 nm, W.G. Rees, O.V. Tutubalina and E.I. Golubeva, 90:281

The Landsat ETM+ spectral mixing space, C. Small, 93:1

Estimating aboveground biomass using Landsat 7 ETM+ data across a managed landscape in northern Wisconsin, USA, D. Zheng, J. Rademacher, J. Chen, T. Crow, M. Bresee, J. Le Moine and S.-R. Ryu, 93:402

Reflectance model

The effect of crown shape on the reflectance of coniferous stands, M. Rautiainen, P. Stenberg, T. Nilson and A. Kuusk, 89:41

Reflectance modelling

Sensitivity of spectral reflectance to variation in live fuel moisture content at leaf and canopy level, P. Bowyer and F.M. Danson, 92:297

Reflectance models

Evaluating image-based estimates of leaf area index in boreal conifer stands over a range of scales using high-resolution CASI imagery, R.A. Fernandes, J.R. Miller, J.M. Chen and I.G. Rubinstein, 89:200

Regional simulation

Regional simulation of ecosystem CO₂ and water vapor exchange for agricultural land using NOAA AVHRR and Terra MODIS satellite data. Application to Zealand, Denmark, R.M. Houborg and H. Soegaard, 93:150

Regularization

Object-based retrieval of biophysical canopy variables using artificial neural nets and radiative transfer models, C. Atzberger, 93:53

Remote sensing

- Land cover mapping of North and Central America—Global Land Cover 2000, R. Latifovic, Z.-L. Zhu, J. Cihlar, C. Giri and I. Olthof, 89:116
- Remote sensing in BOREAS: Lessons learned, J.A. Gamon, K.F. Huemmrich, D.R. Peddle, J. Chen, D. Fuentes, F.G. Hall, J.S. Kimball, S. Goetz, J. Gu, K.C. McDonald, J.R. Miller, M. Moghaddam, A.F. Rahman, J.-L. Roujean, E.A. Smith, C.L. Walthall, P. Zarco-Tejada, B. Hu, R. Fernandes and J. Cihlar, 89:139
- Sea—air flux of CO₂ in the Caribbean Sea estimated using in situ and remote sensing data, A. Olsen, J.A. Triñanes and R. Wanninkhof, 89:309
- An evaluation of MODIS and SeaWiFS bio-optical algorithms in the Baltic Sea, M. Darecki and D. Stramski, 89:326
- Estimating fractional snow cover from MODIS using the normalized difference snow index, V.V. Salomonson and I. Appel, 89:351
- Phycocyanin detection from LANDSAT TM data for mapping cyanobacterial blooms in Lake Erie, R.K. Vincent, X. Qin, R.M.L. McKay, J. Miner, K. Czajkowski, J. Savino and T. Bridgeman, 89:381
- Impacts of imagery temporal frequency on land-cover change detection monitoring, R.S. Lunetta, D.M. Johnson, J.G. Lyon and J. Crotwell, 89:444
- Accuracy assessment using sub-pixel fractional error matrices of global land cover products derived from satellite data, R. Latifovic and I. Olthof, 90:153
- Hyperspectral indices and model simulation for chlorophyll estimation in open-canopy tree crops, P.J. Zarco-Tejada, J.R. Miller, A. Morales, A. Berjœn and J. Agüera, 90:463
- Assessment of rangeland degradation and development of a strategy for rehabilitation, R. Geerken and M. Ilaiwi, 90:490
- Optimal classification methods for mapping agricultural tillage practices, S. South, J. Qi and D.P. Lusch, 91:89

Quantifying light-fishing for *Dosidicus gigas* in the eastern Pacific using satellite remote sensing, C.M. Waluda, C. Yamashiro, C.D. Elvidge, V.R. Hobson and P.G. Rodhouse, 91:129

Rethinking satellite-based solar irradiance modelling: The SOLIS clear-sky module, R.W. Mueller, K.F. Dagestad, P. Ineichen, M. Schroedter-Homscheidt, S. Cros, D. Dumortier, R. Kuhlemann, J.A. Olseth, G. Piernavieja, C. Reise, L. Wald and D. Heinemann, 91:160

A new instrument for passive remote sensing: 1. Measurements of sunlight-induced chlorophyll fluorescence, I. Moya, L. Camenen, S. Evain, Y. Goulas, Z.G. Cerovic, G. Latouche, J. Flexas and A. Ounis, 91:186

Modeling gross primary production of temperate deciduous broadleaf forest using satellite images and climate data, X. Xiao, Q. Zhang, B. Braswell, S. Urbanski, S. Boles, S. Moore, B. Moore III and D. Ojima, 91:256

Evaluation of the use of SeaWiFS imagery for detecting *Karenia brevis* harmful algal blooms in the eastern Gulf of Mexico, M.C. Tomlinson, R.P. Stumpf, V. Ransibrahmanakul, E.W. Truby, G.J. Kirkpatrick, B.A. Pederson, G.A. Vargo and C.A. Heil, 91:293

Hyperspectral analysis of the ultramafic complex and adjacent lithologies at Mordor, NT, Australia, L.C. Rowan, C.J. Simpson and J.C. Mars, 91:419

Use of hyperspectral derivative ratios in the red-edge region to identify plant stress responses to gas leaks, K.L. Smith, M.D. Steven and J.J. Colls, 92:207

Siberia snow depth climatology derived from SSM/I data using a combined dynamic and static algorithm, M. Grippa, N. Mognard, T. Le Toan and E.G. Josberger, 93:30

A simplified equation to estimate spatial reference evaporation from remote sensing-based surface temperature and local meteorological data, R. Rivas and V. Caselles, 93:68

Spatial scaling of net primary productivity using subpixel information, A. Simic, J.M. Chen, J. Liu and F. Csillag, 93:246

Using MODIS Terra 250 m imagery to map concentrations of total suspended matter in coastal waters, R.L. Miller and B.A. McKee, 93:259

Remote sensing data and longline catches of yellowfin tuna (*Thunnus albacares*) in the equatorial Atlantic, C.R. Zagaglia, J.A. Lorenzetti and J.L. Stech, 93:267

Assessment of estuarine water-quality indicators using MODIS medium-resolution bands: Initial results from Tampa Bay, FL, C. Hu, Z. Chen, T.D. Clayton, P. Swarzenski, J.C. Brock and F.E. Muller-Karger, 93:423

Passive optical remote sensing of river channel morphology and in-stream habitat: Physical basis and feasibility, C.J. Legleiter, D.A. Roberts, W.A. Marcus and M.A. Fonstad, 93:493

Effects of remote sensing pixel resolution on modeled energy flux variability of croplands in Iowa, W.P. Kustas, F. Li, T.J. Jackson, J.H. Prueger, J.I. MacPherson and M. Wolde, 92:535

Resolution

Sub-pixel mapping and sub-pixel sharpening using neural network predicted wavelet coefficients, K.C. Mertens, L.P.C. Verbeke, T. Westra and R.R. De Wulf, 91:225

Retrieval method

Narrowband-to-broadband albedo conversion for glacier ice and snow: equations based on modeling and ranges of validity of the equations, W. Greuell and J. Oerlemans, 89:95

River channels

Passive optical remote sensing of river channel morphology and in-stream habitat: Physical basis and feasibility, C.J. Legleiter, D.A. Roberts, W.A. Marcus and M.A. Fonstad, 93:493

River-ice breakup

Spatial and temporal patterns in Arctic river ice breakup observed with MODIS and AVHRR time series, T.M. Pavelsky and L.C. Smith, 93:328

Robust AVHRR Techniques (RAT)

Improving volcanic ash cloud detection by a robust satellite technique, N. Pergola, V. Tramutoli, F. Marchese, I. Scaffidi and T. Lacava, 90:1

Robust estimation

Robust estimation of BRDF model parameters, J. Susaki, K. Hara, K. Kajiwara and Y. Honda, 89:63

Row-cotton crop

Using directional TIR measurements and 3D simulations to assess the limitations and opportunities of water stress indices, D. Luquet, A. Vidal, J. Dauzat, A. Bégué, A. Oliso and P. Clouvel, 90:53

Ruapehu

NASA EOS Terra ASTER: Volcanic topographic mapping and capability, N.F. Stevens, H. Garbeil and P.J. Mouginis-Mark, 90:405

Russia

AVHRR-based mapping of fires in Russia: New products for fire management and carbon cycle studies, A.I. Sukhinin, N.H.F. French, E.S. Kasischke, J.H. Hewson, A.J. Soja, I.A. Csizar, E.J. Hyer, T. Loboda, S.G. Conrad, V.I. Romasko, E.A. Pavlichenko, S.I. Miskiv and O.A. Slinkina, 93:546

SAC-C/MMRS

Assessment of the potential of SAC-C/MMRS imagery for mapping burned areas in Spain, M. García and E. Chuvieco, 92:414

Sahel

Evaluation of MODIS LAI, fAPAR and the relation between fAPAR and NDVI in a semi-arid environment using in situ measurements, R. Fensholt, I. Sandholt and M.S. Rasmussen, 91:490

Sand

Laboratory and field measurements of the modification of radar backscatter by sand, K.K. Williams and R. Greeley, 89:29

Sand dunes

Topographic information of sand dunes as extracted from shading effects using Landsat images, N. Levin, E. Ben-Dor and A. Karnieli, 90:190

SAR

Laboratory and field measurements of the modification of radar backscatter by sand, K.K. Williams and R. Greeley, 89:29

Multi-scale analysis of intrinsic soil factors from SAR-based mapping of drying rates, T. Svoray and M. Shoshany, 92:233

SAR image data

Measurement of ocean surface slopes and wave spectra using polarimetric SAR image data, D.L. Schuler, J.S. Lee, D. Kasilingam and E. Pottier, 91:198

SAR image interpretation

Evaluation of RADARSAT-1 data for identification of burnt areas in Southern Europe, M. Gimeno and J. San-Miguel-Ayanz, 92:370

Satellite

Diurnal variations of cloud activity in Bangladesh and north of the Bay of Bengal in 2000, Md.N. Islam, T. Hayashi, H. Uyeda, T. Terao and K. Kikuchi, 90:378

Satellite calibration

Surface characterisation of the Dome Concordia area (Antarctica) as a potential satellite calibration site, using Spot 4/Vegetation instrument, D. Six, M. Fily, S. Alvain, P. Henry and J.-P. Benoist, 89:83

Satellite data

Narrowband-to-broadband albedo conversion for glacier ice and snow: equations based on modeling and ranges of validity of the equations, W. Greuell and J. Oerlemans, 89:95

Satellite image

Object-oriented image analysis for mapping shrub encroachment from 1937 to 2003 in southern New Mexico, A.S. Laliberte, A. Rango, K.M. Havstad, J.F. Paris, R.F. Beck, R. McNeely and A.L. Gonzalez, 93:198

Satellite imagery

Mapping recent lava flows at Westdahl Volcano, Alaska, using radar and optical satellite imagery, Z. Lu, R. Rykhus, T. Masterlark and K.G. Dean, 91:345

Satellite remote sensing

An evaluation of volcanic cloud detection techniques during recent significant eruptions in the western Ring of Fire, A. Tupper, S. Carn, J. Davey, Y. Kamada, R. Potts, F. Prata and M. Tokuno, 91:27

Savanna

Spectral indices and fire behavior simulation for fire risk assessment in savanna ecosystems, C. Mbow, K. Goïta and G.B. Béné, 91:1

Savanna rangelands

Predicting in situ pasture quality in the Kruger National Park, South Africa, using continuum-removed absorption features, O. Mutanga, A.K. Skidmore and H.H.T. Prins, 89:393

Integrating imaging spectroscopy and neural networks to map grass quality in the Kruger National Park, South Africa, O. Mutanga and A.K. Skidmore, 90:104

Savitzky–Golay filter

A simple method for reconstructing a high-quality NDVI time-series data set based on the Savitzky–Golay filter, J. Chen, P. Jönsson, M. Tamura, Z. Gu, B. Matsushita and L. Eklundh, 91:332

5-Scale canopy reflectance model

Large area forest classification and biophysical parameter estimation using the 5-Scale canopy reflectance model in Multiple-Forward-Mode, D.R. Peddle, R.L. Johnson, J. Cihlar and R. Latifovic, 89:252

Scaling

Evaluating image-based estimates of leaf area index in boreal conifer stands over a range of scales using high-resolution CASI imagery, R.A. Fernandes, J.R. Miller, J.M. Chen and I.G. Rubinstein, 89:200

Scots pine

The effect of crown shape on the reflectance of coniferous stands, M. Rautiainen, P. Stenberg, T. Nilson and A. Kuusk, 89:41

Scots pine forest

Similarities in ground- and satellite-based NDVI time series and their relationship to physiological activity of a Scots pine forest in Finland, Q. Wang, J. Tenhunen, N.Q. Dinh, M. Reichstein, T. Vesala and P. Keronen, 93:225

Sea ice

Studies of the Antarctic sea ice edge and ice extent from satellite and ship observations, A.P. Worby and J.C. Comiso, 92:98

Sea-ice type

Estimating the time of melt onset and freeze onset over Arctic sea-ice area using active and passive microwave data, G.I. Belchansky, D.C. Douglas, I.N. Mordvintsev and N.G. Platonov, 92:21

Sea level variation

Response of Vietnam coastal upwelling to the 1997–1998 ENSO event observed by multisensor data, N.-J. Kuo, Q. Zheng and C.-R. Ho, 89:106

Sea surface temperature

Response of Vietnam coastal upwelling to the 1997–1998 ENSO event observed by multisensor data, N.-J. Kuo, Q. Zheng and C.-R. Ho, 89:106

Sea–air flux of CO₂ in the Caribbean Sea estimated using in situ and remote sensing data, A. Olsen, J.A. Tripanes and R. Wanninkhof, 89:309

High spatial resolution sea surface climatology from Landsat thermal infrared data, J.I. Fisher and J.F. Mustard, 90:293

Seasonality

Estimation of pasture growth rate in the south west of Western Australia from AVHRR NDVI and climate data, M.J. Hill, G.E. Donald, M.W. Hyder and R.C.G. Smith, 93:528

SeaWiFS

An evaluation of MODIS and SeaWiFS bio-optical algorithms in the Baltic Sea, M. Darecki and D. Stramski, 89:326

Evaluation of the use of SeaWiFS imagery for detecting *Karenia brevis* harmful algal blooms in the eastern Gulf of Mexico, M.C. Tomlinson, R.P. Stumpf, V. Ransibrahmanakul, E.W. Truby, G.J. Kirkpatrick, B.A. Pederson, G.A. Vargo and C.A. Heil, 91:293

Assessment of estuarine water-quality indicators using MODIS medium-resolution bands: Initial results from Tampa Bay, FL, C. Hu, Z. Chen, T.D. Clayton, P. Swarzenski, J.C. Brock and F.E. Muller-Karger, 93:423

Global and regional evaluation of the SeaWiFS chlorophyll data set, W.W. Gregg and N.W. Casey, 93:463

SeaWiFS remote sensing

The relationship between summer aggregation of fin whales and satellite-derived environmental conditions in the northwestern Mediterranean Sea, A. Littaye, A. Gannier, S. Laran and J.P.F. Wilson, 90:44

Second-growth forest

Sources of error in accuracy assessment of thematic land-cover maps in the Brazilian Amazon, R.L. Powell, N. Matzke, C. de Souza, M. Clark, I. Numata, L.L. Hess and D.A. Roberts, 90:221

Segmentation

Estimation of timber volume and stem density based on scanning laser altimetry and expected tree size distribution functions, M. Maltamo, K. Eerikäinen, J. Pitkänen, J. Hyypä and M. Vehmas, 90:319

LIDAR-based geometric reconstruction of boreal type forest stands at single tree level for forest and wildland fire management, F. Morsdorf, E. Meier, B. Kötz, K.I. Itten, M. Dobbertin and B. Allgöwer, 92:353

Estimating time since forest harvest using segmented Landsat ETM+ imagery, M.A. Wulder, R.S. Skakun, W.A. Kurz and J.C. White, 93:179

Object-oriented image analysis for mapping shrub encroachment from 1937 to 2003 in southern New Mexico, A.S. Laliberte, A. Rango, K.M. Havstad, J.F. Paris, R.F. Beck, R. McNeely and A.L. Gonzalez, 93:198

Semi-arid

Assessment of rangeland degradation and development of a strategy for rehabilitation, R. Geerken and M. Ilaiwi, 90:490

Semi-arid

Evaluation of MODIS LAI, fAPAR and the relation between fAPAR and NDVI in a semi-arid environment using in situ measurements, R. Fensholt, I. Sandholt and M.S. Rasmussen, 91:490

Senegal

Spectral indices and fire behavior simulation for fire risk assessment in savanna ecosystems, C. Mbow, K. Goïta and G.B. Béné, 91:1

Sensible heat flux

Sensible and latent heat flux in the tropical Pacific from satellite multi-sensor data, Y.-H. Jo, X.-H. Yan, J. Pan, W.T. Liu and M.-X. He, 90:166

Sensitivity analysis

Land surface temperature and emissivity estimation based on the two-temperature method: sensitivity analysis using simulated MSG/SEVIRI data, L.F. Peres and C.C. DaCamara, 91:377

Sensitivity of spectral reflectance to variation in live fuel moisture content at leaf and canopy level, P. Bowyer and F.M. Danson, 92:297

Sensor response function

Land cover-based optimal deconvolution of PALS L-band microwave brightness temperatures, A.S. Limaye, W.L. Crosson, C.A. Laymon and E.G. Njoku, 92:497

Settlement mapping

Defining approaches to settlement mapping for public health management in Kenya using medium spatial resolution satellite imagery, A.J. Tatem, A.M. Noor and S.I. Hay, 93:42

SEVIRI

Land surface temperature retrieval from MSG1-SEVIRI data, J.A. Sobrino and M. Romaguera, 92:247

Shadow

Cloud detection in Landsat imagery of ice sheets using shadow matching technique and automatic normalized difference snow index threshold value decision, H. Choi and R. Bindenschadler, 91:237

Shallow coastal zone

A composite DOP approach to excluding bottom reflectance in mapping water parameters of shallow coastal zones from TM imagery, A. Islam, J. Gao, W. Ahmad, D. Neil and P. Bell, 92:40

Shape from shading

Topographic information of sand dunes as extracted from shading effects using Landsat images, N. Levin, E. Bendor and A. Karnieli, 90:190

Shortwave infrared reflectance

Assessing crop residue cover using shortwave infrared reflectance, C.S.T. Daughtry, E.R. Hunt and J.E. McMurtry, 90:126

Short-wave vegetation index (SWVI)

Deriving stand age distribution in boreal forests using SPOT VEGETATION and NOAA AVHRR imagery, Q. Zhang, G. Pavlic, W. Chen, R. Latifovic, R. Fraser and J. Cihlar, 91:405

Shrub encroachment

Object-oriented image analysis for mapping shrub encroachment from 1937 to 2003 in southern New Mexico, A.S. Laliberte, A. Rango, K.M. Havstad, J.F. Paris, R.F. Beck, R. McNeely and A.L. Gonzalez, 93:198

Simulation

Spectral indices and fire behavior simulation for fire risk assessment in savanna ecosystems, C. Mbow, K. Goïta and G.B. Béné, 91:1

Simulation analysis

A simulation analysis of the detectability of understory burns in *miombo* woodlands, J.M.C. Pereira, B. Mota, J.L. Privette, K.K. Caylor, J.M.N. Silva, A.C.L. Sá and W. Ni-Meister, 93:296

SMEX

A comparison of empirical and neural network approaches for estimating corn and soybean leaf area index from Landsat ETM+ imagery, C. Walthall, W. Dulaney, M. Anderson, J. Norman, H. Fang and S. Liang, 92:465

SMEX02

SMEX02: Field scale variability, time stability and similarity of soil moisture, J.M. Jacobs, B.P. Mohanty, E.-C. Hsu and D. Miller, 92:436

Upscaling ground observations of vegetation water content, canopy height, and leaf area index during SMEX02 using aircraft and Landsat imagery, M.C. Anderson, C.M.U. Neale, F. Li, J.M. Norman, W.P. Kustas, H. Jayanthi and J. Chavez, 92:447

Retrieval of soil moisture from passive and active L/S band sensor (PALS) observations during the Soil Moisture Experiment in 2002 (SMEX02), U. Narayan, V. Lakshmi and E.G. Njoku, 92:483

Initial results of land-reflected GPS bistatic radar measurements in SMEX02, D. Masters, P. Axelrad and S. Katzberg, 92:507

Snow

Narrowband-to-broadband albedo conversion for glacier ice and snow: equations based on modeling and ranges of validity of the equations, W. Greuell and J. Oerlemans, 89:95

Artificial neural network-based techniques for the retrieval of SWE and snow depth from SSM/I data, M. Tedesco, J. Pulliainen, M. Takala, M. Hallikainen and P. Pampaloni, 90:76

Snow covered area

The effect of anisotropic reflectance on imaging spectroscopy of snow properties, T.H. Painter and J. Dozier, 89:409

Snow depth

Siberia snow depth climatology derived from SSM/I data using a combined dynamic and static algorithm, M. Grippa, N. Mognard, T. Le Toan and E.G. Josberger, 93:30

Snow metamorphism

Siberia snow depth climatology derived from SSM/I data using a combined dynamic and static algorithm, M. Grippa, N. Mognard, T. Le Toan and E.G. Josberger, 93:30

Snow water equivalent (SWE)

Evaluation of passive microwave snow water equivalent algorithms in the depth hoar-dominated snowpack of the Kuparuk River Watershed, Alaska, USA, L.S. Koenig and R.R. Forster, 93:511

Snow-covered landscapes

The effects of sampling resolution on the surface albedos of dominant land cover types in the North American boreal region, A. Davidson and S. Wang, 93:211

Soil

A hemispherical-directional reflectance model as a tool for understanding image distinctions between cultivated and uncultivated bare surfaces, J. Cierniewski, T. Gdala and A. Karnieli, 90:505

Soil erosion

Assessing crop residue cover using shortwave infrared reflectance, C.S.T. Daughtry, E.R. Hunt and J.E. McMurtry, 90:126

Soil moisture

Predicting water content using Gaussian model on soil spectra, M.L. Whiting, L. Li and S.L. Ustin, 89:535

Soil moisture estimation in a semiarid rangeland using ERS-2 and TM imagery, C. Wang, J. Qi, S. Moran and R. Marsett, 90:178

A combined passive/active microwave remote sensing approach for surface variable retrieval using Tropical Rainfall Measuring Mission observations, K.-H. Lee and E.N. Anagnostou, 92:112

Multi-scale analysis of intrinsic soil factors from SAR-based mapping of drying rates, T. Svoray and M. Shoshany, 92:233

Watershed scale temporal and spatial stability of soil moisture and its role in validating satellite estimates, M.H. Cosh, T.J. Jackson, R. Bindlish and J.H. Prueger, 92:427

SMEX02: Field scale variability, time stability and similarity of soil moisture, J.M. Jacobs, B.P. Mohanty, E.-C. Hsu and D. Miller, 92:436

Retrieval of soil moisture from passive and active L/S band sensor (PALS) observations during the Soil Moisture Experiment in 2002 (SMEX02), U. Narayan, V. Lakshmi and E.G. Njoku, 92:483

Initial results of land-reflected GPS bistatic radar measurements in SMEX02, D. Masters, P. Axelrad and S. Katzberg, 92:507

Soil moisture mapping

Crop condition and yield simulations using Landsat and MODIS, P.C. Doraiswamy, J.L. Hatfield, T.J. Jackson, B. Akhmedov, J. Prueger and A. Stern, 92:548

Soil organic carbon

Assessing crop residue cover using shortwave infrared reflectance, C.S.T. Daughtry, E.R. Hunt and J.E. McMurtrey, 90:126

Soil spectra

Predicting water content using Gaussian model on soil spectra, M.L. Whiting, L. Li and S.L. Ustin, 89:535

Solar irradiance modelling

Rethinking satellite-based solar irradiance modelling: The SOLIS clear-sky module, R.W. Mueller, K.F. Dagstad, P. Ineichen, M. Schroedter-Homscheidt, S. Cros, D. Dumortier, R. Kuhlemann, J.A. Olseth, G. Piernavieja, C. Reise, L. Wald and D. Heinemann, 91:160

Sonaran Desert

Cover- and density-based vegetation classifications of the Sonoran Desert using Landsat TM and ERS-1 SAR imagery, S.M. Shupe and S.E. Marsh, 93:131

South Africa

Assessing the effects of human-induced land degradation in the former homelands of northern South Africa with a 1 km AVHRR NDVI time-series, K.J. Wessels, S.D. Prince, P.E. Frost and D. van Zyl, 91:47

South America

The coregistration, calibration, and interpretation of multi-season JERS-1 SAR data over South America, P. Siqueira, B. Chapman and G. McGarragh, 90:536

South China Sea

Response of Vietnam coastal upwelling to the 1997-1998 ENSO event observed by multisensor data, N.-J. Kuo, Q. Zheng and C.-R. Ho, 89:106

Spatial reference evaporation

A simplified equation to estimate spatial reference evaporation from remote sensing-based surface temperature and local meteorological data, R. Rivas and V. Caselles, 93:68

Spatial scaling

Spatial scaling of net primary productivity using subpixel information, A. Simic, J.M. Chen, J. Liu and F. Csillag, 93:246

Annual and interannual (ENSO) variability of spatial scaling properties of a vegetation index (NDVI) in Amazonia, G. Poveda and L.F. Salazar, 93:391

Spatial statistics

A spatial statistical operator applied to multitemporal satellite imagery for identification of coral reef stress, E.F. LeDrew, H. Holden, M.A. Wulder, C. Derksen and C. Newman, 91:271

Spatial variability

Comparison of land surface emissivity and radiometric temperature derived from MODIS and ASTER sensors, F. Jacob, F. Petitcolin, T. Schmugge, É. Vermote, A. French and K. Ogawa, 90:137

Spatio-temporal analysis

Land surface phenology, climatic variation, and institutional change: Analyzing agricultural land cover change in Kazakhstan, K.M. de Beurs and G.M. Henebry, 89:497

Species classification

Identifying species of individual trees using airborne laser scanner, J. Holmgren and Å. Persson, 90:415

Species classification of individually segmented tree crowns in high-resolution aerial images using radiometric and morphologic image measures, M. Erikson, 91:469

Spectral angle mapper

A comparison of error metrics and constraints for multiple endmember spectral mixture analysis and spectral angle mapper, P.E. Dennison, K.Q. Halligan and D.A. Roberts, 93:359

Spectral angle mapping

Optimal classification methods for mapping agricultural tillage practices, S. South, J. Qi and D.P. Lusch, 91:89

Spectral indices

Hyperspectral vegetation indices and novel algorithms for predicting green LAI of crop canopies: Modeling and validation in the context of precision agriculture, D. Haboudane, J.R. Miller, E. Pattey, P.J. Zarco-Tejada and I.B. Strachan, 90:337

Assessment of the potential of SAC-C/MMRS imagery for mapping burned areas in Spain, M. García and E. Chuvieco, 92:414

Spectral library

Spectrometry for urban area remote sensing—Development and analysis of a spectral library from 350 to 2400 nm, M. Herold, D.A. Roberts, M.E. Gardner and P.E. Dennison, 91:304

Spectral mixture analysis

Estimation of land surface temperature—vegetation abundance relationship for urban heat island studies, Q. Weng, D. Lu and J. Schubring, 89:467

The Landsat ETM+ spectral mixing space, C. Small, 93:1
A comparison of error metrics and constraints for multiple endmember spectral mixture analysis and spectral angle mapper, P.E. Dennison, K.Q. Halligan and D.A. Roberts, 93:359

Spectral vegetation indices

Leaf area index measurements in a tropical moist forest: A case study from Costa Rica, M. Kalácska, G.A. Sánchez-Azofeifa, B. Rivard, J.C. Calvo-Alvarado, A.R.P. Journet, J.P. Arroyo-Mora and D. Ortiz-Ortiz, 91:134

Spectrometer

The effect of anisotropic reflectance on imaging spectroscopy of snow properties, T.H. Painter and J. Dozier, 89:409

Discrimination of lianas and trees with leaf-level hyperspectral data, K.L. Castro-Esau, G.A. Sánchez-Azofeifa and T. Caelli, 90:353

Spectroradiometer

Accuracy assessments of hyperspectral waveband performance for vegetation analysis applications, P.S. Thenkabail, E.A. Enclona, M.S. Ashton and B. Van Der Meer, 91:354

Spectrum-matching

Refinement of wavelength calibrations of hyperspectral imaging data using a spectrum-matching technique, B.-C. Gao, M.J. Montes and C.O. Davis, 90:424

Split-window

Land surface temperature retrieval from MSG1-SEVIRI data, J.A. Sobrino and M. Romaguera, 92:247

Spot 4/Vegetation instrument

Surface characterisation of the Dome Concordia area (Antarctica) as a potential satellite calibration site, using Spot 4/Vegetation instrument, D. Six, M. Fily, S. Alvain, P. Henry and J.-P. Benoist, 89:83

SPOT vegetation

A simple method for reconstructing a high-quality NDVI time-series data set based on the Savitzky—Golay filter, J. Chen, P. Jönsson, M. Tamura, Z. Gu, B. Matsushita and L. Eklundh, 91:332

SPOT4/VEGETATION

A land cover classification product over France at 1 km resolution using SPOT4/VEGETATION data, K.-S. Han, J.-L. Champeaux and J.-L. Roujean, 92:52

Squid fishery

Quantifying light-fishing for *Dosidicus gigas* in the eastern Pacific using satellite remote sensing, C.M. Waluda, C. Yamashiro, C.D. Elvidge, V.R. Hobson and P.G. Rodhouse, 91:129

SRTM

Vegetation height estimation from Shuttle Radar Topography Mission and National Elevation Datasets, J. Kellndorfer, W. Walker, L. Pierce, C. Dobson, J.A. Fites, C. Hunsaker, J. Vona and M. Clutter, 93:339

SSM/I

Estimating the time of melt onset and freeze onset over Arctic sea-ice area using active and passive microwave data, G.I. Belchansky, D.C. Douglas, I.N. Mordvintsev and N.G. Platonov, 92:21

St. Austell

Evaluation of hyperspectral remote sensing as a means of environmental monitoring in the St. Austell China clay (kaolin) region, Cornwall, UK, R.J. Ellis and P.W. Scott, 93:118

Stand age

Estimating aboveground biomass using Landsat 7 ETM+ data across a managed landscape in northern Wisconsin, USA, D. Zheng, J. Rademacher, J. Chen, T. Crow, M. Bresee, J. Le Moine and S.-R. Ryu, 93:402

Stand age distribution

Deriving stand age distribution in boreal forests using SPOT VEGETATION and NOAA AVHRR imagery, Q. Zhang, G. Pavlic, W. Chen, R. Latifovic, R. Fraser and J. Cihlar, 91:405

Standard derivative analysis

Estimating foliage nitrogen concentration from HYMAP data using continuum removal analysis, Z. Huang, B.J. Turner, S.J. Dury, I.R. Wallis and W.J. Foley, 93:18

Standardised reflectance

The spatial distribution of indigenous forest and its composition in the Wellington region, New Zealand, from ETM+ satellite imagery, J.R. Dymond and J.D. Shepherd, 90:116

Standardized Thermal Index

Impacts of hydrologic soil properties on drought detection with MODIS thermal data, S. Park, J.J. Feddema and S.L. Egbert, 89:53

STATSGO

Impacts of hydrologic soil properties on drought detection with MODIS thermal data, S. Park, J.J. Feddema and S.L. Egbert, 89:53

Stochastic gradient boosting

Classification of remotely sensed imagery using stochastic gradient boosting as a refinement of classification tree analysis, R. Lawrence, A. Bunn, S. Powell and M. Zambon, 90:331

Strike-slip faulting

Mapping active fault associated with the 2003 Mw 6.6 Bam (SE Iran) earthquake with ASTER 3D images, B. Fu, Y. Ninomiya, X. Lei, S. Toda and Y. Awata, 92:153

Subarctic

Reflectance spectra of subarctic lichens between 400 and 2400 nm, W.G. Rees, O.V. Tutubalina and E.I. Golubeva, 90:281

Subpixel information

Spatial scaling of net primary productivity using subpixel information, A. Simic, J.M. Chen, J. Liu and F. Csillag, 93:246

Sub-pixel mapping

Sub-pixel mapping and sub-pixel sharpening using neural network predicted wavelet coefficients, K.C. Mertens, L.P.C. Verbeke, T. Westra and R.R. De Wulf, 91:225

Sub-pixel sharpening

Sub-pixel mapping and sub-pixel sharpening using neural network predicted wavelet coefficients, K.C. Mertens, L.P.C. Verbeke, T. Westra and R.R. De Wulf, 91:225

Summer distribution

The relationship between summer aggregation of fin whales and satellite-derived environmental conditions in the northwestern Mediterranean Sea, A. Littaye, A. Gannier, S. Laran and J.P.F. Wilson, 90:44

Sun photometer

Maritime aerosol optical thickness measured by handheld sun photometers, K.D. Knobelspiesse, C. Pietras, G.S. Fargion, M. Wang, R. Frouin, M.A. Miller, A. Subramaniam and W.M. Balch, 93:87

Sunlit soil fraction

Using directional TIR measurements and 3D simulations to assess the limitations and opportunities of water stress indices, D. Luquet, A. Vidal, J. Dautzat, A. Bégué, A. Oliso and P. Clouvel, 90:53

Supervised classification

Mapping vegetation in a heterogeneous mountain rangeland using landsat data: an alternative method to define and classify land-cover units, A.M. Cingolani, D. Renison, M.R. Zak and M.R. Cabido, 92:84

Support vectors

Toward intelligent training of supervised image classifications: directing training data acquisition for SVM classification, G.M. Foody and A. Mathur, 93:107

Surface air temperature

Estimating the time of melt onset and freeze onset over Arctic sea-ice area using active and passive microwave data, G.I. Belchansky, D.C. Douglas, I.N. Mordvintsev and N.G. Platonov, 92:21

Surface albedo

Narrowband-to-broadband albedo conversion for glacier ice and snow: equations based on modeling and ranges of validity of the equations, W. Greuell and J. Oerlemans, 89:95

The effects of sampling resolution on the surface albedos of dominant land cover types in the North American boreal region, A. Davidson and S. Wang, 93:211

Surface characterisation

Surface characterisation of the Dome Concordia area (Antarctica) as a potential satellite calibration site, using Spot 4/Vegetation instrument, D. Six, M. Fily, S. Alvain, P. Henry and J.-P. Benoist, 89:83

Surface emissivity and radiometric temperature

Comparison of land surface emissivity and radiometric temperature derived from MODIS and ASTER sensors, F. Jacob, F. Petitcolin, T. Schmugge, É. Vermote, A. French and K. Ogawa, 90:137

Surface feature preservation

NASA EOS Terra ASTER: Volcanic topographic mapping and capability, N.F. Stevens, H. Garbeil and P.J. Mougins-Mark, 90:405

Surface reflectance

A consistency analysis of surface reflectance and leaf area index retrieval from overlapping clear-sky Landsat ETM+ imagery, C.R. Butson and R.A. Fernandes, 89:369

Surface temperature

Using directional TIR measurements and 3D simulations to assess the limitations and opportunities of water stress indices, D. Luquet, A. Vidal, J. Dautzat, A. Bégué, A. Oliso and P. Clouvel, 90:53

Combining NDVI and surface temperature for the estimation of live fuel moisture content in forest fire danger rating, E. Chuvieco, D. Cocero, D. Riaño, P. Martin, J. Martínez-Vega, J. de la Riva and F. Pérez, 92:322

A simplified equation to estimate spatial reference evaporation from remote sensing-based surface temperature and local meteorological data, R. Rivas and V. Caselles, 93:68

Airborne experimental measurements of the angular variations in surface temperature over urban areas: case study of Marseille (France), J.-P. Lagouarde, P. Moreau, M. Irvine, J.-M. Bonnefond, J.A. Voogt and F. Sollicec, 93:443

SVI

A comparison of empirical and neural network approaches for estimating corn and soybean leaf area index from Landsat ETM+ imagery, C. Walthall, W. Dulaney, M. Anderson, J. Norman, H. Fang and S. Liang, 92:465

SVM classification

Toward intelligent training of supervised image classifications: directing training data acquisition for SVM classification, G.M. Foody and A. Mathur, 93:107

Synthetic data

Quality assessment of several methods to recover surface reflectance using synthetic imaging spectroscopy data, E. Ben-Dor, B. Kindel and A.F.H. Goetz, 90:389

Tampa Bay

Assessment of estuarine water-quality indicators using MODIS medium-resolution bands: Initial results from Tampa Bay, FL, C. Hu, Z. Chen, T.D. Clayton, P. Swarzenski, J.C. Brock and F.E. Muller-Karger, 93:423

Taranaki/Egmont

NASA EOS Terra ASTER: Volcanic topographic mapping and capability, N.F. Stevens, H. Garbeil and P.J. Mouginis-Mark, 90:405

Tasseled Cap

Spectral indices and fire behavior simulation for fire risk assessment in savanna ecosystems, C. Mbow, K. Goïta and G.B. Béné, 91:1

Tassled cap

Estimating time since forest harvest using segmented Landsat ETM+ imagery, M.A. Wulder, R.S. Skakun, W.A. Kurz and J.C. White, 93:179

Temperate East Asia

Land cover characterization of Temperate East Asia using multi-temporal VEGETATION sensor data, S.H. Boles, X. Xiao, J. Liu, Q. Zhang, S. Munkhtuya, S. Chen and D. Ojima, 90:477

Temperature

Land surface temperature retrieval from MSG1-SEVIRI data, J.A. Sobrino and M. Romaguera, 92:247

Temporal

Assessing tundra boundary with multi-sensor satellite data, K.J. Ranson, G. Sun, V.I. Kharuk and K. Kovacs, 93:283

Temporal and spatial stability

Watershed scale temporal and spatial stability of soil moisture and its role in validating satellite estimates, M.H. Cosh, T.J. Jackson, R. Bindlish and J.H. Prueger, 92:427

Temporal frequency

Impacts of imagery temporal frequency on land-cover change detection monitoring, R.S. Lunetta, D.M. Johnson, J.G. Lyon and J. Crotwell, 89:444

Temporal persistence

Temporal persistence in vegetation cover changes observed from satellite: Development of an estimation procedure in the test site of the Mediterranean Italy, M. Lanfredi, T. Simoniello and M. Macchiato, 93:565

Terra MODIS

Regional simulation of ecosystem CO₂ and water vapor exchange for agricultural land using NOAA AVHRR and Terra MODIS satellite data. Application to Zealand, Denmark, R.M. Houborg and H. Soegaard, 93:150

Terrestrial vegetation

A new instrument for passive remote sensing1. Measurements of sunlight-induced chlorophyll fluorescence, I. Moya, L. Camenen, S. Evain, Y. Goulas, Z.G. Cerovic, G. Latouche, J. Flexas and A. Ounis, 91:186

TES

Comparison of land surface emissivity and radiometric temperature derived from MODIS and ASTER sensors, F. Jacob, F. Petitcolin, T. Schmugge, É. Vermote, A. French and K. Ogawa, 90:137

Texture

Defining approaches to settlement mapping for public health management in Kenya using medium spatial resolution satellite imagery, A.J. Tatem, A.M. Noor and S.I. Hay, 93:42

Object-based retrieval of biophysical canopy variables using artificial neural nets and radiative transfer models, C. Atzberger, 93:53

Thematic accuracy assessment

Thematic accuracy of the 1992 National Land-Cover Data for the western United States, J.D. Wickham, S.V. Stehman, J.H. Smith and L. Yang, 91:452

Thematic analysis

Quality assessment of several methods to recover surface reflectance using synthetic imaging spectroscopy data, E. Ben-Dor, B. Kindel and A.F.H. Goetz, 90:389

Thermal emission

Impacts of hydrologic soil properties on drought detection with MODIS thermal data, S. Park, J.J. Feddema and S.L. Egbert, 89:53

Thermal features

Automated detection of thermal features of active volcanoes by means of infrared AVHRR records, N. Pergola, F. Marchese and V. Tramutoli, 93:311

Threshold method

Cloud screening in IRS-P4 OCM satellite data: potential of spatial coherence method in the absence of thermal channel information, S.K. Nair, K. Rajeev and K. Parameswaran, 90:259

Thunnus albacares

Remote sensing data and longline catches of yellowfin tuna (*Thunnus albacares*) in the equatorial Atlantic, C.R. Zagaglia, J.A. Lorenzzetti and J.L. Stech, 93:267

Time stability

SMEX02: Field scale variability, time stability and similarity of soil moisture, J.M. Jacobs, B.P. Mohanty, E.-C. Hsu and D. Miller, 92:436

Time-series data set

A simple method for reconstructing a high-quality NDVI time-series data set based on the Savitzky—Golay filter, J. Chen, P. Jönsson, M. Tamura, Z. Gu, B. Matsushita and L. Eklundh, 91:332

TISIE

Comparison of land surface emissivity and radiometric temperature derived from MODIS and ASTER sensors, F. Jacob, F. Petitcolin, T. Schmugge, É Vermote, A. French and K. Ogawa, 90:137

TM imagery

Soil moisture estimation in a semiarid rangeland using ERS-2 and TM imagery, C. Wang, J. Qi, S. Moran and R. Marsett, 90:178

TM/ETM+

Monitoring forest conditions in a protected Mediterranean coastal area by the analysis of multiyear NDVI data, F. Maselli, 89:423

TMI

Sea—air flux of CO₂ in the Caribbean Sea estimated using in situ and remote sensing data, A. Olsen, J.A. Tripanes and R. Wanninkhof, 89:309

TOPEX/Poseidon

Ob' river discharge from TOPEX/Poseidon satellite altimetry (1992–2002), A.V. Kouraev, E.A. Zakharova, O. Samain, N.M. Mognard and A. Cazenave, 93:238

Top-of-atmosphere flux

Top-of-atmosphere flux retrievals from CERES using artificial neural networks, K. Loukachine and N.G. Loeb, 93:381

Topographic correction

The spatial distribution of indigenous forest and its composition in the Wellington region, New Zealand, from ETM+ satellite imagery, J.R. Dymond and J.D. Shepherd, 90:116

Total suspended matter

Using MODIS Terra 250 m imagery to map concentrations of total suspended matter in coastal waters, R.L. Miller and B.A. McKee, 93:259

Total suspended sediment

Assessment of estuarine water-quality indicators using MODIS medium-resolution bands: Initial results from Tampa Bay, FL, C. Hu, Z. Chen, T.D. Clayton, P. Swarzenski, J.C. Brock and F.E. Muller-Karger, 93:423

Toxic algae

Phycocyanin detection from LANDSAT TM data for mapping cyanobacterial blooms in Lake Erie, R.K. Vincent, X. Qin, R.M.L. McKay, J. Miner, K. Czajkowski, J. Savino and T. Bridgeman, 89:381

Transition

Mapping of continuous floristic gradients in grasslands using hyperspectral imagery, S. Schmidtlein and J. Sasson, 92:126

Tree detection

Identifying species of individual trees using airborne laser scanner, J. Holmgren and Å. Persson, 90:415

Tree height

Generation of crown bulk density for *Pinus sylvestris* L. from lidar, D. Riaño, E. Chuvieco, S. Condés, J. González-Matesanz and S.L. Ustin, 92:345

Tree height estimation

Small-footprint lidar estimation of sub-canopy elevation and tree height in a tropical rain forest landscape, M.L. Clark, D.B. Clark and D.A. Roberts, 91:68

Trees

Discrimination of lianas and trees with leaf-level hyperspectral data, K.L. Castro-Esau, G.A. Sánchez-Azofeifa and T. Caelli, 90:353

TRMM

A combined passive/active microwave remote sensing approach for surface variable retrieval using Tropical Rainfall Measuring Mission observations, K.-H. Lee and E.N. Anagnostou, 92:112

Tropical Atlantic

Remote sensing data and longline catches of yellowfin tuna (*Thunnus albacares*) in the equatorial Atlantic, C.R. Zagaglia, J.A. Lorenzzetti and J.L. Stech, 93:267

Tropical coral reef

A methodology for retrieval of environmental noise equivalent spectra applied to four Hyperion scenes of the same tropical coral reef, M. Wettle, V.E. Brando and A.G. Dekker, 93:188

Tropical dry forest

Discrimination of lianas and trees with leaf-level hyperspectral data, K.L. Castro-Esau, G.A. Sánchez-Azofeifa and T. Caelli, 90:353

Tropical environment

Small-footprint lidar estimation of sub-canopy elevation and tree height in a tropical rain forest landscape, M.L. Clark, D.B. Clark and D.A. Roberts, 91:68

Tropical moist forest

Leaf area index measurements in a tropical moist forest: A case study from Costa Rica, M. Kalácska, G.A. Sánchez-Azofeifa, B. Rivard, J.C. Calvo-Alvarado, A.R.P. Journet, J.P. Arroyo-Mora and D. Ortiz-Ortiz, 91:134

Tropical wet forest

Discrimination of lianas and trees with leaf-level hyperspectral data, K.L. Castro-Esau, G.A. Sánchez-Azofeifa and T. Caelli, 90:353

Truncation point

Estimation of timber volume and stem density based on scanning laser altimetry and expected tree size distribution functions, M. Maltamo, K. Eerikäinen, J. Pitkänen, J. Hyypä and M. Vehmas, 90:319

Tundra-taiga transition zone

Assessing tundra-taiga boundary with multi-sensor satellite data, K.J. Ranson, G. Sun, V.I. Kharuk and K. Kovacs, 93:283

Ultramafic rocks

Hyperspectral analysis of the ultramafic complex and adjacent lithologies at Mordor, NT, Australia, L.C. Rowan, C.J. Simpson and J.C. Mars, 91:419

Understory burns

A simulation analysis of the detectability of understory burns in *miombo* woodlands, J.M.C. Pereira, B. Mota, J.L. Privette, K.K. Caylor, J.M.N. Silva, A.C.L. Sá and W. Ni-Meister, 93:296

Universal broad leaf chlorophyll indices

Towards universal broad leaf chlorophyll indices using PROSPECT simulated database and hyperspectral reflectance measurements, G. le Maire, C. François and E. Dufrêne, 89:1

Urban

Landsat urban mapping based on a combined spectralspatial methodology, B. Guindon, Y. Zhang and C. Dillabaugh, 92:218

Normalized spectral mixture analysis for monitoring urban composition using ETM+ imagery, C. Wu, 93:480

Urban area remote sensing

Spectrometry for urban area remote sensing—Development and analysis of a spectral library from 350 to 2400 nm, M. Herold, D.A. Roberts, M.E. Gardner and P.E. Dennison, 91:304

Urban heat island

Estimation of land surface temperature—vegetation abundance relationship for urban heat island studies, Q. Weng, D. Lu and J. Schubring, 89:467

Urban heating

The consequences of urban land transformation on net primary productivity in the United States, M. L. Imhoff, L. Bounoua, R. DeFries, W. T. Lawrence, D. Stutzer, C. J. Tucker and T. Ricketts, 89:434

Urbanization

The consequences of urban land transformation on net primary productivity in the United States, M.L. Imhoff, L. Bounoua, R. DeFries, W.T. Lawrence, D. Stutzer, C.J. Tucker and T. Ricketts, 89:434

USGS Tetracorder system

Identification of spectrally similar materials using the USGS Tetracorder algorithm: the calcitepidotchlorite problem, J.B. Dalton, D.J. Bove, C.S. Mladinich and B.W. Rockwell, 89:455

Validation

Evaluating image-based estimates of leaf area index in boreal conifer stands over a range of scales using high-resolution CASI imagery, R.A. Fernandes, J.R. Miller, J.M. Chen and I.G. Rubinstein, 89:200

Vegetable mosaics

Mapping vegetation in a heterogeneous mountain rangeland using landsat data: an alternative method to define and classify land-cover units, A.M. Cingolani, D. Renison, M.R. Zak and M.R. Cabido, 92:84

Vegetation

On the dimensionality of multi-view hyperspectral measurements of vegetation, J. Settle, 90:235

VEGETATION

Modeling gross primary production of temperate deciduous broadleaf forest using satellite images and climate data, X. Xiao, Q. Zhang, B. Braswell, S. Urbanski, S. Boles, S. Moore, B. Moore III and D. Ojima, 91:256

Vegetation abundance

Estimation of land surface temperature—vegetation abundance relationship for urban heat island studies, Q. Weng, D. Lu and J. Schubring, 89:467

Vegetation analysis

Accuracy assessments of hyperspectral waveband performance for vegetation analysis applications, P.S. Thenkabail, E.A. Enclona, M.S. Ashton and B. Van Der Meer, 91:354

Vegetation canopies

Airborne measurement of hot spot reflectance signatures, F. Camacho-de Coca, F.M. Bréon, M. Leroy and F.J. Garcia-Haro, 90:63

Vegetation canopy height

Vegetation height estimation from Shuttle Radar Topography Mission and National Elevation Datasets, J. Kellndorfer, W. Walker, L. Pierce, C. Dobson, J.A. Fites, C. Hunsaker, J. Vona and M. Clutter, 93:339

Vegetation change

Remote sensing of vegetation and land-cover change in Arctic Tundra Ecosystems, D.A. Stow, A. Hope, D. McGuire, D. Verbyla, J. Gamon, F. Huemmrich, S. Houston, C. Racine, M. Sturm, K. Tape, L. Hinzman, K. Yoshikawa, C. Tweedie, B. Noyle, C. Silapaswan, D. Douglas, B. Griffith, G. Jia, H. Epstein, D. Walker, S. Daeschner, A. Petersen, L. Zhou and R. Myneni, 89:281

Vegetation cover

A comparison of empirical and neural network approaches for estimating corn and soybean leaf area index from Landsat ETM+ imagery, C. Walthall, W. Dulaney, M. Anderson, J. Norman, H. Fang and S. Liang, 92:465

Vegetation cover

Cover- and density-based vegetation classifications of the Sonoran Desert using Landsat TM and ERS-1 SAR imagery, S.M. Shupe and S.E. Marsh, 93:131

Vegetation density

Cover- and density-based vegetation classifications of the Sonoran Desert using Landsat TM and ERS-1 SAR imagery, S.M. Shupe and S.E. Marsh, 93:131

Vegetation gradient

Mapping of continuous floristic gradients in grasslands using hyperspectral imagery, S. Schmidtlein and J. Sassin, 92:126

Vegetation index

Satellite-based modeling of gross primary production in an evergreen needleleaf forest, X. Xiao, D. Hollinger, J. Aber, M. Goltz, E.A. Davidson, Q. Zhang and B. Moore, 89:519

Vegetation indices

Estimating aboveground biomass using Landsat 7 ETM+ data across a managed landscape in northern Wisconsin, USA, D. Zheng, J. Rademacher, J. Chen, T. Crow, M. Bresee, J. Le Moine and S.-R. Ryu, 93:402

Vegetation mapping

Mapping of continuous floristic gradients in grasslands using hyperspectral imagery, S. Schmidtlein and J. Sassin, 92:126

Vegetation over

Interannual variability of vegetation over the Indian sub-continent and its relation to the different meteorological parameters, S. Sarkar and M. Kafatos, 90:268

Vegetation pattern

Mapping of continuous floristic gradients in grasslands using hyperspectral imagery, S. Schmidtlein and J. Sassin, 92:126

VEGETATION sensor data

Land cover characterization of Temperate East Asia using multi-temporal VEGETATION sensor data, S.H. Boles, X. Xiao, J. Liu, Q. Zhang, S. Munkhtuya, S. Chen and D. Ojima, 90:477

VEGETATION sensor

Satellite-based modeling of gross primary production in an evergreen needleleaf forest, X. Xiao, D. Hollinger, J. Aber, M. Goltz, E.A. Davidson, Q. Zhang and B. Moore, 89:519

Vegetation water content

Vegetation water content mapping using Landsat data derived normalized difference water index for corn and soybeans, T.J. Jackson, D. Chen, M. Cosh, F. Li, M. Anderson, C. Walthall, P. Doriaswamy and E.R. Hunt, 92:475

Vegetation-impervious surface-soil model

Normalized spectral mixture analysis for monitoring urban composition using ETM+ imagery, C. Wu, 93:480

Vertical accuracy

NASA EOS Terra ASTER: Volcanic topographic mapping and capability, N.F. Stevens, H. Garbeil and P.J. Mougini-Mark, 90:405

Vertical foliage profiles

Lidar remote sensing for modeling gross primary production of deciduous forests, S.Y. Kotchenova, X. Song, N.V. Shabanov, C.S. Potter, Y. Knyazikhin and R.B. Myneni, 92:158

VGT

Land cover mapping of North and Central America—Global Land Cover 2000, R. Latifovic, Z.-L. Zhu, J. Cihlar, C. Giri and I. Olthof, 89:116

Volcanic ash detection

An evaluation of volcanic cloud detection techniques during recent significant eruptions in the western Ring of Fire, A. Tupper, S. Carn, J. Davey, Y. Kamada, R. Potts, F. Prata and M. Tokuno, 91:27

Volcanic eruptions

An evaluation of volcanic cloud detection techniques during recent significant eruptions in the western Ring of Fire, A. Tupper, S. Carn, J. Davey, Y. Kamada, R. Potts, F. Prata and M. Tokuno, 91:27

Volcanic monitoring from space

Improving volcanic ash cloud detection by a robust satellite technique, N. Pergola, V. Tramutoli, F. Marchese, I. Scaffidi and T. Lacava, 90:1

Warm pool

Observing the coupling effect between warm pool and "rain pool" in the Pacific Ocean, G. Chen, C. Fang, C. Zhang and Y. Chen, 91:153

Water-holding capacity

Impacts of hydrologic soil properties on drought detection with MODIS thermal data, S. Park, J.J. Feddema and S.L. Egbert, 89:53

Water index

Estimating live fuel moisture content from remotely sensed reflectance, F.M. Danson and P. Bowyer, 92:309

Water quality

Phycocyanin detection from LANDSAT TM data for mapping cyanobacterial blooms in Lake Erie, R.K. Vincent, X. Qin, R.M.L. McKay, J. Miner, K. Czajkowski, J. Savino and T. Bridgeman, 89:381

A composite DOP approach to excluding bottom reflectance in mapping water parameters of shallow coastal zones from TM imagery, A. Islam, J. Gao, W. Ahmad, D. Neil and P. Bell, 92:40

Assessment of estuarine water-quality indicators using MODIS medium-resolution bands: Initial results from Tampa Bay, FL, C. Hu, Z. Chen, T.D. Clayton, P. Swarzenski, J.C. Brock and F.E. Muller-Karger, 93:423

Water spectral absorptions

Predicting water content using Gaussian model on soil spectra, M.L. Whiting, L. Li and S.L. Ustin, 89:535

Water stress index

Using directional TIR measurements and 3D simulations to assess the limitations and opportunities of water stress indices, D. Luquet, A. Vidal, J. Dauzat, A. Bégué, A. Olioso and P. Clouvel, 90:53

Water vapor

Regional simulation of ecosystem CO₂ and water vapor exchange for agricultural land using NOAA AVHRR and Terra MODIS satellite data. Application to Zealand, Denmark, R.M. Houborg and H. Soegaard, 93:150

Wave spectra

Measurement of ocean surface slopes and wave spectra using polarimetric SAR image data, D.L. Schuler, J.S. Lee, D. Kasilingam and E. Pottier, 91:198

Wavelet analysis

Space—time variations of the TOPEX/POSEIDON-derived heat storage anomaly over the Kuroshio upstream regions, S.-A. Chen, 89:128

Wavelet transform

Wavelet transform applied to EO-1 hyperspectral data for forest LAI and crown closure mapping, R. Pu and P. Gong, 91:212

Wavelets

Sub-pixel mapping and sub-pixel sharpening using neural network predicted wavelet coefficients, K.C. Mertens, L.P.C. Verbeke, T. Westra and R.R. De Wulf, 91:225

Weibull

Estimation of timber volume and stem density based on scanning laser altimetry and expected tree size distribution functions, M. Maltamo, K. Eerikäinen, J. Pitkänen, J. Hyypä and M. Vehmas, 90:319

Wildfire

Mapping wildfire occurrence at regional scale, J. de la Riva, F. Pérez-Cabello, N. Lana-Renault and N. Koutsias, 92:288

Mapping wildfire occurrence at regional scale, I.Z. Gitas, J. de la Riva, F. Pérez-Cabello, N. Lana-Renault and N. Koutsias, 92:363

Wildland fire modeling

Generation of crown bulk density for *Pinus sylvestris* L. from lidar, D. Riaño, E. Chuvieco, S. Condés, J. González-Matesanz and S.L. Ustin, 92:345

Wildland fires

Sensitivity of spectral reflectance to variation in live fuel moisture content at leaf and canopy level, P. Bowyer and F.M. Ranson, 92:297

Wind divergence

Sensible and latent heat flux in the tropical Pacific from satellite multi-sensor data, Y.-H. Jo, X.-H. Yan, J. Pan, W.T. Liu and M.-X. He, 90:166

Yellowfin tuna

Remote sensing data and longline catches of yellowfin tuna (*Thunnus albacares*) in the equatorial Atlantic, C.R. Zagaglia, J.A. Lorenzetti and J.L. Stech, 93:267

Yosemite National Park

Comparison of AVIRIS and Landsat ETM+ detection capabilities for burn severity, J.W. van Wagendonk, R.R. Root and C.H. Key, 92:397

Zealand, Denmark

Regional simulation of ecosystem CO₂ and water vapor exchange for agricultural land using NOAA AVHRR and Terra MODIS satellite data. Application to Zealand, Denmark, R.M. Houborg and H. Soegaard, 93:150

